

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-1010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	<		
Signal word	: Da	anger	
Hazard statements	: H3 H3	Causes skir Causes skir Causes seri	n irritation. ious eye damage.

Sika MonoTop[®]-1010

Revision Date: 17.12.2023 Date



sion Date: 17.12.2023 e of last issue: 16.01.2021		V	ersion 2.0	Print Date 10.01.2
		H335	May cause respiratory irritation.	
Precautionary statements :	:	P101	If medical advice is needed, hav container or label at hand.	e product
		P102	Keep out of reach of children.	
		Prevention:		
		P271	Use only outdoors or in a well-ve	entilated ar-
		P280	Wear protective gloves/ eye pro protection.	tection/ face
		Response:		
		P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. If tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
		Disposal:		
		P501	Dispose of contents/container in with local regulation.	accordance

Version 2.0

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 17.12.2023 Date of last issue: 16.01.2021



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms ar	nd e	effects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder Excessive lachrymation

Jika ®
Print Date 10.01.2024

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0

Date	e of last issue: 16.01.2021		
			Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
	Risks	:	irritant effects
			Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
4.3	Indication of any immediate r	neo	dical attention and special treatment needed
	Treatment	:	Treat symptomatically.
SE	CTION 5: Firefighting meas	sur	es
5.1	Extinguishing media		
	Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from	the	e substance or mixture
			No hazardous combustion products are known
5.3	Advice for firefighters		
	-	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.
SE	CTION 6: Accidental releas	se r	measures
6.1	Personal precautions, protec	tiv	e equipment and emergency procedures
	Personal precautions	:	Use personal protective equipment.
			Avoid breathing dust. Deny access to unprotected persons.
6.2	Environmental precautions		
	Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3	Methods and material for con	ntai	
	Methods for cleaning up	·	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
<u> </u>	untry CH 10000021717		A / 1A

Sika MonoTop®-1010

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clu	uding any incompatibilities
	Requirements for storage areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor-	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)		Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	TWA (alveolate	0,15 mg/m3	CH SUVA	
		dust)	(Silica)		
	Further information: Provisional value - The TWA-values for these				
	substances are, for various reasons, not yet definitively estab-				
	lished, Carcinogenic Category 1, National Institute for Occupa-				
	tional Safety and Health, Occupational Safety and Health Admin-				

Sika MonoTop®-1010



Revision Date: 17.12.2023 Date of last issue: 16.01.2021

	istration, Health and Safety Executive (Occupational Medicine and Hygiene Laboratory), Harm to the unborn child is not to be ex- pected when the OEL-value is respected			
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 : Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed. Skin and body protection Dust impervious protective suit 2 Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. In case of inadequate ventilation wear respiratory protection. Respiratory protection Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0



Environmental exposure controls

General advice

 Try to prevent the material from entering drains or water courses.
No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties				
Physical state	:	solid		
Appearance	:	powder		
Colour	:	grey		
Odour	:	odourless		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or e	exp	losive limits		
Upper explosion limit / Up- per flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	Not applicable		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
рН	:	> 11 (20 °C) Concentration: 50 %		
Viscosity				
Viscosity, kinematic	:	No data available		
Solubility(ies)				
Water solubility	:	insoluble		

Sika MonoTop[®]-1010

Revision Date: 17.12.2023 Date of last issue: 16.01.2021





Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: No data available
Density	: No data available
Bulk density	: ca. 1,08 kg/m3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Sika MonoTop®-1010

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0



SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

	Pr	od	uc	t:
--	----	----	----	----

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 17.12.2023 Date of last issue: 16.01.2021		Version 2.0	Print Date 10.01.202
		local authority requirements. Avoid dispersal of spilled material and rund soil, waterways, drains and sewers.	off and contact with
Waste code Switzerland VeVA/LVA	:	16 03 03 -	
Contaminated packaging	:	15 01 10 [S] packaging containing residue ed by dangerous substances	s of or contaminat-

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75 REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable 2 (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable 2 tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Chemical Risk Reduction Ordinance (ORRChem, SR Not applicable 814.81) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,01% w/w no VOC duties
----------------------------	---	--

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of



Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0

either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.			
H318	: Causes serious eye da	mage.		
H335	: May cause respiratory			
Full text of other abbreviation				
Eye Dam.	: Serious eye damage			
Skin Irrit.	: Skin irritation			
STOT SE	: Specific target organ to			
CH SUVA	: Switzerland. Limit value			
CH SUVA / TWA	: Time Weighted Averag			
ADR		oncerning the International Carriage of		
	Dangerous Goods by F			
CAS	: Chemical Abstracts Se	rvice		
DNEL	: Derived no-effect level			
EC50	: Half maximal effective			
GHS	: Globally Harmonized S			
ΙΑΤΑ	: International Air Transp			
IMDG		Code for Dangerous Goods		
LD50		e amount of a material, given all at		
		e death of 50% (one half) of a group of		
	test animals)			
LC50		ation (concentrations of the chemical in		
	air that kills 50% of the	test animals during the observation		
	period)			
MARPOL		n for the Prevention of Pollution from		
		d by the Protocol of 1978		
OEL	: Occupational Exposure			
PBT	: Persistent, bioaccumula			
PNEC	: Predicted no effect con	centration		
REACH	: Regulation (EC) No 19	07/2006 of the European Parliament		
	and of the Council of 18	8 December 2006 concerning the Reg-		
	istration, Evaluation, Au	uthorisation and Restriction of Chemi-		
	cals (REACH), establis	hing a European Chemicals Agency		
SVHC	: Substances of Very Hig	gh Concern		
vPvB	: Very persistent and ver	y bioaccumulative		
Further information				
Classification of the mixture:		Classification procedure:		
Skin Irrit. 2	H315	Calculation method		

Sika MonoTop®-1010

Print Date 10.01.2024

Revision Date: 17.12.2023 Date of last issue: 16.01.2021 Version 2.0

STOT SE 3

H335

Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN