

Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaFast[®]-555 L10 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 04.02.2022 Date of last issue: 15.12.2020



e of last issue. 15.12.2020			
Hazard statements		H315	Causes skin irritation.
i lazaru statements	•		
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H335	May cause respiratory irritation.
Dracoutionary statements		Prevention:	
Precautionary statements	•	Fievention.	
		P261	Avoid breathing mist or vapours.
		P264	Wash skin thoroughly after handling.
		P280	Wear protective gloves/ eye protection/ face
			protection.
		Response:	
		P304 + P340 + F	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
		P337 + P313	If eye irritation persists: Get medical advice/ attention.

Version 3.0

Hazardous components which must be listed on the label:

benzyl methacrylate zinc methacrylate aromatic amine ethoxylated

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 04.02.2022 Date of last issue: 15.12.2020



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical name	EC-No.	Classification	
			(% w/w)
Less Lessthese lete	Registration number		40 00
benzyl methacrylate	2495-37-6	Skin Irrit. 2; H315	>= 40 - < 60
	219-674-4	Eye Irrit. 2; H319	
	01-2119960155-39-	Skin Sens. 1B; H317	
	XXXX	STOT SE 3; H335	
		(Respiratory system)	
		specific concentration	
		STOT SE 3; H335	
		>= 10 %	
	40400.00.0		0.5 0
zinc methacrylate	13189-00-9	Acute Tox. 4; H302	>= 2,5 - < 3
	236-144-8	Eye Dam. 1; H318	
	01-2119976363-30-	Skin Sens. 1; H317	
	XXXX	Aquatic Acute 1;	
		H400	
aromatic amine ethoxylated	Not Assigned	Acute Tox. 4; H302	>= 0,25 - < 1
	911-490-9	Skin Irrit. 2; H315	
	01-2119979579-10-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1; H317	
		Aquatic Chronic 3;	
		H412	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date: 04.02.2022 Version 3.0 Date of last issue: 15.12.2020 If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Cough 5 Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects · sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from		
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

Print Date 03.05.2023

Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	•	
Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Store in accordance with local regulations.



Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0

Further information on stor- : No deco age stability	omposition if stored and applied as directed.
---	---

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	t
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contr	ols
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Revision Date: 04.02.2022 Date of last issue: 15.12.2020



aio	0110010000.10.12.2020		
	Physical state Appearance Colour	:	liquid paste white
	Odour	:	acrylic-like
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	exn	losive limits
	Upper explosion limit / Up- per flammability limit	•	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	ca. 90 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity		
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
	Solubility(ies)		
	Water solubility	:	insoluble
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	0,0453295 hPa
	Density	:	ca. 1,14 g/cm3 (20 °C)

Version 3.0

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaFast[®]-555 L10 Part A



Revision Date: 04.02.2022 Date of last issue: 15.12.2020	Version 3.0	Print Date 03.05.202
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	eactivity	
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
The product is chemically st	able.	
10.3 Possibility of hazardous re	eactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
No decomposition if stored a	nd applied as directed.	
SECTION 11: Toxicological	nformation	
-		
11.1 Information on hazard clas	ses as defined in Regulation (EC) No 1272/2008	
Acute toxicity		
Not classified based on avai	able information.	
Components:		
zinc methacrylate:		
Acute oral toxicity	: LD50 Oral (Rat): 500 mg/kg	
Skin corrosion/irritation		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Revision Date: 04.02.2022 Date of last issue: 15.12.2020

Version 3.0



Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

zinc methacrylate:		
Toxicity to microorganisms	:	IC50 (Natural microorganism): 0,56 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste code Switzerland : 08 01 11 -VeVA/LVA : 15 01 10 [S] packaging containing residues of or contaminat-Contaminated packaging ed by dangerous substances

Revision Date: 04.02.2022 Date of last issue: 15.12.2020

Version 3.0



SECTION 14: Transport information

14.1 UN number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user Not applicable					
14.7 Transport in bulk according to Appex II of Marpol and the IBC Code					

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla	ation	specific for the substance or mixture	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaFast[®]-555 L10 Part A



Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0

REACH - List of substances subj (Annex XIV)	:	Not applicable	
Regulation (EC) No 1005/2009 o plete the ozone layer	:	Not applicable	
Regulation (EU) 2019/1021 on petants (recast)	:	Not applicable	
PIC Ordinance, ChemPICO (814	:	Not applicable	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H302

: Harmful if swallowed.

Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0



C 01 1031 1330C. 13.12.2020			
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin	reaction.
H318	:	Causes serious eye damag	je.
H319	:	Causes serious eye irritatio	on.
H335	:	May cause respiratory irrita	
H400		Very toxic to aquatic life.	
H412	:	Harmful to aquatic life with	long lasting effects
		•	long lacking onocid.
Full text of other abbreviat	ions		
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic	hazard
Aquatic Chronic	:	Long-term (chronic) aquation	
Eye Dam.		Serious eye damage	
Eye Irrit.	:	Eye irritation	
Skin Irrit.	:	Skin irritation	
	:		
Skin Sens.	•	Skin sensitisation	
STOT SE	:	Specific target organ toxicit	
ADR	:		erning the International Carriage of
		Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	Э
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective cond	centration
GHS	:	Globally Harmonized Syste	em
ΙΑΤΑ	:	International Air Transport	
IMDG	:	International Maritime Code	
LD50			nount of a material, given all at
2000	•		ath of 50% (one half) of a group of
		test animals)	all of 30% (one hair) of a group of
LC50		,	a (concentrations of the chemical in
LC30	•		n (concentrations of the chemical in
			t animals during the observation
		period)	
MARPOL	:		or the Prevention of Pollution from
		Ships, 1973 as modified by	
OEL	:	Occupational Exposure Lin	
PBT	:	Persistent, bioaccumulative	e and toxic
PNEC	:	Predicted no effect concent	tration
REACH	:	Regulation (EC) No 1907/2	2006 of the European Parliament
			ecember 2006 concerning the Reg-
			risation and Restriction of Chemi-
			a European Chemicals Agency
SVHC		Substances of Very High C	
	:		
vPvB	•	Very persistent and very bi	Uaccumulative
Further information			
Classification of the mixtu	re:	CI	lassification procedure:
Skin Irrit. 2	ЦЗ		alculation method
	110		

OKITTITI. Z	11515	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaFast[®]-555 L10 Part A



Revision Date: 04.02.2022 Date of last issue: 15.12.2020 Version 3.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN