



Version 6.0

Print Date 27.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
1.2 honzingthiazol 2/2H) ong	Registration number		>= 0.025
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,025 - < 0,036
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027

Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0



Print Date 27.11.2024

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	Acute Tox. 3; H301	>= 0,0002 - <
	247-761-7	Acute Tox. 2; H330	0,0015
	01-2120768921-45-	Acute Tox. 3; H311	-,
	XXXX	Skin Corr. 1; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		125 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,27	
		mg/l	
		Acute dermal toxicity:	
		311 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027

Revision Date: 27.11.2024 Date of last issue: 05.07.2022

Print	Date	27.	11.	2024

01 1031 13306. 03.07.2022			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

Version 6.0

For explanation of abbreviations see section 16.





Version 6.0

Print Date 27.11.2024

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

	General advice	:	No hazards which require special first aid measures.
	If inhaled	:	Move to fresh air.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
	In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms	:	See Section 11 for more detailed information on health effect

## 4.2

Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.
Risks	:	No known significant effects or hazards.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod-		e substance or mixture No hazardous combustion products are known
ucts		
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions,	protective equipment and emergency procedures	
Personal precautions	: For personal protection see section 8.	

#### **6.2 Environmental precautions**

Environmental precautions : No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 6.0

Print Date 27.11.2024

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA
	es, which are e tional skin reso inhalation by th	ation: Toxic by skin easily absored throu option a substancial ne airways., Sensitiz to very strong allerg	igh the skin, can g higher risk compa zers; Substances	give by addi- ared to only
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	TWA (inhalable dust)	0,2 mg/m3	CH SUVA
	can lead to ver	ation: Sensitizers; S y strong allergic rea be expected when th	actions., Harm to t	he unborn
		STEL (inhalable dust)	0,4 mg/m3	ĊH SUVA

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A)

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### **Environmental exposure controls**

General advice	:	No special environmental precautions required.	
	•	no opeoidi environnentai precaduene required.	

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

information on basic physical	an	u chemical properties
Physical state Colour	:	liquid amber
Odour	:	like methacrylic acid
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	avn	losivo limite
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 4,9 (20 °C)
Viscosity		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® ViscoCrete®-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022	Version 6.0	Print Date 27.11.2024
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,06 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid	: No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.



Version 6.0

Print Date 27.11.2024

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

#### Components:

1,2-benzisothiazol-3(2H)-one (BIT):				
Acute oral toxicity	: Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
	LD50 Oral (Rat): 450 mg/kg			
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008</li> </ul>			
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg			
2-octyl-2H-isothiazole-3-one (OIT):				
Acute oral toxicity	<ul> <li>Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008</li> </ul>			
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008</li> </ul>			
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):				
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.			
Skin corrosion/irritation				
Not classified due to lack of da				
Cariava ava damagalava irri	tation			

Serious eye damage/eye irritation

Not classified due to lack of data.

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

#### Respiratory or skin sensitisation

### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### **Components:**

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Assessment

: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

Not classified due to lack of data.

# Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



evision Date: 27.11.2024 pate of last issue: 05.07.2022	_	Version 6.0	Print Date 27.11.202
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
2-octyl-2H-isothiazole-3-one	(0	Т):	
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
reaction mass of 5-chloro-2-	me	thyl-2H-isothiazol-3-one and 2-methyl-2H-i	sothiazol-3-one (3:1):
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
2.2 Persistence and degradabili	ty		
No data available 2.3 Bioaccumulative potential			
No data available			
<b>2.4 Mobility in soil</b> No data available			
2.5 Results of PBT and vPvB as	ses	sment	
Product:			
Assessment	:	This substance/mixture contains no compon- to be either persistent, bioaccumulative and very persistent and very bioaccumulative (vF 0.1% or higher	toxic (PBT), or
2.6 Endocrine disrupting prope	tie	5	
Product:			
Assessment	:	The substance/mixture does not contain con ered to have endocrine disrupting properties REACH Article 57(f) or Commission Delegat (EU) 2017/2100 or Commission Regulation ( levels of 0.1% or higher.	according to ed regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor-	:	There is no data available for this product.	

# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027

**Jika**®

Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

mation

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 10 01 [S] aqueous liquid wastes containing dangerous substances

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022	Version	6.0	Print Date 27.11.2024
IATA (Cargo)	: Not regulated as a da	ngerous good	
IATA (Passenger)	: Not regulated as a da	ngerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	good		
14.6 Special precautions for user Not applicable			
14.7 Maritime transport in bulk ac	cording to IMO instrum	ents	
Not applicable for product as s	upplied.		
SECTION 15: Regulatory infor 15.1 Safety, health and environm International Chemical Weapo Schedules of Toxic Chemicals	ental regulations/legisla	tion specific for th : Not applicable	
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re - exempted from the r	stream suppliers, a d/or gulation, and/or	
REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	langerous substances,		restriction for the fol- s should be considered: st 75:
REACH - Candidate List of Su Concern for Authorisation (Arti		: None of the c (=> 0.1 %).	omponents are listed
REACH - List of substances su (Annex XIV)	bject to authorisation	: Not applicable	e
Regulation (EC) on substances layer	s that deplete the ozone	: Not applicable	e
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	: Not applicable	e
PIC Ordinance, ChemPICO (8	14.82)	: Not applicable	e

Ordinance on Protection against Major Accidents

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022	Version 6.0	Print Date 27.11.2024
Threshold quantity according to nance (MAO 814.012)	Major Accidents Ordi- : Not applicable	9
Chemical Risk Reduction Ordin (ORRChem, SR 814.81)	ance : Not applicable	
Waters Protection Ordinance (Water pollution class	VPO 814.201) slightly hazardous to water Classification according to AwSV, Annex	1 (5.2)
Volatile organic compounds	<ul> <li>Law on the incentive tax for volatile organ (VOCV)</li> <li>Volatile organic compounds (VOC) contended no VOC duties</li> </ul>	•
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Volatile organic compounds (VOC) conte	n and control)

#### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® ViscoCrete®-4027



Revision Date: 27.11.2024 Date of last issue: 05.07.2022 Version 6.0

Print Date 27.11.2024

Aquatic Chronic Eye Dam. Skin Corr.	:	Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion
Skin Irrit.	÷	Skin irritation
Skin Sens. CH SUVA		Skin sensitisation
CH SUVA / TWA	:	Switzerland. Limit values at the work place Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of
ADR	•	Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
LC50		test animals) Median lethal concentration (concentrations of the chemical in
EC30	•	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
S)//UC	-	cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	•	Very persistent and very bioaccumulative

#### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN