

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-302 W ESD Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Polyurethane coating, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



ate of	f last issue: 22.11.2019		
s	ignal word :	Warning	
Н	lazard statements :	H317 H332 H335 H412	May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation. Harmful to aquatic life with long lasting ef- fects.
Ρ	recautionary statements :	Prevention: P261 P273 P280	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves.
		Response: P304 + P340 + P P333 + P313 P362 + P364	 P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Aliphatic polyisocyanate hexamethylene-di-isocyanate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikafloor[®]-302 W ESD Part B

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
Aliphatic polyisocyanate	Registration number 160994-68-3 Not Assigned	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>=80
hexamethylene-di-isocyanate	822-06-0 212-485-8 01-2119457571-37- XXXX	Acute Tox. 4; H302 Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	< 0,1
		specific concentration limit Resp. Sens. 1; H334 >= 0,5 % Skin Sens. 1; H317 >= 0,5 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 746 mg/kg Acute inhalation tox- icity (vapour): 0,124 mg/l	

For explanation of abbreviations see section 16.

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



SECTION 4: First aid measures

	easures
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: Cough Respiratory disorder Allergic reactions Headache See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
	May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.
3 Indication of any immedia	te medical attention and special treatment needed
	: Treat symptomatically.

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.



Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Deny access to unprotected persons. **6.2 Environmental precautions Environmental precautions** Do not flush into surface water or sanitary sewer system. : If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the ap- plication area.
	Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical
	products



Revision Date: 01.08.2023 Date of last issue: 22.11.2019		Version 16.0	Print Date 01.08.2023
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection	
Hygiene measures	:	Handle in accordance with good industrial hyg practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Containers which are opened must be o sealed and kept upright to prevent leakage. St ance with local regulations.	arefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
hexamethylene-di-isocyanate	822-06-0	TWA	0,02 mg/m3 (NCO)	CH SUVA	
	can lead to v	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Health and Safety Executive (Occupational Medicine and Hygiene Laboratory)			
		STEL	0,02 mg/m3 (NCO)	CH SUVA	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
hexamethylene-di-isocyanate	822-06-0	Hexameth- ylendiamine: 15 µg/g creatinine (Urine)	Immediately after exposure or after working hours	CH BAT
		Hexameth- ylendiamine: 14.6 nmol/mmol creati- nine (Urine)	Immediately after exposure or after working hours	CH BAT

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	t				
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.				
Environmental exposure controls					
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform				

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear

Sikafloor[®]-302 W ESD Part B

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



Odour	:	sweet
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 65 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 7 Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,05 g/cm3 (20 °C)
Relative vapour density	:	No data available

Sikafloor[®]-302 W ESD Part B

Print Date 01.08.2023

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0

Particle characteristics : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data availabl
--

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Aliphatic polyisocyanate:

Acute inhalation toxicity	: LC5	i0: 1,5 mg/l
	Exp	osure time: 4 h
	Tes	t atmosphere: dust/mist
	Met	hod: Expert judgement

Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method

hexamethylene-di-isocyanate:

Acute oral toxicity	: LD50 Oral (Rat): 746 mg/kg
---------------------	------------------------------

Print Date 01.08.2023

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0

			Acute toxicity estimate: 746 mg/kg Method: Calculation method
	Acute inhalation toxicity	:	LC50 (Rat): 0,124 mg/l Exposure time: 4 h Test atmosphere: vapour
			Acute toxicity estimate: 0,124 mg/l Test atmosphere: vapour Method: Calculation method
	Acute dermal toxicity	:	LD50 Dermal (Rat): > 7.000 mg/kg
	Skin corrosion/irritation Not classified due to lack of da	ata.	
	Serious eye damage/eye irri Not classified due to lack of da		
	Respiratory or skin sensitis	atic	on
	Skin sensitisation May cause an allergic skin rea	actio	on.
	Respiratory sensitisation Not classified due to lack of da	ata.	
	Germ cell mutagenicity Not classified due to lack of da	ata.	
	Carcinogenicity Not classified due to lack of da	ata.	
	Reproductive toxicity Not classified due to lack of da	ata.	
	STOT - single exposure May cause respiratory irritatio	n.	
	STOT - repeated exposure		
	Not classified due to lack of d	ata.	
	Aspiration toxicity Not classified due to lack of da	ata.	
11.2	2 Information on other hazard	ds	
	Endocrine disrupting prope	rtie	s
	Product: Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Print Date 01.08.2023

Revision Date: 01.08.2023 Date of last issue: 22.11.2019

Version 16.0

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Aliphatic polyisocyanate:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

:

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher...

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:	_	An environmental becaude connet be evaluated in the event of
Additional ecological infor- mation	-	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sikafloor[®]-302 W ESD Part B

Revision Date: 01.08.2023 Date of last issue: 22.11.2019



Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	: 08 05 01 -
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances

Version 16.0

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					

Not regulated as a dangerous good

Sikafloor®-302 W ESD Part B

Revision Date: 01.08.2023 Date of last issue: 22.11.2019 Version 16.0



14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environment International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)	ion :	specific for the substance or mixture Not applicable
	REACH Information: - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg		trea /or gula	m suppliers, and/or tion, and/or
	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	igerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
	REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
	PIC Ordinance, ChemPICO (814.	82)	:	Not applicable
	Chemical Risk Reduction Ordinar 814.81)	:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.	
-	Seveso III: Directive 2012/18/EU of the European Parlian jor-accident hazards involving dangerous substances. Not applicable			and of the Council on the control of ma-
	Volatile organic compounds :	ax fo	or volatile organic compounds	

Revision Date: 01.08.2023 Date of last issue: 22.11.2019



Version 16.0

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H302	:	Harmful if swallowed.			
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H319	:	Causes serious eye irritation.			
H330	:	Fatal if inhaled.			
H332	:	Harmful if inhaled.			
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
H335	:	May cause respiratory irritation.			
H412	:	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Irrit.	:	Eye irritation			
Resp. Sens.	:	Respiratory sensitisation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
CH BAT	:	Switzerland. List of BAT-values			
CH SUVA	:	Switzerland. Limit values at the work place			
CH SUVA / TWA	:	Time Weighted Average			
CH SUVA / STEL	:	Short Term Exposure Limit			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			

Sikafloor®-302 W ESD Part B

Revision Date: 01.08.2023 Date of last issue: 22.11.2019



e of last issue: 22.11.2019	
LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	 test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Version 16.0

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN