

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup> Garage Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

Revision Date: 21.09.2023 Date of



e of last issue: 08.01.2021			
Hazard statements	:	H315 H317 H318 H412	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting ef- fects.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		Prevention:	
		P261 P280	Avoid breathing mist or vapours. Wear protective gloves/ eye protection/ face protection.
		Response:	
		P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Version 5.0

#### Hazardous components which must be listed on the label:

Copolymer, amin functional Fatty acids, C18-unsatd., dimers, polymer reaction products with tall-oil fatty acids and triethylenetetramine 3,6-diazaoctanethylenediamin

#### Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 21.09.2023 Date of last issue: 08.01.2021



## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Copolymer, amin functional	1312024-58-0	Skin Irrit. 2; H315	>= 10 - < 20
	Not Assigned	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
Fatty acids, C18-unsatd., dimers,	68082-29-1	Skin Irrit. 2; H315	>= 2,5 - < 3
polymer reaction products with	Not Assigned	Eye Dam. 1; H318	
tall-oil fatty acids and triethylene-		Skin Sens. 1A; H317	
tetramine		Aquatic Chronic 2;	
		H411	
3,6-diazaoctanethylenediamin	112-24-3	Acute Tox. 4; H302	>= 0,1 - < 0,25
	203-950-6	Acute Tox. 4; H312	
	01-2119487919-13-	Skin Corr. 1B; H314	
	XXXX (covered by	Eye Dam. 1; H318	
	CAS 90640-67-8)	Skin Sens. 1; H317	
		Aquatic Chronic 3;	
		H412	
		Acute toxicity esti-	
		mate	
		Aguto oral toxicity:	
		Acute oral toxicity:	
		1.716 mg/kg	
		Acute dermal toxicity:	
		1.465 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty

# Sikafloor<sup>®</sup> Garage Part A



Revision Date: 21.09.2023 Date of last issue: 08.01.2021	Version 5.0	Print Date 21.09.2
	of water and seek medical advice. Continue rinsing eyes during transport Remove contact lenses. Keep eye wide open while rinsing.	to hospital.
If swallowed	: Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an une	5.
4.2 Most important sympton	ns and effects, both acute and delayed	
Symptoms	: Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
4.3 Indication of any immed	iate medical attention and special treatment n	needed
Treatment	: Treat symptomatically.	

5.1	Extinguishing media		
	Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

Print Date 21.09.2023

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0

Keep in suitable, closed containers for disposal.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

		•	
	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the ap-</li> </ul>
			plication area.
			Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	inc	luding any incompatibilities
	De suiremente fer eterere		Keen eenteinen tinbilu eleesed in e dru end well ventileted

<b>Jika</b> ®
Print Date 21.09.2023

Revision Date: 21.09.2023 Date of last issue: 08.01.2021		Version 5.0	Print Date 21.09.2023
		ance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.
<b>7.3 Specific end use(s)</b> Specific use(s)	:	Consult most current local Product Data Sheet p use.	prior to any

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

of exposure) ters *	Components CAS-No. Value type (Form Control parame- Basis * of exposure) ters *	
---------------------	---	--

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	No special measures required.
Environmental exposure cont	ols
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0



## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

information on basic physical	an	
Physical state Appearance	:	liquid viscous liquid
Colour	•	various
Odour	:	none
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or (	axa	losive limits
Upper explosion limit / Upper explosion limit / Upper flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	10 Concentration: 100 %
<b>Viscosity</b> Viscosity, dynamic		ca. 350 mPa.s
viscosity, dynamic	•	ca. 550 m a.s
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	completely soluble
Partition coefficient: n-	:	No data available

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0



octanol/water

Vapour pressure	:	23 hPa
Density	:	ca. 1,3 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

#### **10.5 Incompatible materials**

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### 3,6-diazaoctanethylenediamin:

Acute oral toxicity : LD50 Oral (Rat): 1.716 mg/kg

# Sikafloor<sup>®</sup> Garage Part A



Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0

		Acute toxicity estimate: 1.716 mg/kg Method: Calculation method
	Acute dermal toxicity :	LD50 Dermal (Rabbit): 1.465 mg/kg
		Acute toxicity estimate: 1.465 mg/kg Method: Calculation method
	Skin corrosion/irritation Causes skin irritation.	
	Serious eye damage/eye irritati Causes serious eye damage.	on
	Respiratory or skin sensitisation	on
	<b>Skin sensitisation</b> May cause an allergic skin reaction	on.
	Respiratory sensitisation Not classified due to lack of data.	
	Germ cell mutagenicity Not classified due to lack of data.	
	Carcinogenicity Not classified due to lack of data.	
	Reproductive toxicity Not classified due to lack of data.	
	<b>STOT - single exposure</b> Not classified due to lack of data.	
	<b>STOT - repeated exposure</b> Not classified due to lack of data.	
	Aspiration toxicity Not classified due to lack of data.	
11.2	2 Information on other hazards	
	Endocrine disrupting propertie	S
	Product: Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0



### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

Fatty acids, C18-unsatd., din ethylenetetramine:	ner	s, polymer reaction products with tall-oil fatty acids and tri-
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): 7,07 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 4,34 mg/l Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,5 mg/l Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chron-	:	Exposure time: 48 d
ic toxicity)		Species: Daphnia sp. (water flea)

#### 3,6-diazaoctanethylenediamin:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 10 - 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 - 100 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0



#### 12.6 Endocrine disrupting properties

Ρ	ro	dι	ict:

crine disrupting properties according to (f) or Commission Delegated regulation r Commission Regulation (EU) 2018/605 at higher.
)

## 12.7 Other adverse effects

Product:
----------

Additional ecological infor- mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
	rianniul to aquatic life with long lasting enects.
	Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>	d d
Waste code Switzerland VeVA/LVA	: 08 01 11 -	
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances	

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

Revision Date: 21.09.2023 Date of last issue: 08.01.2021



Version 5.0

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.:	3 Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group			
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b> International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors								
REACH Information:		e regulation, and/or						
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex )	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3					
REACH - Candidate List of Su Concern for Authorisation (Art	, ,	:	None of the components are listed (=> 0.1 %).					
REACH - List of substances s	ubject to authorisation	:	Not applicable					

# Sikafloor<sup>®</sup> Garage Part A



Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0

(Annex	XIV)	
--------	------	--

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
PIC Ordinance, ChemPICO (814.82)	:	Not applicable
Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)	:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.
Seveso III: Directive 2012/18/EU of the European Parlian jor-accident hazards involving dangerous substances. Not applicable	nent	and of the Council on the control of ma-

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,12% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,12% w/w

#### Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 21.09.2023 Date of last issue: 08.01.2021 Version 5.0



## **SECTION 16: Other information**

Full text of H-Statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	S
Acute Tox.	Acute toxicity
Aquatic Chronic	Long-term (chronic) aquatic hazard
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
ADR	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
0.410	cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

#### **Further information**

Classification of the mixtu	re:	Classification procedure:		
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		

# Sikafloor<sup>®</sup> Garage Part A



Revision Date: 21.09.2023 Date of last issue: 08.01.2021		Version 5.0	Print Date 21.09.2023
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN