Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaScreed®-10BB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.

SikaScreed®-10BB

Version 6.0



Revision Date: 16.03.2023 Date of last issue: 11.03.2021 P102 Keep out of reach of children. P103 Read label before use. **Prevention:** P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace exp	oosure limit :		
Quartz (SiO2)	14808-60-7		>= 25 - < 40
· · ·	238-878-4		



Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0

Calcium sulfate hemihydrate 10034-76-1 Not Assigned 01-2119444918-26- XXXX	>= 10 - < 20
---	--------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. 2 Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. Do not induce vomiting without medical advice. If swallowed : Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects Causes skin irritation. Causes serious eye damage. 4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. 5

Jika ®
Print Date 02.08.2023

Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from the	e substance or mixture
	Hazardous combustion prod- : ucts	No hazardous combustion products are known
5.3	Advice for firefighters	
	Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
	Further information :	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.

SikaScreed[®]-10BB



Revision Date: 16.03.2023 Date of last issue: 11.03.2021	Version 6.0	Print Date 02.08
	Follow standard hygiene measures when handlin products	ig chemical
Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaus at places where dust is formed.	st ventilation
Hygiene measures :	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the en	ising do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations.	
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as directe	əd.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Sheet pr use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA	
	Further information: Provisional value - The TWA-values for these substances are, for various reasons, not yet definitively estab- lished, Carcinogenic Category 1, National Institute for Occupa- tional Safety and Health, Occupational Safety and Health Admin- istration, Health and Safety Executive (Occupational Medicine and Hygiene Laboratory), Harm to the unborn child is not to be ex- pected when the OEL-value is respected				
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA	
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.				
Calcium sulfate hemihydrate	10034-76-1	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA	
	Further information: Harm to the unborn child is not to be expected when the OEL-value is respected				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0



8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice :	Try to prevent the material from entering drains or water			

No special environmental precautions required.

courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: solid
Appearance	: powder
Colour	: grey
Odour	: odourless

SikaScreed®-10BB

Print Date 02.08.2023

Revision Date: 16.03.2023
Date of last issue: 11.03.2021

Version 6.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
llener/lener flemmehiliterer		le cive limite
Upper/lower flammability or o	-	
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
pH Viscosity	:	
	-	
Viscosity Viscosity, kinematic	-	Concentration: 50 %
Viscosity	:	Concentration: 50 %
Viscosity Viscosity, kinematic Solubility(ies) Water solubility	:	Concentration: 50 % No data available insoluble
Viscosity Viscosity, kinematic Solubility(ies)	:	Concentration: 50 % No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-	:	Concentration: 50 % No data available insoluble
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-	:	Concentration: 50 % No data available insoluble
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	Concentration: 50 % No data available insoluble No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water Vapour pressure	:	Concentration: 50 % No data available insoluble No data available No data available

SikaScreed®-10BB

Jika ®
Print Date 02.08.2023

Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0

Particle characteristics : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid :		No data available
-----------------------	--	-------------------

10.5 Incompatible materials

Materials to avoid	:	No data available
Materials to avoid		No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Calcium sulfate hemihydrate:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

SikaScreed[®]-10BB

Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0



Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SikaScreed[®]-10BB



Revision Date: 16.03.2023 Date of last issue: 11.03.2021		Version 6.0	Print Date 02.08.20
Assessment	:	This substance/mixture contains no compone to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher	oxic (PBT), or
12.6 Endocrine disrupting prope	ertie	25	
Product:			
Assessment	:	The substance/mixture does not contain com ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	according to d regulation
12.7 Other adverse effects			
Product: Additional ecological infor- mation	:	There is no data available for this product.	
Global warming potential			

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SikaScreed®-10BB

Jika ®
Print Date 02.08.2023

Revision Date: 16.03.2023 Date of last issue: 11.03.2021	Version 6.0	Print Date 02.08.2023	
Waste code Switzerland VeVA/LVA	: 16 03 03 -		
Contaminated packaging	: 15 01 10 [S] packaging containing residue ed by dangerous substances	s of or contaminat-	

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for use	r				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

SikaScreed®-10BB



Revision Date: 16.03.2023 Date of last issue: 11.03.2021	Version 6	6.0	Print Date 02.08.
the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			lowing entries should be considered: Number on list 75
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
PIC Ordinance, ChemPICO (814	.82)	:	Not applicable
REACH Information:	All substances containe - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	t and of the Council on the control of ma-
Water hazard class (Germa-	WGK 1 slightly hazard	ous	to water

Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 16.03.2023 Date of last issue: 11.03.2021



Version 6.0

SECTION 16: Other information

Full text of H-Statements				
H315	:	Causes skin irritation.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
CH SUVA	:	Switzerland. Limit values at the work place		
CH SUVA / TWA	:	Time Weighted Average		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
1.050		test animals)		
LC50	•	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
		period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
Further information				
Classification of the mixtu	re:	Classification procedure:		
Skin Irrit. 2		Calculation method		
Eye Dam. 1	H3	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SikaScreed®-10BB

Revision Date: 16.03.2023 Date of last issue: 11.03.2021 Version 6.0



Changes as compared to previous version !

CH / EN