Sarnacol[®]-2142 V



Print Date 25.10.2024

Revision Date: 25.10.2024 Date of last issue: 08.11.2022

Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sarnacol[®]-2142 V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Acute toxicity, Category 4	H332: Harmful if inhaled.					
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Carcinogenicity, Category 2	H351: Suspected of causing cancer.					
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.					
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V

Revision Date: 25.10.2024 Date of last issue: 08.11.2022 Version 4.0



Print Date 25.10.2024

2.2 Label elements

Labelling (REGULATION	(EC)	No 1272/20	08)
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	:	Preventio P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response P304 + P3 P342 + P3	40 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 25.10.2024 Date of last issue: 08.11.2022 Version 4.0

Print Date 25.10.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022 Version 4.0

Print Date 25.10.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 %	>= 60 - < 80
		specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Resp. Sens. 1; H334	
		>= 0,1 % Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.



Revision Date: 25.10.2024 Date of last issue: 08.11.2022

Version 4.0

Print Date 25.10.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sarnacol®-2142 V

Jika®

Revision Date: 25.10.2024 Date of last issue: 08.11.2022		Version 4.0	Print Date 25.10.2024
4.3 Indication of any immediate	me	dical attention and special treatment needed	1
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ning apparatus.
Further information	:	Standard procedure for chemical fires.	
Further information SECTION 6: Accidental relea	: se i	·	
SECTION 6: Accidental relea		measures	
SECTION 6: Accidental relea		·	
SECTION 6: Accidental releat 6.1 Personal precautions, protect Personal precautions		measures e equipment and emergency procedures Use personal protective equipment.	
SECTION 6: Accidental releat 6.1 Personal precautions, protect Personal precautions		measures e equipment and emergency procedures Use personal protective equipment.	-
 SECTION 6: Accidental releat 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sev If the product contaminates rivers and lakes or respective authorities.	-
SECTION 6: Accidental relea 6.1 Personal precautions, prote Personal precautions 6.2 Environmental precautions	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sev If the product contaminates rivers and lakes or respective authorities.	or drains inform and, silica gel,
 SECTION 6: Accidental releat 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co 	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sev If the product contaminates rivers and lakes or respective authorities.	or drains inform and, silica gel,

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Version 4.0 Print Date 25.10.2024 Date of last issue: 08.11.2022 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety : practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully reareas and containers sealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 mg/m3 (NCO)	CH SUVA
	es, which are e tional skin reso	ation: Toxic by skin easily absored throu option a substancial ne airways., Sensiti:	ugh the skin, can g higher risk compa	give by addi- ared to only

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sarnacol[®]-2142 V

Revision Date: 25.10.2024 Date of last issue: 08.11.2022	Version 4.0	Print Date 25.10.2024
	Executive (Occupational	rong allergic reactions., Health and Safety I Medicine and Hygiene Laboratory), Harm It to be expected when the OEL-value is
	STEL	0,02 mg/m3 CH SUVA (NCO)

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	4,4'- diaminodiphenyl- methane: 10 μg/g creatinine (Urine)	Immediately after exposure or after working hours	CH BAT
		4,4'- diaminodiphenyl- methane: 5 nmol/mmol creati- nine (Urine)	Immediately after exposure or after working hours	CH BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V

Jika®

Revision Date: 25.10.2024 Date of last issue: 08.11.2022 Version 4.0

Print Date 25.10.2024

ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid blue
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or (exp	losive limits
Upper explosion limit / Upper flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022	Version 4.0	Print Date 25.10.2024
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture reacts with water	
Viscosity		
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n-	: No data available	
octanol/water		
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,12 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available



Print Date 25.10.2024

Version 4.0

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute t	oxicity
---------	---------

Harmful if inhaled.

Components:

4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022 Version 4.0

Print Date 25.10.2024

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024	Version 4.0	Print Date 25.10.2024
Date of last issue: 08.11.2022		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	08 05 01 [S] waste isocyanates

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V

Revision Date: 25.10.2024



Print Date 25.10.2024

Date of last issue: 08.11.2022 ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good t IATA (Cargo) Not regulated as a dangerous good 2 IATA (Passenger) Not regulated as a dangerous good 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-5 the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Banned and/or restricted REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-: Not applicable

Version 4.0

tants (recast)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022	Version 4.0	Print Date 25.10.2024
PIC Ordinance, ChemPICO (814)	.82) : Not applicable	
Ordinance on Protection against Threshold quantity according to M nance (MAO 814.012)	•	
Waters Protection Ordinance (WI Water pollution class :	PO 814.201) slightly hazardous to water Classification according to AwSV, Annex 1	(5.2)
Volatile organic compounds :	Law on the incentive tax for volatile organic (VOCV) no VOC duties	c compounds
	Directive 2010/75/EU of 24 November 201 emissions (integrated pollution prevention Not applicable	

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H334 :	
	ties if inhaled.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022	Version 4.0	Print Date 25.10.2024
H335 : H351 : H373 :	May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged exposure if inhaled.	l or repeated
Full text of other abbreviations	5 · · · · · · · · · · · · · · · · · · ·	
Acute Tox. :	Acute toxicity	
Carc.	Carcinogenicity	
Eye Irrit.	Eye irritation	
Resp. Sens.	Respiratory sensitisation	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	
STOT RE :	Specific target organ toxicity - repeated exposure	Э
STOT SE :	Specific target organ toxicity - single exposure	
CH BAT :	Switzerland. List of BAT-values	
CH SUVA :	Switzerland. Limit values at the work place	
CH SUVA / TWA :	Time Weighted Average	
CH SUVA / STEL :	Short Term Exposure Limit	
ADR :	European Agreement concerning the Internation	al Carriage of
	Dangerous Goods by Road	
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50 :	Half maximal effective concentration	
GHS :	Globally Harmonized System	
IATA :	International Air Transport Association	
IMDG :	International Maritime Code for Dangerous Good	
LD50 :	Median lethal dosis (the amount of a material, gi	
	once, which causes the death of 50% (one half)	of a group of
	test animals)	
LC50 :	Median lethal concentration (concentrations of th	
	air that kills 50% of the test animals during the ol	oservation
	period)	II. Constants
MARPOL :	International Convention for the Prevention of Po	bliution from
	Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT : PNEC :	Persistent, bioaccumulative and toxic Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European	Parliamont
REACT .	and of the Council of 18 December 2006 concern	ning the Reg-
	istration, Evaluation, Authorisation and Restriction	
8)/110	cals (REACH), establishing a European Chemica	als Agency
SVHC : vPvB :	Substances of Very High Concern	
	Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sarnacol[®]-2142 V



Revision Date: 25.10.2024 Date of last issue: 08.11.2022		Version 4.0	Print Date 25.10.2024
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN