Print Date 19.10.2023

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaCeram[®] CleanGrout

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 06.10.2023 Date of last issue: 18.03.2021



te	of last issue: 18.03.2021			
	Hazard statements		H315	Causes skin irritation.
	nazalu statements	•		
			H317	May cause an allergic skin reaction.
			H318	Causes serious eye damage.
			H335	May cause respiratory irritation.
	Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
			P102	Keep out of reach of children.
			Prevention:	
			P271	Use only outdoors or in a well-ventilated ar- ea.
			P280	Wear protective gloves/ eye protection/ face protection.
			Response:	
			P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
			Disposal:	
			P501	Dispose of contents/container in accordance with local regulation.

Version 7.0

Hazardous components which must be listed on the label:

Cement, portland, chemicals 2-octyl-2H-isothiazole-3-one (OIT)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

Revision Date: 06.10.2023 Date of last issue: 18.03.2021





SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 25 - < 40
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	>= 0,0002 - < 0,0015
Substances with a workplace expos	sure limit :		
calcium carbonate	471-34-1 207-439-9 01-2119486795-18- XXXX		>= 25 - < 40



Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0

Quartz (SiO2)	14808-60-7 238-878-4	>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and	effects, both acute and delayed			
Symptoms	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.			
Risks	irritant effects sensitising effects			
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.			



Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefightersSpecial protective equipment for firefightersFurther information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

	ve equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions Environmental precautions :	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sect	tion 8.
SECTION 7: Handling and stora	ige
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid exceeding the given occupational exposure limits (see section 8).

Do not get in eyes, on skin, or on clothing.

For personal protection see section 8.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaCeram[®] CleanGrout



Revision Date: 06.10.2023
Date of last issue: 18.03.2021

		Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
calcium carbonate	471-34-1	TWA (alveolate	3 mg/m3	CH SUVA	
		dust)			
	Further informa	ation: National Instit	ute for Occupation	nal Safety and	
	Health		-	-	
Quartz (SiO2)	14808-60-7	TWA (alveolate	0,15 mg/m3	CH SUVA	
		dust)	(Silica)		
	Further information: Provisional value - The TWA-values for these				
	substances are, for various reasons, not yet definitively estab-				
	lished, Carcinogenic Category 1, National Institute for Occupa-				
	tional Safety and Health, Occupational Safety and Health Admin-				
	istration, Healt	h and Safety Execu	tive (Occupationa	I Medicine and	
	Hygiene Labor	atory), Harm to the	unborn child is no	ot to be ex-	
	pected when the OEL-value is respected				
Cement, portland, chemicals	65997-15-1	TWA (inhalable	5 mg/m3	CH SUVA	
		dust)			
	Further informa	ation: Sensitizers; S	Substances marke	d with an S	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaCeram[®] CleanGrout



Revision Date: 06.10.2023 Date of last issue: 18.03.2021

	can lead to very strong allergic reactions.					
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable	0,05 mg/m3	CH SUVA		
		dust)				
	Further inform	Further information: Toxic by skin resorption possible; Substanc-				
	es, which are	es, which are easily absored through the skin, can give by addi-				
	tional skin resoption a substancial higher risk compared to only					
	inhalation by the airways., Sensitizers; Substances marked with					
	an S can lead	an S can lead to very strong allergic reactions.				
		STEL (inhalable	0,1 mg/m3	CH SUVA		
		dust)	-			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.	
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaCeram[®] CleanGrout

Print Date 19.10.2023

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0

to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder various
Odour	:	characteristic
Melting point/freezing point	:	Not applicable
Initial boiling point and boiling range	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	Not applicable

Revision Date: 06.10.2023 Date of last issue: 18.03.2021



Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,3 kg/l (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2-octyl-2H-isothiazole-3-one	
Acute oral toxicity	 Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Skin corrosion/irritation	
Causes skin irritation.	
Serious eye damage/eye irr	ation
Causes serious eye damage.	
Respiratory or skin sensitis	tion
Skin sensitisation	
May cause an allergic skin rea	ction.
Respiratory sensitisation	
Not classified due to lack of d	ta.
Germ cell mutagenicity	
Not classified due to lack of d	ta.
Carcinogenicity Not classified due to lack of d	to
Reproductive toxicity	la.
Not classified due to lack of d	ta
STOT - single exposure	
May cause respiratory irritatio	
STOT - repeated exposure	
Not classified due to lack of d	ta.
Aspiration toxicity	

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0



11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

2

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0



12.7 Other adverse effects

Product:

mation

Additional ecological infor- : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

-			
	Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	Waste code Switzerland VeVA/LVA	:	16 03 03 -
	Contaminated packaging	:	15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regula	ated as a dangerous good
IMDG : Not regula	ated as a dangerous good
IATA : Not regula	ated as a dangerous good
14.2 UN proper shipping name	
ADR : Not regula	ated as a dangerous good
IMDG : Not regula	ated as a dangerous good
IATA : Not regula	ated as a dangerous good
14.3 Transport hazard class(es)	
ADR : Not regula	ated as a dangerous good
IMDG : Not regula	ated as a dangerous good

Print Date 19.10.2023

Revision Date: 06.10.2023	
Date of last issue: 18.03.2021	

Version 7.0

	ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4	4 Packing group					
	ADR	:	Not regulated as a dangerous good			
	IMDG	:	Not regulated as a dangerous good			
	IATA (Cargo)	:	Not regulated as a dangerous good			
	IATA (Passenger)	:	Not regulated as a dangerous good			
14.	5 Environmental hazards					
	Not regulated as a dangerous	go	od			
14.0	5 Special precautions for use Not applicable	r				
14.7	7 Maritime transport in bulk a	ccc	ording to IMO instruments			
	Not applicable for product as	sup	plied.			
SE	CTION 15: Regulatory info	rma	ation			
15. ⁻	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors					
	REACH Information:		All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
	REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)					
	REACH - Candidate List of Su Concern for Authorisation (Art		tances of Very High : None of the components are listed (=> 0.1 %).			
	REACH - List of substances s (Annex XIV)	ubj	ect to authorisation : Not applicable			
	Regulation (EC) No 1005/200 plete the ozone layer	9 oi	n substances that de- : Not applicable			

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)

PIC Ordinance, ChemPICO (814.82)	:	Not applicable
Chemical Risk Reduction Ordinance (ORRChem, SR	:	Not applicable

Revision Date: 06.10.2023 Date of last issue: 18.03.2021 Version 7.0



814.81)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.				
H311	:	Toxic in contact with skin.				
H314	:	Causes severe skin burns and eye damage.				
H315	:	Causes skin irritation.				
H317	:	May cause an allergic skin reaction.				
H318	:	Causes serious eye damage.				
H330	:	Fatal if inhaled.				
H335	:	May cause respiratory irritation.				
H400	:	Very toxic to aquatic life.				
H410	:	Very toxic to aquatic life with long lasting effects.				
Full text of other abbreviations						
Full text of other abbreviation	าร					
Full text of other abbreviation Acute Tox.		Acute toxicity				
		Acute toxicity Short-term (acute) aquatic hazard				
Acute Tox.		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard				
Acute Tox. Aquatic Acute		Short-term (acute) aquatic hazard				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation				

Revision Date: 06.10.2023 Date of last issue: 18.03.2021



Version 7.0

CH SUVA CH SUVA / TWA CH SUVA / STEL ADR	 Switzerland. Limit values at the work place Time Weighted Average Short Term Exposure Limit European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN