

Revision Date: 27.11.2024 Date of last issue: 12.07.2022 Version 4.0

Print Date 27.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaScreed® LA-7 Forte

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2-
	methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2H-
	isothiazole-3-one (OIT). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024 Date of last issue: 12.07.2022 Version 4.0

Print Date 27.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity: 450 mg/kg Acute inhalation toxicity: y=0,021	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®] LA-7 Forte

Revision Date: 27.11.2024 Date of last issue: 12.07.2022



Print Date 27.11.2024

te of last issue: 12.07.2022			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®] LA-7 Forte

Revision Date: 27.11.2024 Date of last issue: 12.07.2022 Version 4.0



Print Date 27.11.2024

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
Substances with a workplace expo	sure limit :	STT Hig/kg	
Polyethylene glycol (ntc)	25322-68-3 Not Assigned		>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024 Date of last issue: 12.07.2022		Version 4.0	Print Date 27.11.202
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	No known significant effects or hazards.	
Treatment			
Treatment	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting mean	: sur		
	: sur		
SECTION 5: Firefighting mean			
SECTION 5: Firefighting meas	:	es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: n the	es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: n the	es In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: n the :	es In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	owder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	: n the :	es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known	owder for
 SECTION 5: Firefighting measurements 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters 	: 1 the : :	es In case of fire, use water/water spray/water jet/ci ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathing Standard procedure for chemical fires.	owder for
 SECTION 5: Firefighting measurements 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental release 	: the : : se r	es In case of fire, use water/water spray/water jet/ci ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathing Standard procedure for chemical fires.	owder for

Environmental precautions : No special environmental precautions required.

SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024Version 4.0Print Date 27.11.2024Date of last issue: 12.07.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)

Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

:

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Polyethylene glycol (ntc)	25322-68-3	TWA	500 mg/m3	CH SUVA
		ation: Harm to the une OEL-value is res		to be ex-
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-	55965-84-9	TWA (inhalable dust)	0,2 mg/m3	CH SUVA

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Print Date 27.11.2024

SikaScreed[®] LA-7 Forte

Revision Date: 27.11.2024 Date of last issue: 12.07.2022

> isothiazol-3-one (3:1) Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Harm to the unborn child is not to be expected when the OEL-value is respected STEL (inhalable 0,4 mg/m3 CH SUVA dust) 26530-20-1 0,05 mg/m3 2-octyl-2H-isothiazole-3-one (OIT) TWA (inhalable CH SUVA dust) Further information: Toxic by skin resorption possible: Substances, which are easily absored through the skin, can give by additional skin resoption a substancial higher risk compared to only inhalation by the airways., Sensitizers; Substances marked with an S can lead to very strong allergic reactions. STEL (inhalable 0,1 mg/m3 CH SUVA dust)

Version 4.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024 Date of last issue: 12.07.2022	Version 4.0	Print Date 27.11.2024
General advice	: No special environmental precautions required.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid red
Odour	:	like methacrylic acid
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flopmobility or	0 V P	Jaciva limita
Upper/lower flammability or	-	
Upper explosion limit / Up- per flammability limit	:	No data avallable
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 4,3 (20 °C)
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available

SikaScreed[®] LA-7 Forte

Revision Date: 27.11.2024



Print Date 27.11.2024

Date of last issue: 12.07.2022	Version 4.0	Phint Date 27.11.202
Vapour pressure	: 23 hPa	
Density	: ca. 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and r	eactivity	
SECTION 10. Stability and 1		
10.1 Reactivity		
10.1 Reactivity	wn under conditions of normal use.	
10.1 Reactivity	-	
10.1 Reactivity No dangerous reaction know	wn under conditions of normal use.	
10.1 ReactivityNo dangerous reaction know10.2 Chemical stability	wn under conditions of normal use.	

Version 4.0

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

t

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024 Date of last issue: 12.07.2022		Version 4.0	Print Date 27.11.2024
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
		LD50 Oral (Rat): 450 mg/kg	
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
reaction mass of 5-chloro	-2-me	thyl-2H-isothiazol-3-one and 2-methyl	-2H-isothiazol-3-one (3:1):
Acute inhalation toxicity		Assessment: Corrosive to the respirator	
2-octyl-2H-isothiazole-3-o	ne (C	IT):	
Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accordi No. 1272/2008	ng to Regulation (EC)
Skin corrosion/irritation Not classified due to lack of	data		
Serious eye damage/eye in Not classified due to lack of			
Respiratory or skin sensit	isatio	on	
Skin sensitisation	-la (a		
Not classified due to lack of	uata.		
Respiratory sensitisation Not classified due to lack of	data.		
Components:			
1,2-benzisothiazol-3(2H)-o	ne (E	BIT):	
Country CH 10000021096	- 1-	,	10/16

SikaScreed[®] LA-7 Forte



evision Date: 27.11.2024 ate of last issue: 12.07.2022	Version 4.	I.0 Print Date 27.11.202
Assessment	: May cause sensitisation	n by skin contact.
Germ cell mutagenicit Not classified due to lac		
Carcinogenicity Not classified due to lac	of data.	
Reproductive toxicity Not classified due to lac	of data.	
STOT - single exposur Not classified due to lac		
STOT - repeated expose Not classified due to lac		
Aspiration toxicity Not classified due to lac	of data.	
1.2 Information on other h	azards	
Endocrine disrupting	roperties	
Product: Assessment	ered to have endocrine REACH Article 57(f) or	e does not contain components consid- e disrupting properties according to ^c Commission Delegated regulation mmission Regulation (EU) 2018/605 at er.

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2-	me	thyl-2H-isothiazol-3-one and 2-meth

nyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®] LA-7 Forte



(Chronic aquatic H-isothiazole-3-one (Acute aquatic tox- (Chronic aquatic nce and degradabilit vailable mulative potential vailable in soil vailable of PBT and vPvB as	lity	100	
(Acute aquatic tox- (Chronic aquatic nce and degradabili vailable nulative potential vailable in soil vailable of PBT and vPvB as	lity	100	
(Chronic aquatic nce and degradabili vailable nulative potential vailable in soil vailable of PBT and vPvB as	: lity sses	100	
nce and degradabili vailable nulative potential vailable in soil vailable of PBT and vPvB as	lity sses		
vailable nulative potential vailable in soil vailable of PBT and vPvB as	sses	ssment	
vailable in soil vailable of PBT and vPvB as		ssment	
vailable of PBT and vPvB as		ssment	
		ssment	
ent			
	-	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
e disrupting prope	erties	S	
ent	:	The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regular levels of 0.1% or higher.	erties according to legated regulation
verse effects			
ecological infor-	:	There is no data available for this produ	ıct.
	ent verse effects I ecological infor-	ent : verse effects I ecological infor- :	ered to have endocrine disrupting prope REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
O	40





Revision Date: 27.11.2024 Date of last issue: 12.07.2022	Version 4.0	Print Date 27.11.2024
	This material and its container must be way. Dispose of surplus and non-recyclable waste disposal contractor.	
	Disposal of this product, solutions and a at all times comply with the requirement protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and the	nts of environmental on and any regional
Waste code Switzerland VeVA/LVA	soil, waterways, drains and sewers.16 03 03 [S] inorganic wastes containir stances	ng dangerous sub-

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	

Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024	Version 4.0	Print Date 27.11.2024
Date of last issue: 12.07.2022		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

Schedules of Toxic Chemics			
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re- - exempted from the	ostrea id/or egula	am suppliers, and/or ation, and/or
REACH - Restrictions on the the market and use of certa mixtures and articles (Anne:	in dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considere Number on list 75:
REACH - Candidate List of Concern for Authorisation (A		:	None of the components are listed (=> 0.1 %).
REACH - List of substances (Annex XIV)	subject to authorisation	:	Not applicable
Regulation (EC) on substan layer	ces that deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 tants (recast)	on persistent organic pollu-	:	Not applicable
PIC Ordinance, ChemPICO	(814.82)	:	Not applicable
Ordinance on Protection again Threshold quantity accordin nance (MAO 814.012)		:	Not applicable
Chemical Risk Reduction O (ORRChem, SR 814.81)	rdinance : Not applica		

SikaScreed[®] LA-7 Forte



Revision Date: 27.11.2024 Version 4.0 Date of last issue: 12.07.2022 Print Date 27.11.2024

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,07% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H330 H400		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life.
H410		Very toxic to aquatic life with long lasting effects.
Full text of other abbreviat	tions	
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. CH SUVA CH SUVA / TWA CH SUVA / STEL ADR		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Switzerland. Limit values at the work place Time Weighted Average Short Term Exposure Limit European Agreement concerning the International Carriage of Dangerous Goods by Road

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®] LA-7 Forte



Print Date 27.11.2024

Revision Date: 27.11.2024	
Date of last issue: 12.07.2022	

Version 4.0

CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament
REAGH	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative
	very persistent and very bloaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN