Sika[®] ViscoCrete[®]-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika® ViscoCrete®-4247 Mono

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sika® ViscoCrete®-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0

Print Date 28.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
(BIT)	220-120-9	Acute Tox. 2; H330	0,036
	01-2120761540-60-	Skin Irrit. 2; H315	
	XXXX	Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,036 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		450 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,21	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono

Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0



Print Date 28.11.2024

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	Acute Tox. 3; H301	>= 0,0002 - <
-	247-761-7	Acute Tox. 2; H330	0,0015
	01-2120768921-45-	Acute Tox. 3; H311	
	XXXX	Skin Corr. 1; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		125 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,27	
		mg/l	
		Acute dermal toxicity:	
		311 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono

Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0



Print Date 28.11.2024

e of last issue: 04.07.2022			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.



Version 4.0

Print Date 28.11.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	No hazards which require special first aid measures.
	If inhaled	:	Move to fresh air.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
	In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2	Most important symptoms an	d e	effects, both acute and delayed
	Symptoms	:	See Section 11 for more detailed information on health effect

4.2

Symptoms		See Section 11 for more detailed information on health effects and symptoms.
Risks	1 :	No known significant effects or hazards.

4.3 Indication of any immediate medical attention and special treatment needed y.

Treatment	:	Treat symptomatically
-----------	---	-----------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

Sika[®] ViscoCrete[®]-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures		
Personal precautions	:	For personal protection see section 8.		
6.2 Environmental precautions				
Environmental precautions	:	No special environmental precautions required.		
6.3 Methods and material for containment and cleaning up				

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 4.0

Print Date 28.11.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA		
	es, which are e tional skin reso inhalation by th	ation: Toxic by skin easily absored throu option a substancial ne airways., Sensitiz to very strong allerg	igh the skin, can g higher risk compa zers; Substances	ive by addi- ared to only		
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA		
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	TWA (inhalable dust)	0,2 mg/m3	CH SUVA		
i i	Further information: Sensitizers; Substances marked with an S					
	can lead to very strong allergic reactions., Harm to the unborn					
	child is not to be expected when the OEL-value is respected					
***		STEL (inhalable dust)	0,4 mg/m3	CH SUVA		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A)





Version 4.0

Print Date 28.11.2024

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	:	No special environmental precautions required.
	•	ne opecial environmental procedulerio requirea.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properties
Physical state Colour	:	liquid amber
Odour	:	like methacrylic acid
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
		la aiva limita
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 4 (20 °C)
Viscosity		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022	Version 4.0	Print Date 28.11.2024
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,04 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Version 4.0

Print Date 28.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):				
Acute oral toxicity	: Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
	LD50 Oral (Rat): 450 mg/kg			
Acute inhalation toxicity	 Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 			
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg			
2-octyl-2H-isothiazole-3-on	e (OIT):			
Acute oral toxicity	 Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 			
Acute inhalation toxicity	 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 			
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
reaction mass of 5-chloro-	2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):			
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.			
Skin corrosion/irritation				
Not classified due to lack of	data.			
Serious eve damage/eve ir	ritation			

Serious eye damage/eye irritation

Not classified due to lack of data.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono

Revision Date: 28.11.2024 Date of last issue: 04.07.2022

Version 4.0

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment

: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h





Print Date 28.11.2024

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022	Version 4.0	Print Date 28.11.2024
M-Factor (Acute aquatic tox- : icity)	1	
M-Factor (Chronic aquatic : toxicity)	1	
2-octyl-2H-isothiazole-3-one (C	DIT):	
•	100	
M-Factor (Chronic aquatic : toxicity)	100	
reaction mass of 5-chloro-2-m	ethyl-2H-isothiazol-3-one and 2-methyl-2l	H-isothiazol-3-one (3:1):
M-Factor (Acute aquatic tox- : icity)	100	
M-Factor (Chronic aquatic : toxicity)	100	
12.2 Persistence and degradability No data available		
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB asse	essment	
Product: Assessment :	This substance/mixture contains no comp to be either persistent, bioaccumulative ar very persistent and very bioaccumulative 0.1% or higher	nd toxic (PBT), or
12.6 Endocrine disrupting propertie	es	
Product:		
Assessment :	The substance/mixture does not contain c ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	ies according to gated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- :	There is no data available for this product.	

Sika[®] ViscoCrete[®]-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0

Print Date 28.11.2024

mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 10 01 [S] aqueous liquid wastes containing dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022	Version	4.0	Print Date 28.11.2024
IATA (Cargo)	: Not regulated as a da	ngerous good	
IATA (Passenger)	: Not regulated as a dat	ngerous good	
14.5 Environmental hazards			
Not regulated as a dangerou	s good		
14.6 Special precautions for us Not applicable	er		
14.7 Maritime transport in bulk	according to IMO instrume	ents	
Not applicable for product as	supplied.		
SECTION 15: Regulatory info 15.1 Safety, health and environ International Chemical Wear Schedules of Toxic Chemica	mental regulations/legislat	ion specific for the : Not applicable	substance or mixture
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	stream suppliers, and I/or gulation, and/or	
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	n dangerous substances,		estriction for the fol- should be considered: 75:
REACH - Candidate List of S Concern for Authorisation (A		: None of the con (=> 0.1 %).	mponents are listed
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable	
Regulation (EC) on substand layer	es that deplete the ozone	: Not applicable	
Regulation (EU) 2019/1021 (tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		
PIC Ordinance, ChemPICO	(814.82)	: Not applicable	

Ordinance on Protection against Major Accidents

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022	Version 4.0	Print Date 28.11.2024
Threshold quantity according nance (MAO 814.012)	to Major Accidents Ordi- : Not applicable	e
Chemical Risk Reduction Ord (ORRChem, SR 814.81)	inance : Not applicable	
Waters Protection Ordinance Water pollution class	 (WPO 814.201) slightly hazardous to water Classification according to AwSV, Annex 	(1 (5.2)
Volatile organic compounds	: Law on the incentive tax for volatile orga (VOCV) Volatile organic compounds (VOC) conte no VOC duties	·
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution preventio Volatile organic compounds (VOC) conte	n and control)

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	าร	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-4247 Mono



Revision Date: 28.11.2024 Date of last issue: 04.07.2022 Version 4.0

Print Date 28.11.2024

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
1.0.70		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN