Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Rock-Gunit BE 8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] Rock-Gunit BE 8

Revision Date: 11.01.2024 Date of last issue: 22.12.2021	V	/ersion 2.0	Print Date 11.01.2024
	H335	May cause respiratory irritation.	
Precautionary statements :	Prevention: P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	
	Response: P304 + P340 + P305 + P351 +	 P312 IF INHALED: Remove per air and keep comfortable for broch POISON CENTER/ doctor if yo P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor. 	eathing. Call a u feel unwell. se cautiously Remove con- to do. Con-
	Storage: P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 11.01.2024 Date of last issue: 22.12.2021



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>=80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Ge	eneral advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf i	inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In	case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In	case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
lfs	swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Mo	st important symptoms an	d e	ffects, both acute and delayed
Sy	ymptoms	:	Cough Respiratory disorder Excessive lachrymation

Print Date 11.01.2024

Revision Date: 11.01.2024	
Date of last issue: 22.12.2021	

Version 2.0

Date of last issue: 22.12.2021	
Risks	 Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. irritant effects Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
4.2 Indication of any immediate m	adical attention and an acial treatment needed
4.3 Indication of any immediate m Treatment	edical attention and special treatment needed Treat symptomatically.
SECTION 5: Firefighting measu	Jres
5.1 Extinguishing media	
Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the	he substance or mixture
	: No hazardous combustion products are known
5.3 Advice for firefighters	
-	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Standard procedure for chemical fires.
SECTION 6: Accidental release	e measures
•	ive equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Avoid breathing dust.
	Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.
6.3 Methods and material for conta	ainment and cleaning up
	: Pick up and arrange disposal without creating dust.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] Rock-Gunit BE 8

Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Prec	autions for safe handling	J	
Adv	vice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	<i>r</i> ice on protection against and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Ηγς	giene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Con	ditions for safe storage, i	nclu	uding any incompatibilities
	quirements for storage as and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	ther information on stor- stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Spe	cific end use(s)		
Spe	ecific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame- ters *	Basis *
	4 4000 00 7	of exposure)		
Quartz (SiO2)	14808-60-7	TWA (alveolate	0,15 mg/m3	CH SUVA
		dust)	(Silica)	
	Further inform	ation: Provisional va	alue - The TWA-va	alues for these
	substances are	e, for various reaso	ns, not yet definitiv	ely estab-

Print Date 11.01.2024

Revision Date: 11.01.2024 Date of last issue: 22.12.2021

	tional Safety a istration, Heal Hygiene Labo	ogenic Category 1, and Health, Occupa th and Safety Exec pratory), Harm to the the OEL-value is re	tional Safety and utive (Occupation e unborn child is r	Health Admin- al Medicine and
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA
		nation: Sensitizers; ery strong allergic re		ed with an S

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure

Revision Date: 11.01.2024 Date of last issue: 22.12.2021



Version 2.0

limits then respiration protection measures must be used.

Environmental exposure controls						
General advice	 Try to prevent the material from entering drains or water courses. No special environmental precautions required. 					

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey					
Odour	:	odourless					
Melting point/range / Freezing point	:	No data available					
Boiling point/boiling range	:	No data available					
Flammability (solid, gas)	:	No data available					
Upper/lower flammability or explosive limits							
Upper explosion limit / Upper flammability limit	-						
Lower explosion limit / Lower flammability limit	:	No data available					
Flash point	:	Not applicable					
Auto-ignition temperature	:	No data available					
Decomposition temperature	:	No data available					
рН	:	> 11 Concentration: 50 %					
Viscosity							
Viscosity, kinematic	:	Not applicable					

Revision Date: 11.01.2024 Date of last issue: 22.12.2021



Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	not determined
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] Rock-Gunit BE 8

Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0



SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

|--|

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 11.01.2024 Date of last issue: 22.12.2021		Version 2.0	Print Date 11.01.202
		local authority requirements. Avoid dispersal of spilled material and rund soil, waterways, drains and sewers.	off and contact with
Waste code Switzerland VeVA/LVA	:	16 03 03 -	
Contaminated packaging	:	15 01 10 [S] packaging containing residues ed by dangerous substances	s of or contaminat-

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable : (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable 2 tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Chemical Risk Reduction Ordinance (ORRChem, SR Not applicable 814.81) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met

Print Date 11.01.2024

Revision Date: 11.01.2024 Date of last issue: 22.12.2021 Version 2.0

and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements						
H315	:	Causes skin irritation.				
H318	:	Causes serious eye damage.				
H335	:	May cause respiratory irritation.				
Full text of other abbreviations						
Eye Dam.	:	Serious eye damage				
Skin Irrit.	:	Skin irritation				
STOT SE	:	Specific target organ toxicity - single exposure				
CH SUVA	:	Switzerland. Limit values at the work place				
CH SUVA / TWA	:	Time Weighted Average				
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
ΙΑΤΑ	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of				
		test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation				
		period)				
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				
PBT	:	Persistent, bioaccumulative and toxic				
PNEC	:	Predicted no effect concentration				
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	:	Substances of Very High Concern				
vPvB	:	Very persistent and very bioaccumulative				

Further information

Classification of the mixture:

Classification procedure:



Revision Date: 11.01.2024 Date of last issue: 22.12.2021	I	Version 2.0	Print Date 11.01.2024
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN