

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Icosit[®] KC 340/7 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Polyurethane coating, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
	Acute toxicity, Category 4	H332: Harmful if inhaled.			
	Skin irritation, Category 2	H315: Causes skin irritation.			
	Eye irritation, Category 2	H319: Causes serious eye irritation.			
	Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
	Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
	Carcinogenicity, Category 2	H351: Suspected of causing cancer.			
	Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.			
	Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.			

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0



2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure.
Precautionary statements	:	Prevention: P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P304 + P340 + P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

1,3-Butanediol, polymer with 1,1'-methylenebis[isocyanatobenzene], 2,2'-oxybis[ethanol] and 1,2-propanediol

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Icosit[®] KC 340/7 Part B

Print Date 24.05.2023

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No. Registration number		(% w/w)
1,3-Butanediol, polymer with 1,1'- meth- ylenebis[isocyanatobenzene], 2,2'-oxybis[ethanol] and 1,2- propanediol	155662-82-1 Not Assigned 01-2119480402-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 60 - < 80
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 40 - < 60

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area.
Country CH 00000043403	

Icosit[®] KC 340/7 Part B



ision Date: 24.05.2023 e of last issue: 12.07.2021	Version 15.0	Print Date 24.05.20
	Consult a physician. Show this safety data sheet to the	doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significar	nt exposure.
In case of skin contact	: Take off contaminated clothing an Wash off with soap and plenty of with soap and plenty of with symptoms persist, call a physicial	water.
In case of eye contact	 Immediately flush eye(s) with plen Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a second s	
If swallowed	: Do not induce vomiting without me Rinse mouth with water. Do not give milk or alcoholic beve Never give anything by mouth to a	rages.
Most important symptoms	and effects, both acute and delayed	
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed i and symptoms. 	information on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reactio Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symp ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs thro exposure.	ptoms or breathing difficul-

Treatment	: Treat symptomaticall
Treatment	: Treat symptomat

Print Date 24.05.2023

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod: No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol.
		Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Persons with a history of skin sensitisation problems or asth-

Icosit[®] KC 340/7 Part B

Revision Date: 24.05.2023

Date of last issue: 12.07.2021



Version 15.0

		ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures		Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inclu	uding any incompatibilities
Requirements for storage areas and containers		Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)		Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
1,3-Butanediol, polymer with 1,1'- methylenebis[isocyanatobenzene], 2,2'- oxybis[ethanol] and 1,2-propanediol	155662-82-1	TWA	0,02 mg/m3 (NCO)	CH SUVA
	Further information	ation: Sensitizers; S	Substances marke	d with an S
	can lead to very strong allergic reactions., Health and Safety Ex-			
	ecutive (Occupational Medicine and Hygiene Laboratory)			atory)
		STEL	0,02 mg/m3 (NCO)	CH SUVA
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,02 mg/m3 (NCO)	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Health and Safety E			d with an S
				nd Safety Ex-
	ecutive (Occupational Medicine and Hygiene Laboratory			



Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0

	STEL	0,02 mg/m3	CH SUVA
		(NCO)	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

	•
General advice	

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0



respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state : liquid Colour ÷ brown Odour slight 2 Melting point/range / Freezing : No data available point No data available Boiling point/boiling range Flammability (solid, gas) No data available : Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit Lower explosion limit / : No data available Lower flammability limit Flash point : > 101 °C Method: closed cup Auto-ignition temperature No data available : Decomposition temperature No data available 5

- pH : Not applicable substance/mixture is non-soluble (in water)
- Viscosity Viscosity, kinematic : > 20,5 mm2/s (40 °C)
- Solubility(ies)
- Water solubility : insoluble
- Partition coefficient: n- : No data available octanol/water

Icosit[®] KC 340/7 Part B

Print Date 24.05.2023

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0

Vapour pressure	: 0,01 hPa
Density	: ca. 1,2 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

to be specially mentioned.
i

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	: LD50 Oral (Rat): > 10.000 r	mg/kg
Acute inhalation toxicity	: LC50: 1,5 mg/l	

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Print Date 24.05.2023

Version 15.0

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

		Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.				
	Acute dermal toxicity :	LD50 Dermal (Rabbit): > 9.400 mg/kg				
	Skin corrosion/irritation Causes skin irritation.					
	Serious eye damage/eye irritati Causes serious eye irritation.	on				
	Respiratory or skin sensitisation					
	Skin sensitisation May cause an allergic skin reaction	on.				
	Respiratory sensitisation May cause allergy or asthma sym	nptoms or breathing difficulties if inhaled.				
	Germ cell mutagenicity Not classified based on available information.					
	Carcinogenicity Suspected of causing cancer.					
	Reproductive toxicity Not classified based on available information.					
	STOT - single exposure May cause respiratory irritation.					
	STOT - repeated exposure May cause damage to organs three	ough prolonged or repeated exposure.				
	Aspiration toxicity Not classified based on available	information.				
11.2	2 Information on other hazards					
	Endocrine disrupting propertie	S				
	Product: Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Pr	od	uc	<u>t:</u>	

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized

Icosit[®] KC 340/7 Part B

Print Date 24.05.2023

Revision Date: 24.05.2023
Date of last issue: 12.07.2021

Version 15.0

	 wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	
Waste code Switzerland VeVA/LVA	: 08 05 01 -	
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental bazards		

14.5 Environmental hazards

Not regulated as a dangerous good

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0



14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environment REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	ufacture, placing on gerous substances,	ion :	specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
				Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 74, 56)
	International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
	PIC Ordinance, ChemPICO (814.	82)	:	Not applicable
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or tion, and/or
	Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nent	t and of the Council on the control of ma-
	Water hazard class (Germa- : ny)	WGK 1 slightly hazard Classification accordin		
	Volatile organic compounds :	Law on the incentive ta	ax fo	or volatile organic compounds

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Icosit[®] KC 340/7 Part B

Revision Date: 24.05.2023

Date of last issue: 12.07.2021

Print Date 24.05.2023

Version 15.0

(VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H317 : H319 : H332 : H334 :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abbreviation	S
Acute Tox.:Carc.:Eye Irrit.:Resp. Sens.:Skin Irrit.:Skin Sens.:	Acute toxicity Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation

Revision Date: 24.05.2023 Date of last issue: 12.07.2021



Version 15.0

STOT RE STOT SE CH SUVA CH SUVA / TWA CH SUVA / STEL ADR	 Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Switzerland. Limit values at the work place Time Weighted Average Short Term Exposure Limit European Agreement concerning the International Carriage of 	
CAS	Dangerous Goods by Road : Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative 	

Further information

ixture:	Classification procedure:
H332	Calculation method
H315	Calculation method
H319	Calculation method
H334	Calculation method
H317	Calculation method
H351	Calculation method
H335	Calculation method
H373	Calculation method
	H332 H315 H319 H334 H317 H351 H335

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Icosit[®] KC 340/7 Part B

Revision Date: 24.05.2023 Date of last issue: 12.07.2021 Version 15.0



CH / EN