Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup>-150 Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Skin irritation, Category 2	<b>72/2008)</b> H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Warning

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## Sikafloor®-150 Part A

Revision Date: 27.03.2023 Date of last issue: 03.03.2021



e of last issue: 03.03.2021			
Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		Response:	
		P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
		P391	Collect spillage.

Version 10.1

#### Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bis-[4-(2,3-epoxypropoxy)phenyl]methane oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 27.03.2023 Date of last issue: 03.03.2021



Version 10.1

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80
bis(isopropyl)naphthalene	38640-62-9 254-052-6 01-2119565150-48- XXXX	Asp. Tox. 1; H304 Aquatic Chronic 1; H410	>= 10 - < 20
bis-[4-(2,3- epoxypropoxy)phenyl]methane	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 5 - < 10
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 5 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
augustm: 011_00000000007		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## Sikafloor<sup>®</sup>-150 Part A

\_



Revision Date: 27.03.2023 Date of last issue: 03.03.2021		Version 10.1	Print Date 03.05
		Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	meo	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter dra courses.	ins or water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Collect contaminated fire extinguishing water sep must not be discharged into drains. Fire residues and contaminated fire extinguishing	·

Revision Date: 27.03.2023 Date of last issue: 03.03.2021



Version 10.1

be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	: Keep container tightly closed in a dry and well-ventilated	
Country CH 00000023917		5



Revision Date: 27.03.2023 Date of last issue: 03.03.2021		Version 10.1	Print Date 03.05.202
areas and containers		place. Containers which are opened must sealed and kept upright to prevent leakag ance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as	s directed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data S use.	Sheet prior to any

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.	
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	No special measures required.	
Environmental exposure controls			
General advice	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properties
Physical state Colour	:	liquid various
Odour	:	very faint
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exn	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
рН	:	ca. 7 Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	ca. 1.600 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-	:	No data available

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



octanol/water

Vapour pressure	:	0,01 hPa
Density	:	ca. 1,1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### **10.5 Incompatible materials**

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Revision Date: 27.03.2023 Date of last issue: 03.03.2021



	Aguta dormal toxicity		LDE0 Dormal (Pabhit): > 5 000 mg/kg
	Acute dermal toxicity	•	LD50 Dermal (Rabbit): > 5.000 mg/kg
	bis(isopropyl)naphthalene:		
	Acute oral toxicity	:	LD50 Oral (Rat): > 3.900 mg/kg
	Acute inhalation toxicity	:	LC50 (Rat): > 5,64 mg/l Exposure time: 4 h Test atmosphere: dust/mist
	Acute dermal toxicity	:	LD50 Dermal (Rat): > 4.500 mg/kg
	oxirane, mono[(C12-14-alkyl	oxy	y)methyl] derivs.:
	Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
	Skin corrosion/irritation Causes skin irritation.		
	Serious eye damage/eye irrit Causes serious eye irritation.	tati	on
	Respiratory or skin sensitisa	atic	on
	<b>Skin sensitisation</b> May cause an allergic skin rea	octic	on.
	<b>Respiratory sensitisation</b> Not classified based on availal	ble	information.
	Germ cell mutagenicity Not classified based on availal	ble	information.
	<b>Carcinogenicity</b> Not classified based on availal	ble	information.
	Reproductive toxicity		
	Not classified based on availal	ble	information.
	<b>STOT - single exposure</b> Not classified based on availab	ble	information.
	STOT - repeated exposure		
	Not classified based on availal	ble	information.
	Aspiration toxicity Not classified based on availal	ble	information.
11.2	Information on other hazard	S	
	Endocrine disrupting proper	rtie	S
	Product:		
	Assessment	:	The substance/mixture does not contain con

Version 10.1

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

Revision Date: 27.03.2023 Date of last issue: 03.03.2021



Version 10.1

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Tavisity to deploying and other		

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l
aquatic invertebrates		Exposure time: 48 h

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>
Waste code Switzerland VeVA/LVA	: 08 01 11 -
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	UN 3082		
IMDG	:	UN 3082		
ΙΑΤΑ	:	UN 3082		
14.2 UN proper shipping name				
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)		
IMDG	:	ENVIRONMENTALLY N.O.S. (epoxy resin)	/ HAZARDOUS SUBSTANCE, LIQUID,	
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	9		
IMDG	:	9		
ΙΑΤΑ	:	9		
Country CH 00000023917			1.	1

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



#### 14.4 Packing group

	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III M6 90 9 (-) Transport in accordance with special provision 375
	IMDG Packing group Labels EmS Code Remarks	: : : :	III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the IMDG-Code
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks	:	964 Y964 III Miscellaneous Transport in accordance with special regulation A 197
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	964 Y964 III Miscellaneous
14.5	Environmental hazards		
	ADR Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally hazardous	:	yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



## **SECTION 15: Regulatory information**

15.1	<ul> <li>5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)</li> <li>Conditions of restriction for the following entries should be considered: Number on list 75, 3</li> </ul>							
	International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable				
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).				
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable				
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable				
	Regulation (EU) 2019/1021 on per tants (recast)	:	Not applicable					
	PIC Ordinance, ChemPICO (814.	.82)	:	Not applicable				
	REACH Information:	trea /or gula	n our Products are am suppliers, and/or tion, and/or tration.					
	Seveso III: Directive 2012/18/EU jor-accident hazards involving dar E2	and of the Council on the control of ma-						
	Water hazard class (Germa- : ny)	WGK 3 highly hazardo Classification accordin						
	Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 0,01% w/w				
		oollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,01% w/w					

#### Other regulations:

Young people undergoing basic vocational training may only work with this product if the rele-

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor<sup>®</sup>-150 Part A

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



vant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements

#### H304 May be fatal if swallowed and enters airways. Causes skin irritation. H315 May cause an allergic skin reaction. H317 Causes serious eye irritation. H319 Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. Full text of other abbreviations Aquatic Chronic Long-term (chronic) aquatic hazard Asp. Tox. Aspiration hazard : Eye Irrit. Eye irritation : Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : **Chemical Abstracts Service** DNEL Derived no-effect level EC50 Half maximal effective concentration GHS Globally Harmonized System International Air Transport Association IATA IMDG International Maritime Code for Dangerous Goods : LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration : REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern SVHC Very persistent and very bioaccumulative vPvB

Revision Date: 27.03.2023 Date of last issue: 03.03.2021 Version 10.1



Further information		
Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN