Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaRapid[®]-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Acute toxicity, Category 4	H302: Harmful if swallowed.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	(EC) :	No 1272/200	08)
		LE	
Signal word	:	Danger	
Hazard statements	:	H302 H318	Harmful if swallowed. Causes serious eye damage.
Precautionary statements	:	Preventior	ו:

SikaRapid[®]-2

Print Date 20.02.2024

Revision Date: 20.02.2024 Date of last issue: 29.08.2022	V	/ersion 17.0	Print Date 20.0
	P264	Wash skin thoroughly after har	ndling.
	P270	Do not eat, drink or smoke whe product.	en using this
	P280	Wear eye protection/ face protection	ection.
	Response:		
	P301 + P312 +	P330 IF SWALLOWED: Call a CENTER/ doctor if you feel un mouth.	
	P305 + P351 +	P338 + P310 IF IN EYES: Rin with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal		

Disposal:

P501

Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

nitric acid, ammonium calcium salt

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oompononto			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
nitric acid, ammonium calcium salt	15245-12-2 239-289-5 01-2119493947-16- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Acute toxicity esti- mate Acute oral toxicity: 301,04 mg/kg	>= 40 - < 60

SikaRapid[®]-2

Print Date 20.02.2024

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0

sodium thiocyanate	540-72-7 208-754-4 01-2119543700-47- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Dam. 1; H318 Aquatic Chronic 3; H412 EUH032 	>= 3 - < 5
2,2'-(methylimino)diethanol	105-59-9 203-312-7 01-2119488970-24- XXXX	Eye Irrit. 2; H319	>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Gastrointestinal discomfort Excessive lachrymation See Section 11 for more detailed information on health effects
Onumber 011 0000000074	

Jika ®
Print Date 20.02.2024

Revision Date: 20.02.2024 Date of last issue: 29.08.2022	Version 17.0	Print Date 20.02.20
	and symptoms.	
Risks	: Harmful if swallowed. Causes serious eye damage.	
	irritant effects	
-	nedical attention and special treatment	needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1 Extinguishing media Suitable extinguishing media	: In case of fire, use water/water spray/ ide/sand/foam/alcohol resistant foam/ extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products a	re known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-containe	d breathing apparatus.
Further information	: Standard procedure for chemical fires	
SECTION 6: Accidental releas	e measures	
6.1 Personal precautions, protec	tive equipment and emergency procedu	ires
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Try to prevent the material from enteri courses.	ng drains or water
	If the product contaminates rivers and respective authorities.	
	No special environmental precautions	required.
6.3 Methods and material for cor		(a g cond cilics act
Methods for cleaning up	: Soak up with inert absorbent material acid binder, universal binder, sawdust Keep in suitable, closed containers for).
Country CH 00000023074		

SikaRapid[®]-2

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling]	
	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
		oi exposure)	1013	

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
nitric acid, ammonium calcium salt	Workers	Skin contact		13,9 mg/m3



Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0

Workers	Inhalation	24,5 mg/m3
Consumers	Ingestion	8,33 mg/m3
Consumers	Inhalation	6,3 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
nitric acid, ammonium calcium salt	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure controls				
General advice	:	Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour		odourless
Ououi	•	odouness

SikaRapid[®]-2

Print Date 20.02.2024

Revision Date: 20.02.2024
Date of last issue: 29.08.2022

Version 17.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability (solid, gas)	:	No data available
		le cive limite
Upper/lower flammability or	-	
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	8,5 (20 °C) Concentration: 100 %
Viceocity		
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		· · · · · · · · · · ·
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Vapour pressure Density	:	23 hPa 1,34 g/cm3 (20 °C)
	:	
	:	

Revision Date: 20.02.2024	
Date of last issue: 29.08.2022	

Version 17.0



9.2 Other information

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Harmful if swallowed.Components:
nitric acid, ammonium calcium salt:
Acute oral toxicityAcute oral toxicity:LD50 Oral (Rat): > 301 mg/kg
Acute toxicity estimate: 301,04 mg/kg
Method: Calculation methodAcute dermal toxicity:LD50 Dermal (Rat): > 2.001 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0



Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:	
nitric acid, ammonium calcium	salt:
Toxicity to fish :	LC50 (Fish): 447 mg/l Exposure time: 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0



12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:	
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	
Additional ecological in mation	for- : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 10 01 -

SikaRapid[®]-2

Print Date 20.02.2024

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0

Contaminated packaging

: 15 01 10 [S] packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	2 UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are

SikaRapid[®]-2

Revision Date: 20.02.2024

Date of last issue: 29.08.2022



Version 17.0

- registered by	our u	ostream su	uppliers,	and/or

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable	
PIC Ordinance, ChemPICO (814.	82)	:	Not applicable	
Chemical Risk Reduction Ordinan 814.81) Regulation (EU) 2019/1148 on the	•	:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.	
explosives precursors This product is regulated by Regu all suspicious transactions, and si ances and thefts should be report tional contact point.	gnificant disappear-	:	nitric acid, ammonium calcium salt (ANNEX II)	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive ta: (VOCV) no VOC duties	x fc	or volatile organic compounds	

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0



SECTION 16: Other information

Full text of H-Statements					
H302		Harmful if swallowed.			
H312	:	Harmful in contact with skin.			
H318	:	Causes serious eye damage.			
H319	:	Causes serious eye irritation.			
H332	:	Harmful if inhaled.			
H412	÷	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.		Acute toxicity			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Eye Irrit.	:	Eye irritation			
ADR	:	European Agreement concerning the International Carriage of			
ABR .	·	Dangerous Goods by Road			
CAS		Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	÷	Half maximal effective concentration			
GHS	÷	Globally Harmonized System			
IATA	÷	International Air Transport Association			
IMDG	÷	International Maritime Code for Dangerous Goods			
LD50	÷	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			

Further information

Classification of the mi	ixture:	Classification procedure:		
Acute Tox. 4	H302	Calculation method		
Eye Dam. 1	H318	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SikaRapid[®]-2

Revision Date: 20.02.2024 Date of last issue: 29.08.2022 Version 17.0



Changes as compared to previous version !

CH / EN