

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaPump<sup>®</sup>

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

```
Classification (REGULATION (EC) No 1272/2008)
```

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling (REGULATION ( Hazard pictograms	<b>EC)</b> :	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention: P261 P272	Avoid breathing mist or vapours. Contaminated work clothing should not be allowed out of the workplace.

## SikaPump<sup>®</sup>



Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0

P280	Wear protective gloves.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/ container to an ap- proved waste disposal plant.
	<b>Response:</b> P333 + P313 P362 + P364 <b>Disposal:</b>

### Hazardous components which must be listed on the label:

2-octyl-2H-isothiazole-3-one (OIT)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
2,2'-iminodiethanol	111-42-2	Acute Tox. 4; H302	>= 0,1 - < 0,5
	203-868-0	Skin Irrit. 2; H315	
	01-2119488930-28-	Eye Dam. 1; H318	
	XXXX	STOT RE 2; H373	
		Repr. 2; H361fd	

# SikaPump<sup>®</sup>

Revision Date: 05.09.2023 Date of last issue: 25.11.2021



26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0015 - < 0,0025
	M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
	specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
	Acute toxicity esti- mate	
	Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity:	
	311 mg/kg	
	1	
200-289-5 01-2119471987-18-		>= 1 - < 2,5
	247-761-7 01-2120768921-45- XXXX sure limit : 56-81-5 200-289-5	247-761-7       Acute Tox. 2; H330         01-2120768921-45-       Acute Tox. 3; H311         XXXX       Skin Corr. 1; H314         Eye Dam. 1; H318       Skin Sens. 1A; H317         Aquatic Acute 1;       H400         Aquatic Chronic 1;       H410         EUH071       M-Factor (Acute aquatic toxicity): 100         M-Factor (Chronic aquatic toxicity): 100       M-Factor (Chronic aquatic toxicity): 100         Specific concentration limit       Skin Sens. 1A; H317         >= 0,0015 %       Acute toxicity estimate         Acute oral toxicity:       125 mg/kg         Acute dermal toxicity:       0,27         mg/l       Acute dermal toxicity:         311 mg/kg       311 mg/kg

Version 17.0

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.

# SikaPump<sup>®</sup>



Revision Date: 05.09.2023 Date of last issue: 25.11.2021		Version 17.0	Print Date 05.09.2
In case of skin contact	:	Take off contaminated clothing and shoes immed Wash off with soap and plenty of water. If symptoms persist, call a physician.	diately.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	person.
4.2 Most important symptoms	and	effects, both acute and delayed	
Symptoms	:	Allergic reactions See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	sensitising effects	
Risks	:	sensitising effects May cause an allergic skin reaction.	
	: e me	May cause an allergic skin reaction.	
	: e me		
4.3 Indication of any immediat	:	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically.	
<ul> <li>4.3 Indication of any immediat</li> <li>Treatment</li> <li>SECTION 5: Firefighting mediate</li> </ul>	:	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically.	
<b>4.3 Indication of any immediat</b> Treatment	: easur	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically.	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting media</li> <li>5.1 Extinguishing media Suitable extinguishing media</li> </ul>	: easur	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically. res In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	
<ul> <li>4.3 Indication of any immediat Treatment</li> <li>SECTION 5: Firefighting media Suitable extinguishing media</li> <li>Suitable extinguishing media</li> </ul>	: easur ia : om the	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically. res In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	
<ul> <li>4.3 Indication of any immediat Treatment</li> <li>SECTION 5: Firefighting media Suitable extinguishing media</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion products</li> </ul>	: easur ia : om the	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically. Tes In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction. e substance or mixture	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting media</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion production</li> </ul>	: easur ia : om the d- :	May cause an allergic skin reaction. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction. e substance or mixture No hazardous combustion products are known	owder for

### CTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

• •		
Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

Print Date 05.09.2023

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

	Advice on sale handling	-	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.
_			

Revision Date: 05.09.2023
Date of last issue: 25.11.2021

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
glycerol	56-81-5	TWA (inhalable dust)	50 mg/m3	CH SUVA			
		Further information: Harm to the unborn child is not to be ex-					
	pected when the OEL-value is respected           STEL (inhalable         100 mg/m3         CH SUVA						
		STEL (inhalable dust)	100 mg/m3				
2,2'-iminodiethanol	111-42-2	TWA (inhalable dust)	1 mg/m3	CH SUVA			
	secondary am eration as nitr ters, metal nit tain amines p nitrosodimeth mine), nitroso line (from met are listed., To are easily abs resoption a su the airways., to very strong can lead to th Harm to the u	Further information: The substance can be present simultaneously as vapor and aerosol, Nitrosamines are formed by nitrosation of secondary amines. Nitrogen oxides in particular come into consid- eration as nitrosating agents, but also nitrosyl chloride, nitrite es- ters, metal nitrites and nitrous compounds. The nitrosation of cer- tain amines produces carcinogenic nitrosamines. In this context, nitrosodimethylamine (from dimethylamine, thiram or triethyla- mine), nitrosodiethylamine (from diethylaniline), nitrosomethylani- line (from methylaniline) or nitrosomorpholine (from morpholine) are listed., Toxic by skin resorption possible; Substances, which are easily absored through the skin, can give by additional skin resoption a substancial higher risk compared to only inhalation by the airways., Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Reaction with nitrosing agents can lead to the building of carcinogenic N-nitrosodiethanolamine, Harm to the unborn child is not to be expected when the OEL- value is respected <u>STEL (inhalable</u> 1 mg/m3 CH SUVA					
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	dust) TWA (inhalable dust)	0,05 mg/m3	CH SUVA			
	es, which are tional skin res inhalation by	Further information: Toxic by skin resorption possible; Substanc- es, which are easily absored through the skin, can give by addi- tional skin resoption a substancial higher risk compared to only inhalation by the airways., Sensitizers; Substances marked with an S can lead to very strong allergic reactions.					
The above mentioned values are in		STEL (inhalable dust)	0,1 mg/m3	CH SUVA			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Print Date 05.09.2023

Revision Date: 05.09.2023 Date of last issue: 25.11.2021

#### Version 17.0

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow
Odour	:	odourless
Melting point/range / Freezing point	:	No data available

# SikaPump<sup>®</sup>



rision Date: 05.09.2023 e of last issue: 25.11.2021	Version 17.0	Print Date 05.09.202
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or e	explosive limits	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: 5 Concentration: 100 %	
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 24 hPa	
Density	: 1,01 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

No data available

<b>Jika</b> ®
Print Date 05.09.2023

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No d	lata available
----------------------------	----------------

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### 2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0



#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

(	Cc	m	p	0	ne	'n	ts	:

#### 2,2'-iminodiethanol:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h

#### 2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0



icity)

M-Factor (Chronic aquatic : 100 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
		very persistent and very bioaccumulative (vPvB) at levels of

#### 12.6 Endocrine disrupting properties

Draduat	
Product	

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	<b>5</b> ( )

### 12.7 Other adverse effects

Product:	

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe</li> </ul>
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 05.09.2023 Date of last issue: 25.11.2021		Version 17.0	Print Date 05.09.2023	
		local authority requirements. Avoid dispersal of spilled material and runc soil, waterways, drains and sewers.	off and contact with	
Waste code Switzerland VeVA/LVA	:	16 10 01 -		
Contaminated packaging	:	15 01 10 [S] packaging containing residues ed by dangerous substances	s of or contaminat-	

## **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			
14.6 Special precautions for user			

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Print Date 05.09.2023

Revision Date: 05.09.2023 Date of last issue: 25.11.2021 Version 17.0

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture : Not applicable International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75, 3 REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable • Chemical Risk Reduction Ordinance (ORRChem, SR See respective Annex to the Chemi-814.81) cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction. Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,13% w/w

### Other regulations:

Young people undergoing basic vocational training may only work with this product if the rele-

Version 17.0



Revision Date: 05.09.2023 Date of last issue: 25.11.2021

vant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H361fd	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviati	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
		,

## SikaPump®

<b>Jika</b> ®
Print Date 05.09.2023

Revision Date: 05.09.2023 Date of last issue: 25.11.2021		Version 17.0	Print Date 05.09.202			
LC50		ethal concentration (concentr				
	period)	lls 50% of the test animals d	C .			
MARPOL		73 as modified by the Proto				
OEL		onal Exposure Limit				
PBT		Persistent, bioaccumulative and toxic				
PNEC		Predicted no effect concentration				
REACH	and of the istration, I	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC		es of Very High Concern	5,			
vPvB		istent and very bioaccumula	tive			
Further information						
Classification of the mixt	ure:	Classificatio	on procedure:			
Skin Sens. 1	H317	Calculation r	nethod			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN