Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikament<sup>®</sup>-212 A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

```
Classification (REGULATION (EC) No 1272/2008)
```

Serious eye damage, Category 1

H318: Causes serious eye damage.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	H318	Causes serious eye damage.		
Precautionary statements	:	Prevention: P280	Wear eye protection/ face protection.		
		<b>Response:</b> P305 + P351 +	P338 + P310 IF IN EYES: Rinse cautiously		

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0



with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

### Hazardous components which must be listed on the label:

sodium thiocyanate

#### **Additional Labelling**

EUH208

Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

Revision Date: 22.08.2023 Date of last issue: 25.02.2021



Version 3.0

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
sodium thiocyanate	540-72-7 208-754-4 01-2119543700-47- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Dam. 1; H318 Aquatic Chronic 3; H412 EUH032 	>= 2,5 - < 3
nitric acid, ammonium calcium salt	239-289-5 01-2119493947-16- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Acute toxicity esti- mate Acute oral toxicity: 301,04 mg/kg	>= 1 - < 2,5
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 	>= 0,0025 - < 0,025
		limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity esti- mate	
		Acute oral toxicity: 597 mg/kg Acute inhalation tox- icity (dust/mist): 0,4 mg/l	

## Sikament®-212 A

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0



2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	

## Sikament®-212 A

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0



mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 	>= 0,0002 - < 0,0015
--	--	--	-------------------------

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

-



Revision Date: 22.08.2023 Date of last issue: 25.02.2021	Version 3.0	Print Date 22.08.2
	Continue rinsing eyes during transport to hospital Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	person.
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on I and symptoms.	nealth effects
Risks :	Causes serious eye damage.	
	irritant effects	
4.3 Indication of any immediate me	edical attention and special treatment needed	
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	
5.2 Special hazards arising from th	ne substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are known	
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing	apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	ve equipment and emergency procedures	
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	

## 6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
---------------------------	---	---

<b>Jika</b> ®
Print Date 22.08.2023

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0

courses.

No special environmental precautions required.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	5	
Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

Revision Date: 22.08.2023 Date of last issue: 25.02.2021



## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable	0,05 mg/m3	CH SUVA	
		dust)	-		
	Further informa	ation: Toxic by skin	resorption possibl	rption possible; Substanc-	
	es, which are e	easily absored throu	igh the skin, can g	jive by addi-	
	tional skin reso	ption a substancial	higher risk compa	ared to only	
	inhalation by th	ne airways., Sensitiz	zers; Substances	marked with	
	an S can lead to very strong allergic reactions.				
		STEL (inhalable	0,1 mg/m3	CH SUVA	
		dust)	-		
mixture of: 5-chloro-2-methyl-4-	55965-84-9	TWA (inhalable	0,2 mg/m3	CH SUVA	
isothiazolin-3-one [EC no. 247-500-7]		dust)	-		
and 2-methyl-2H-isothiazol-3-one [EC no.					
220-239-6] (3:1) (C(M)IT/MIT (3:1))					
	Further informa	ation: Sensitizers; S	ubstances marke	d with an S	
	can lead to very strong allergic reactions., Harm to the unborn				
	child is not to be expected when the OEL-value is respected				
		STEL (inhalable	0,4 mg/m3	CH SUVA	
		dust)	-		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
nitric acid, ammonium calcium salt	Workers	Skin contact		13,9 mg/m3
	Workers	Inhalation		24,5 mg/m3
	Consumers	Ingestion		8,33 mg/m3
	Consumers	Inhalation		6,3 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
nitric acid, ammonium calcium salt	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l

### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

## Sikament®-212 A

Revision Date: 22.08.2023

Date of last issue: 25.02.2021

Print Date 22.08.2023

Version 3.0

	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor filter (Type A)</li> <li>A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10000 ppm</li> <li>Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.</li> </ul>
Environmental exposure cont	rols
General advice	: Try to prevent the material from entering drains or water courses.

No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid amber
Odour	:	like methacrylic acid
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

# Sikament®-212 A



Revision Date: 22.08.2023	
Date of last issue: 25.02.2021	

Version 3.0

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 4,5 (20 °C) Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca. 1,052 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

Revision Date: 22.08.2023 Date of last issue: 25.02.2021

### Version 3.0

## **10.2 Chemical stability**

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned.		
10.4 Conditions to avoid				
Conditions to avoid	:	No data available		

### **10.5 Incompatible materials** Materials to avoid

: No data available

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified due to lack of data.

#### **Components:**

nitric acid, ammonium calcium salt:				
Acute oral toxicity	:	LD50 Oral (Rat): > 301 mg/kg		
		Acute toxicity estimate: 301,04 mg/kg Method: Calculation method		
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.001 mg/kg		
1,2-benzisothiazol-3(2H)-on	e (E	BIT):		
Acute oral toxicity	:	LD50 Oral (Rat): 597 mg/kg		
		Acute toxicity estimate: 597 mg/kg Method: Calculation method		
Acute inhalation toxicity	:	LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403		
		Acute toxicity estimate: 0,4 mg/l Test atmosphere: dust/mist Method: Calculation method		
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg		

<b>Jika</b> ®
Print Date 22.08.2023

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0

## 2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
mixture of: 5-chloro-2-methyl- one [EC no. 220-239-6] (3:1)		othiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- M)IT/MIT (3:1)):
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
Skin corrosion/irritation Not classified due to lack of d Serious eye damage/eye irr Causes serious eye damage.	itati	
Respiratory or skin sensitis		n
<b>Skin sensitisation</b> Not classified due to lack of d	ata.	
Respiratory sensitisation Not classified due to lack of d	ata.	
Components:		
1,2-benzisothiazol-3(2H)-on	e (E	BIT):
Assessment	:	May cause sensitisation by skin contact.
Germ cell mutagenicity	:	May cause sensitisation by skin contact.
Germ cell mutagenicity Not classified due to lack of d	: ata.	May cause sensitisation by skin contact.
Germ cell mutagenicity		
Germ cell mutagenicity Not classified due to lack of d Carcinogenicity Not classified due to lack of d Reproductive toxicity	ata.	
Germ cell mutagenicity Not classified due to lack of d Carcinogenicity Not classified due to lack of d Reproductive toxicity Not classified due to lack of d	ata.	
Germ cell mutagenicity Not classified due to lack of d Carcinogenicity Not classified due to lack of d Reproductive toxicity	ata. ata.	
Germ cell mutagenicity Not classified due to lack of d Carcinogenicity Not classified due to lack of d Reproductive toxicity Not classified due to lack of d STOT - single exposure	ata. ata.	

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0



## Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Components:**

nitric acid, ammonium calcium salt:				
	LC50 (Fish): 447 mg/l Exposure time: 96 h			
	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h			
1,2-benzisothiazol-3(2H)-one (Bl	IT):			
	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h			
2-octyl-2H-isothiazole-3-one (OI	T):			
M-Factor (Acute aquatic tox- : icity)	100			
M-Factor (Chronic aquatic : toxicity)	100			
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):				
M-Factor (Acute aquatic tox- : icity)	100			
M-Factor (Chronic aquatic : toxicity)	100			

## 12.2 Persistence and degradability

No data available

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0



### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

### **Product:**

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	: 16 10 01 -
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances
Country CH 10000023875	14 /

Revision Date: 22.08.2023 Date of last issue: 25.02.2021



Version 3.0

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.

## SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legis	slation	specific for the substar	nce or mixture
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable	

REACH Information:	All substances contained in our Products are
	<ul> <li>registered by our upstream suppliers, and/or</li> </ul>
	- registered by us, and/or

- excluded from the regulation, and/or

## Sikament<sup>®</sup>-212 A

<b>Sika</b> ®
Print Date 22.08.2023

Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0

### - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
PIC Ordinance, ChemPICO (814.82)	:	Not applicable
Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)	:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors		
This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappear- ances and thefts should be reported to the relevant na- tional contact point.	:	nitric acid, ammonium calcium salt (ANNEX II)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,05% w/w

### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of



Revision Date: 22.08.2023 Date of last issue: 25.02.2021 Version 3.0

either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

#### Full text of H-Statements

	Full text of H-Statements		
	H301	:	Toxic if swallowed.
	H302	:	Harmful if swallowed.
	H310	:	Fatal in contact with skin.
	H311	:	Toxic in contact with skin.
	H312	:	Harmful in contact with skin.
	H314	:	Causes severe skin burns and eye damage.
	H315	:	Causes skin irritation.
	H317	:	May cause an allergic skin reaction.
	H318	:	Causes serious eye damage.
	H330	:	Fatal if inhaled.
	H332	:	Harmful if inhaled.
	H400	:	Very toxic to aquatic life.
	H410	:	Very toxic to aquatic life with long lasting effects.
	H411	:	Toxic to aquatic life with long lasting effects.
	H412	:	Harmful to aquatic life with long lasting effects.
	Full text of other abbreviation	ons	
	Acute Tox.	:	Acute toxicity
	Aquatic Acute	÷	Short-term (acute) aquatic hazard
	Aquatic Chronic	÷	Long-term (chronic) aquatic hazard
	Eye Dam.	÷	Serious eye damage
	Skin Corr.	÷	Skin corrosion
	Skin Irrit.	:	Skin irritation
	Skin Sens.	:	Skin sensitisation
	CH SUVA	:	Switzerland. Limit values at the work place
	CH SUVA / TWA	:	Time Weighted Average
	CH SUVA / STEL	:	Short Term Exposure Limit
	ADR	:	European Agreement concerning the International Carriage of
		•	Dangerous Goods by Road
	CAS		Chemical Abstracts Service
	DNEL	:	Derived no-effect level
	EC50	:	Half maximal effective concentration
	GHS	:	Globally Harmonized System
	IATA	:	International Air Transport Association
	IMDG	:	International Maritime Code for Dangerous Goods
	LD50	:	Median lethal dosis (the amount of a material, given all at
	2030	•	once, which causes the death of 50% (one half) of a group of
			test animals)
	LC50	:	Median lethal concentration (concentrations of the chemical in
		•	air that kills 50% of the test animals during the observation
			period)
	MARPOL	:	International Convention for the Prevention of Pollution from
	Intry CH 10000023875		17 / *
л.			1/1

<b>Jika</b> ®
Print Date 22.08.2023

Revision Date: 22.08.2023		
Date of last issue: 25.02.2021		

OEL PBT	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
SVHC	cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern
	Very persistent and very bioaccumulative

## Further information

Classification of the mixture:		Classification procedure:
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN