Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Print Date 28.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Rock-Shot 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Skin irritation. Category 2 H315: Causes skin irritation.						
Skin irritation, Category 2	H315. Causes skin initiation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.					
2.2 Label elements						

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms			
Signal word	: C	Danger	
Hazard statements	: ト	1315	Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022	Version 2.0		Print Date 28.11.2024	
		uses serious eye damage. y cause respiratory irritation.		
Precautionary statements :	Prevention:			
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	-	
	Response:			
	P304 + P340 + F	P312 IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a	
	P305 + P351 + F		e cautiously Remove con- to do. Con-	
	Storage:			
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-	

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Print Date 28.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 40 - < 60
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Flue dust, portland cement	68475-76-3	Skin Irrit. 2; H315	>= 2,5 - < 3
	270-659-9	Eye Dam. 1; H318	
	01-2119486767-17-	STOT SE 3; H335	
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

(General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
I	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
I	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
I	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
I	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 M	lost important symptoms an	d e	ffects, both acute and delayed
\$	Symptoms	:	Cough Respiratory disorder

Sika[®] Rock-Shot 3



	Version 2.0	Print Date 28.11.202
	Excessive lachrymation	
	See Section 11 for more detailed informati and symptoms.	ion on health effects
:	irritant effects	
	Causes skin irritation.	
	Causes serious eye damage.	
	May cause respiratory irritation.	
me	dical attention and special treatment need	ded
:	Treat symptomatically.	
:	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chen	
	extinction.	nical powder for
n the		nical powder for
	extinction.	
	extinction. e substance or mixture	
• :	extinction. e substance or mixture	nown
	: Isur	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informati and symptoms. : irritant effects Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. medical attention and special treatment nee : Treat symptomatically.

·····, ·····, ····, ····, ····, ····,		1	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust.	
		Deny access to unprotected persons.	

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024Version 2.0Print Date 28.11.2024Date of last issue: 03.11.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Comp	onents

CAS-No. Value type (Form Control parame- Basis *

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Rock-Shot 3

Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Print Date 28.11.2024

 of exposure)
 ters *

 Cement (chromium reduced)
 65997-15-1
 TWA (inhalable
 5 mg/

Cement (chromium reduced)	65997-15-1	TWA (inhalable	5 mg/m3	CH SUVA	
		dust)	-		
	Further information: Sensitizers; Substances marked with an S				
	can lead to very strong allergic reactions.				
The choice mentioned values are in accordance with the legislation in effect at the date of the re-					

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipm	nent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

Sika[®] Rock-Shot 3

Revision Date: 28.11.2024

Date of last issue: 03.11.2022



Print Date 28.11.2024

General advice	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.
ECTION 9: Physical and che	mical properties
1 Information on basic physica	al and chemical properties
Physical state	: solid
Appearance	: powder
Colour	: grey
Odour	: odourless
Melting point/ range / Freez- ing point	: No data available
Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or	explosive limits
Upper explosion limit / Up- per flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
рН	: > 11 Concentration: 50 %
Viscosity	
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: insoluble

Version 2.0

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022	Version 2.0	Print Date 28.11.2024
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: not determined	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Print Date 28.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Print Date 28.11.2024

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessmen	t
Assessmen	ι

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022	Version 2.0	Print Date 28.11.2024
	protection and waste disposal legislati local authority requirements. Avoid dispersal of spilled material and soil, waterways, drains and sewers.	, ,
Waste code Switzerland VeVA/LVA	: 16 03 03 [S] inorganic wastes containi stances	ng dangerous sub-

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use Not applicable	r	
14.7 Maritime transport in bulk a	CCC	ording to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance	or mixture
Country CH 10000046763	11 / 14

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rock-Shot 3



Revision Date: 28.11.2024 Date of last issue: 03.11.2022	Version 2	2.0	Print Date 28.11.2024
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea l/or gula	am suppliers, and/or ation, and/or
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
PIC Ordinance, ChemPICO (814	.82)	:	Not applicable
Ordinance on Protection against Threshold quantity according to I nance (MAO 814.012)		:	Not applicable
Chemical Risk Reduction Ordina (ORRChem, SR 814.81)	nce : Not applicat	ole	
Waters Protection Ordinance (W Water pollution class :	PO 814.201) slightly hazardous to v Classification accordin		
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)



Revision Date: 28.11.2024 Date of last issue: 03.11.2022 Version 2.0

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rock-Shot 3



Date of last issue: 03.11.2022		
	tances of Very High Concern persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN