

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikalastic[®]-822 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Sealing system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H332: Harmful if inhaled.

Respiratory sensitisation, Category 1

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H332 H334	Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sikalastic[®]-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0



Precautionary statements :	Prevention:	
	P261	Avoid breathing mist or vapours.
	P271	Use only outdoors or in a well-ventilated ar- ea.
	P284	In case of inadequate ventilation wear respir- atory protection.
	Response:	
	P304 + P340 + F	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
	Disposal:	
	P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

4-methyl-m-phenylene diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 24.07.2023 Date of last issue: 19.07.2021



Version 11.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
4-methyl-m-phenylene diisocya- nate	Registration number 584-84-9 209-544-5 01-2119486974-18- XXXX	Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 specific concentration limit Resp. Sens. 1; H334 >= 0,1 % Acute toxicity esti- mate Acute inhalation tox-	>= 0,5 - < 1
		icity (vapour): 0,107 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

Revision Date: 24.07.2023



Version 11.0

ate of last issue: 19.07.2021			
If swallowed	:	Do not induce vomiting without medical advice	э.
		Rinse mouth with water. Do not give milk or alcoholic beverages.	
		Never give anything by mouth to an unconscient	ous person.
4.2 Most important symptom	ns and e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance	
		Respiratory disorder	
		Allergic reactions Headache	
		See Section 11 for more detailed information	on health effects
		and symptoms.	
Risks	:	sensitising effects	
		Harmful if inhaled.	
		May cause allergy or asthma symptoms or bro	eathing difficul-
		ties if inhaled.	
13 Indication of any immedi	isto mor		
4.3 Indication of any immedi Treatment	iate meo	ties if inhaled. dical attention and special treatment needed Treat symptomatically.	I
Treatment	:	dical attention and special treatment needed Treat symptomatically.	I
•	:	dical attention and special treatment needed Treat symptomatically.	
Treatment	:	dical attention and special treatment needed Treat symptomatically.	I
Treatment	neasur	dical attention and special treatment needed Treat symptomatically.	t/carbon diox-
Treatment SECTION 5: Firefighting n 5.1 Extinguishing media Suitable extinguishing me	: neasur edia :	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	t/carbon diox-
Treatment SECTION 5: Firefighting n 5.1 Extinguishing media Suitable extinguishing me	: neasur edia : from the	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	t/carbon diox- Il powder for
Treatment SECTION 5: Firefighting n 5.1 Extinguishing media Suitable extinguishing me	: neasur edia : from the	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	t/carbon diox- Il powder for
Treatment SECTION 5: Firefighting n 5.1 Extinguishing media Suitable extinguishing me 5.2 Special hazards arising f Hazardous combustion pr ucts	: neasur edia : from the	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	t/carbon diox- Il powder for
Treatment SECTION 5: Firefighting n 5.1 Extinguishing media Suitable extinguishing me 5.2 Special hazards arising f Hazardous combustion pr	: neasur edia : from the rod- :	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	t/carbon diox- Il powder for n

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

Print Date 24.07.2023

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (Conditions for safe storage, ir	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Sikalastic[®]-822 Part B



Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
4-methyl-m-phenylene diisocyanate	584-84-9	TWA	0,02 mg/m3 (NCO)	CH SUVA
	can lead to ve	ation: Sensitizers; S ry strong allergic re pational Medicine a	actions., Health ar	nd Safety Ex-
		STEL	0,02 mg/m3 (NCO)	CH SUVA

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as-
uptry CH_00000044402		6/

Sikalastic[®]-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021



Version 11.0

sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid viscous off-white
Odour	:	slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available

Sikalastic[®]-822 Part B



Revision Date: 24.07.2023 Date of last issue: 19.07.2021		Version 11.0	Print Date 24.07.2023
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,00 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No c	lata available
---------------------------	----------------

Sikalastic[®]-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021

Version 11.0



10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

4-methyl-m-phenylene diisocyanate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,107 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 0,107 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rat): > 9.400 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0



Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product rest This material and its container must be disposed of in a way. Dispose of surplus and non-recyclable products via a lid waste disposal contractor. Disposal of this product, solutions and any by-products at all times comply with the requirements of environmer protection and waste disposal legislation and any region local authority requirements. Avoid dispersal of spilled material and runoff and contained and sewers. 	sidues. I safe censed should ntal nal
Waste code Switzerland VeVA/LVA	: 08 01 11 -	
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contar ed by dangerous substances	ninat-

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
Country CH 00000044402		

Print Date 24.07.2023

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1

I Safety, health and environmental regulations/legislati REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
			4-methyl-m-phenylene diisocyanate (Number on list 74)
International Chemical Weapons Schedules of Toxic Chemicals ar	· · · · · ·	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
PIC Ordinance, ChemPICO (814.82)			Not applicable
REACH Information: All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg		trea /or gula	im suppliers, and/or tion, and/or

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Sikalastic[®]-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021



Version 11.0

Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 1% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1% w/w

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H412 :	Harmful to aquatic life with long lasting effects.

Sikalastic®-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0



Full text of other abbreviations

Acute Tox. Aquatic Chronic Carc. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT SE		Acute toxicity Long-term (chronic) aquatic hazard Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - single exposure
CH SUVA CH SUVA / TWA	÷	Switzerland. Limit values at the work place Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Resp. Sens. 1	H334	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Sikalastic[®]-822 Part B

Revision Date: 24.07.2023 Date of last issue: 19.07.2021 Version 11.0



CH / EN