Sika[®] ViscoCrete[®]-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] ViscoCrete[®]-863 UHPC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one
	(OIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-
	2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sika[®] ViscoCrete[®]-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients


3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
(BIT)	220-120-9	Acute Tox. 2; H330	0,036
. ,	01-2120761540-60-	Skin Irrit. 2; H315	
	XXXX	Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,036 %	
		>= 0,000 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		450 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,21	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Version 4.0




Print Date 28.11.2024

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	Acute Tox. 3; H301	>= 0,0002 - <
,	247-761-7	Acute Tox. 2; H330	0,0015
	01-2120768921-45-	Acute Tox. 3; H311	,
	XXXX	Skin Corr. 1; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		125 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,27	
		mg/l	
		Acute dermal toxicity:	
		311 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Version 4.0



Print Date 28.11.2024

of last issue: 18.07.2022			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2 Most important sympton	ns and effects, both acute and delayed
Symptoms	: See Section 11 for more detailed information on health effect

4.2

Symptoms	See Section 11 for more detailed informand symptoms.	nation on health effects
Risks	No known significant effects or hazard	S.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

Sika® ViscoCrete®-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	:	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions required.	
C O Mothe de and motorial fan aa		umant and alaankun um	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA		
	es, which are e tional skin reso inhalation by th	ation: Toxic by skin easily absored throu option a substancial ne airways., Sensiti: to very strong allerg	ugh the skin, can g higher risk compa zers; Substances	give by addi- ared to only		
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA		
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	TWA (inhalable dust)	0,2 mg/m3	CH SUVA		
	Further information: Sensitizers; Substances marked with an S					
	can lead to very strong allergic reactions., Harm to the unborn					
	child is not to b	child is not to be expected when the OEL-value is respected				
× 		STEL (inhalable dust)	0,4 mg/m3	CH SUVA		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A)

Sika® ViscoCrete®-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Ph	vsical state	:	liquid
Co	lour	:	blue
Od	our	:	like methacrylic acid
	lting point/ range / Freez- point	:	No data available
Boi	iling point/boiling range	:	No data available
Fla	mmability (solid, gas)	:	No data available
Up	per/lower flammability or o	exp	losive limits
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
Fla	sh point	:	> 100 °C Method: closed cup
Aut	to-ignition temperature	:	No data available
De	composition temperature	:	No data available
pН		:	ca. 3,4 (20 °C) Concentration: 100 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022	Version 4.0	Print Date 28.11.2024
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,058 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

0.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned.		

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):					
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
		LD50 Oral (Rat): 450 mg/kg			
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg			
2-octyl-2H-isothiazole-3-one	(0	IT):			
2-octyl-2H-isothiazole-3-one Acute oral toxicity	(0 :	IT): Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
•	(O :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC)			
Acute oral toxicity	(O : :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC)			
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC)			

Skin corrosion/irritation

Not classified due to lack of data.

Sika® ViscoCrete®-863 UHPC



Sika Viscocrete -805 Ori		
Revision Date: 28.11.2024 Date of last issue: 18.07.2022	Version 4.0	Print Date 28.11.2024
Serious eye damage/eye irritat Not classified due to lack of data		
Respiratory or skin sensitisation	on	
Skin sensitisation		
Not classified due to lack of data		
Respiratory sensitisation Not classified due to lack of data.		
Components:		
1,2-benzisothiazol-3(2H)-one (E	BIT):	
Assessment	May cause sensitisation by skin contact.	
Germ cell mutagenicity Not classified due to lack of data		
Carcinogenicity Not classified due to lack of data		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data		
STOT - repeated exposure Not classified due to lack of data.		
Aspiration toxicity Not classified due to lack of data		
11.2 Information on other hazards		
Endocrine disrupting propertie	S	
Product: Assessment :	The substance/mixture does not contain component of the substance/mixture does not contain component of the substance of the	cording to regulation

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



evision Date: 28.11.2024 Pate of last issue: 18.07.2022		Version 4.0	Print Date 28.11.2024
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
2-octyl-2H-isothiazole-3-one	(0	IT):	
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
reaction mass of 5-chloro-2-	me	thyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1):
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
12.2 Persistence and degradabili No data available	ty		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB as	se	ssment	
Product: Assessment	:	This substance/mixture contains no compor to be either persistent, bioaccumulative and very persistent and very bioaccumulative (v 0.1% or higher	toxic (PBT), or
12.6 Endocrine disrupting proper	rtie	S	
Product: Assessment	:	The substance/mixture does not contain con- ered to have endocrine disrupting properties REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	s according to ted regulation

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
: 16 10 01 [S] aqueous liquid wastes containing dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

Revision Date: 28.11.2024

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Print Date 28.11.2024

ate of last issue: 18.07.2022	Version	4.0	Pfifit Date 26.11.2024
ADR	: Not regulated as a da	anaerous aood	
IMDG	: Not regulated as a da		
IATA (Cargo)	: Not regulated as a da		
IATA (Passenger)	: Not regulated as a da		
4.5 Environmental hazards Not regulated as a dangerou	s good		
4.6 Special precautions for us Not applicable	er		
4.7 Maritime transport in bulk Not applicable for product as	-	ents	
ECTION 15: Regulatory info	ormation		
5.1 Safety, health and environ	mental regulations/legisla	tion specific for t	he substance or mixture
5.1 Safety, health and environ International Chemical Weap Schedules of Toxic Chemica REACH Information:	oons Convention (CWC)	: Not applicab ned in our Products stream suppliers, a d/or egulation, and/or	le s are
International Chemical Wear Schedules of Toxic Chemica	oons Convention (CWC) Is and Precursors All substances conta - registered by our up - registered by us, ar - excluded from the r - exempted from the manufacture, placing on h dangerous substances,	: Not applicab ned in our Products stream suppliers, a d/or egulation, and/or registration. : Conditions o	le s are and/or f restriction for the fol- s should be considered:
International Chemical Wear Schedules of Toxic Chemica REACH Information: REACH - Restrictions on the the market and use of certain	oons Convention (CWC) Is and Precursors All substances conta - registered by our up - registered by us, ar - excluded from the r - exempted from the manufacture, placing on n dangerous substances, XVII)	 Not applicab Not applicab ned in our Products stream suppliers, a d/or egulation, and/or registration. Conditions o lowing entrie Number on li 	le s are and/or f restriction for the fol- s should be considered:
International Chemical Weap Schedules of Toxic Chemica REACH Information: REACH - Restrictions on the the market and use of certain mixtures and articles (Annex REACH - Candidate List of S	oons Convention (CWC) Is and Precursors All substances conta - registered by our up - registered by us, an - excluded from the r - exempted from the manufacture, placing on n dangerous substances, XVII) Substances of Very High rticle 59).	 Not applicab ned in our Products stream suppliers, a d/or egulation, and/or registration. Conditions o lowing entrie Number on li None of the or 	le s are and/or f restriction for the fol- is should be considered: ist 75: components are listed

Version 4.0

PIC Ordinance, ChemPICO (814.82)

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

: Not applicable

tants (recast)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

Ordinance on Protection against I Threshold quantity according to N nance (MAO 814.012)	
Chemical Risk Reduction Ordinar (ORRChem, SR 814.81)	nce : Not applicable
Waters Protection Ordinance (WI	PO 814,201)
	slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w
	no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,03% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC



Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0

Print Date 28.11.2024

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr.		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	÷	Skin sensitisation
CH SUVA CH SUVA / TWA	:	Switzerland. Limit values at the work place Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of
	•	Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-863 UHPC

Revision Date: 28.11.2024 Date of last issue: 18.07.2022 Version 4.0



Print Date 28.11.2024