Version 7.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikasil® WS-200

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains trimethoxyvinylsilane, 3-aminopropyltriethoxysilane. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Sikasil<sup>®</sup> WS-200

Print Date 10.04.2024

Revision Date: 09.04.2024 Date of last issue: 19.01.2022 Version 7.0

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		, ,
trimethoxy(methyl)silane Contains: methanol <= 2 %	1185-55-3 214-685-0 01-2119517436-40-	Flam. Liq. 2; H225	>= 1 - < 2,5
dimethoxydimethylsilane <= 1 % Silsesquioxanes, 3-aminopropyl Me, ethoxy-terminated	XXXX 128446-60-6 Not Assigned	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 2,5
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 16,8 mg/l	>= 0,5 - < 1
3-aminopropyltriethoxysilane	919-30-2 213-048-4 01-2119480479-24- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Acute toxicity esti- mate Acute oral toxicity: 1.490 mg/kg	>= 0,1 - < 0,5

# Sikasil<sup>®</sup> WS-200

Revision Date: 09.04.2024 Date of last issue: 19.01.2022



Version 7.0

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane	93925-42-9 300-344-4 01-2119560586-30- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 3; H412	>= 0,25 - < 0,3
		specific concentration limit Repr. 1B; H360FD >= 0,6 % Muta. 2; H341 >= 2 % STOT SE 1; H370 >= 20 % STOT SE 2; H371 >= 2 % STOT RE 1; H372 >= 20 % STOT RE 2; H373 >= 2 %	
		Acute toxicity esti- mate Acute oral toxicity: 1.000 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first aid measures			
General advice	:	No hazards which require special first aid measures.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water.	

<b>Jika</b> ®
Print Date 10.04.2024

Revision Date: 09.04.2024
Date of last issue: 19.01.2022

Version 7.0

Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	: See Section 11 for more detailed information on health effects and symptoms.		
Risks	: No known significant effects or hazards.		
4.3 Indication of any immediate medical attention and special treatment needed			

Treatment

: Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
------------------------------	---	--

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

## 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
for menginers		

Further information : Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	For personal protection see section 8.				
6.2 Environmental precautions					
Environmental precautions	No special environmental precautions required.				
6.3 Methods and material for conta	6.3 Methods and material for containment and cleaning up				
Methods for cleaning up	Wipe up with absorbent material (e.g. cloth, fleece).				
0 1	Keep in suitable, closed containers for disposal.				
6.4 Reference to other sections					
For personal protection see sec	tion 8.				

Print Date 10.04.2024

Revision Date: 09.04.2024 Date of last issue: 19.01.2022 Version 7.0

## **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	J				
	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products			
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.			
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.			
7.2	7.2 Conditions for safe storage, including any incompatibilities					
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.			
	Advice on common storage	:	No special restrictions on storage with other products.			
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.			
7.3	7.3 Specific end use(s)					
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.			

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

	Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--	------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
methanol	67-56-1	TWA	200 ppm	2006/15/EC
			260 mg/m3	
	Further information	ation: Indicative, Ide	entifies the possibi	lity of signifi-
	cant uptake the	rough the skin		
		TWA	200 ppm	CH SUVA
			260 mg/m3	
	Further information: Toxic by skin resorption possible; Substanc-			
	es, which are easily absored through the skin, can give by addi-			
	tional skin resoption a substancial higher risk compared to only			

## Sikasil<sup>®</sup> WS-200



Revision Date: 09.04.2024 Date of last issue: 19.01.2022

	Safety and He pour la préve fessionnelles,	the airways., Nationa ealth, Institut Nationa ntion des accidents o , Harm to the unborn L-value is respected	al de Recherche e du travail et des m child is not to be	t de Sécurité aladies pro-
		STEL	400 ppm 520 mg/m3	CH SUVA
ethanol	64-17-5	TWA	500 ppm 960 mg/m3	CH SUVA
	Health, Institu vention des a	nation: National Insti It National de Reche ccidents du travail e Inborn child is not to ected	rche et de Sécurit t des maladies pro	é pour la pré- ofessionnelles,
		STEL	1.000 ppm 1.920 mg/m3	CH SUVA

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure co	ntro	bls

#### General advice : No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	various

Print Date 10.04.2024

Revision Date: 09.04.2024	
Date of last issue: 19.01.2022	

Version 7.0

Odour		:	pleasant
Melting point/range point	/ Freezing	:	No data available
Boiling point/boiling	range	:	No data available
Flammability (solid,	gas)	:	No data available
Upper/lower flamn	nability or e	xp	losive limits
Upper explosion per flammability		:	No data available
Lower explosion Lower flammabil		:	No data available
Flash point		:	Not applicable
Auto-ignition tempe	rature	:	No data available
Decomposition tem	perature	:	No data available
рН		:	ca. 8 - 9
Viscosity			
Viscosity, kinem	atic	:	> 20,5 mm2/s (40 °C)
Solubility/icc)			
<b>Solubility(ies)</b> Water solubility		:	insoluble
Partition coefficient: octanol/water	n-	:	No data available
Vapour pressure		:	0,01 hPa
Density		:	ca. 1,03 g/cm3 (20 °C)
Relative vapour der	nsity	:	No data available
Particle characterist	tics	:	No data available

Revision Date: 09.04.2024 Date of last issue: 19.01.2022



Version 7.0

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

#### 10.5 Incompatible materials

Materials to avoid	: No data available
--------------------	---------------------

### **10.6 Hazardous decomposition products**

Hazardous decomposition : methanol, ethanol products

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity Not classified due to lack of data.

#### **Components:**

trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg

Print Date 10.04.2024

Revision Date: 09.04.2024 Date of last issue: 19.01.2022 Version 7.0

	0	
	<b>3-aminopropyltriethoxysilane:</b> Acute oral toxicity :	LD50 Oral (Rat): 1.490 mg/kg
		Acute toxicity estimate: 1.490 mg/kg Method: Calculation method
	Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg
	Ciliais asid (UACiOA) totracthud	
	Acute oral toxicity :	l ester, reaction products with bis(acetyloxy)dibutylstannane: LD50 Oral (Rat): 1.000 mg/kg
		Acute toxicity estimate: 1.000 mg/kg Method: Calculation method
	Skin corrosion/irritation Not classified due to lack of data.	
	Serious eye damage/eye irritati	ion
	Not classified due to lack of data.	
	Respiratory or skin sensitisation	on
	Skin sensitisation	
	Not classified due to lack of data.	
	Respiratory sensitisation	
	Not classified due to lack of data.	
	Germ cell mutagenicity	
	Not classified due to lack of data.	
	Carcinogenicity	
	Not classified due to lack of data.	
	Reproductive toxicity	
	Not classified due to lack of data.	
	STOT - single exposure	
	Not classified due to lack of data.	
	STOT - repeated exposure	
	Not classified due to lack of data.	
	Aspiration toxicity	
	Not classified due to lack of data.	
11.2	Information on other hazards	
	Endocrine disrupting propertie	S
	Product:	
	Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to

## Sikasil<sup>®</sup> WS-200

Revision Date: 09.04.2024 Date of last issue: 19.01.2022



Version 7.0

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

<ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> </ul>

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe</li> </ul>
	way.

Version 7.0



Revision Date: 09.04.2024		
Date of last issue: 19.01.2022		

	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	: 08 04 09 [S] waste adhesives and sealants containing organic solvents or other dangerous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR		:	Not regulated as a dangerous good
IMDG		:	Not regulated as a dangerous good
ΙΑΤΑ		:	Not regulated as a dangerous good
14.2 UN prope	er shipping name		
ADR		:	Not regulated as a dangerous good
IMDG		:	Not regulated as a dangerous good
ΙΑΤΑ		:	Not regulated as a dangerous good
14.3 Transpor	t hazard class(es)		
ADR		:	Not regulated as a dangerous good
IMDG		:	Not regulated as a dangerous good
ΙΑΤΑ		:	Not regulated as a dangerous good
14.4 Packing	group		
ADR		:	Not regulated as a dangerous good
IMDG		:	Not regulated as a dangerous good
IATA (Ca	rgo)	:	Not regulated as a dangerous good
IATA (Pas	ssenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards			
Not regula	ated as a dangerous	god	bd
14.6 Special n	recautions for user		

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 09.04.2024 Date of last issue: 19.01.2022 Version 7.0



## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75 REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable : (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable 2 tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Chemical Risk Reduction Ordinance (ORRChem, SR Not applicable 814.81) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,05% w/w no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,05% w/w

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 09.04.2024 Date of last issue: 19.01.2022 Version 7.0



## **SECTION 16: Other information**

Full text of H-Statements	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated
11072	exposure if swallowed.
H412	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	
Acute Tox.	Acute toxicity
Aquatic Chronic	Long-term (chronic) aquatic hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
Muta.	Germ cell mutagenicity
Repr.	Reproductive toxicity
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
2006/15/EC	Europe. Indicative occupational exposure limit values
CH SUVA	Switzerland. Limit values at the work place
2006/15/EC / TWA	Limit Value - eight hours
CH SUVA / TWA	Time Weighted Average
CH SUVA / STEL	Short Term Exposure Limit
ADR	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	Median lethal concentration (concentrations of the chemical in
2000	
	air that kills 50% of the test animals during the observation
	period)
MARPOL	International Convention for the Prevention of Pollution from

# Sikasil<sup>®</sup> WS-200

Print Date 10.04.2024

Revision Date: 09.04.2024		
Date of last issue: 19.01.2022		

Version 7.0

OEL	Ships, 1973 as modified by the Protocol of 1978 : Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN