Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023 Version 6.0

Print Date 02.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-340 Level

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023 Version 6.0

Print Date 02.01.2025

Prevention:

Wear eye protection/ face protection.

Response:

P280

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement, alumina, chemicals	65997-16-2 266-045-5	Eye Irrit. 2; H319	>= 10 - < 20
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace ex	posure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikafloor®-340 Level

Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6.0	Print Date 02.01.2025
Calcium sulfate hemihydrate	10034-76-1 Not Assigned 01-2119444918-26- XXXX	>= 5 - < 10
For explanation of abbreviations	see section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms an	d e	effects, both acute and delayed		
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	irritant effects		
		Causes serious eye damage.		
4.3 Indication of any immediate n	4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	:	Treat symptomatically.		



Revision Date: 02.01.2025	Version 6.0	Print Date 02.01.2025
Date of last issue: 17.03.2023		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water courses.
	No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections


For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the ap-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6.0	Print Date 02.01.2025			
	plication area. Follow standard hygiene measures when handlin products	ng chemical			
Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhau at places where dust is formed.	st ventilation			
Hygiene measures :	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations				
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as direct	ed.			
7.3 Specific end use(s)					
Specific use(s) :	Consult most current local Product Data Sheet p use.	rior to any			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Sikafloor®-340 Level

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TWA (alveolate	0,15 mg/m3	CH SUVA	
	substances at lished, Carcin tional Safety a	dust) (Silica) Further information: Provisional value - The TWA-values for these substances are, for various reasons, not yet definitively estab- ished, Carcinogenic Category 1, National Institute for Occupa- ional Safety and Health, Occupational Safety and Health Admin-			
	istration, Health and Safety Executive (Occupational Medicin Hygiene Laboratory), Harm to the unborn child is not to be expected when the OEL-value is respected				
Calcium sulfate hemihydrate	10034-76-1	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA	
		Further information: Harm to the unborn child is not to be expected when the OEL-value is respected			
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA	
***	can lead to ve	Substances marke actions.			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023 Version 6.0

Print Date 02.01.2025

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.				
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.				
Environmental exposure controls					
General advice	Try to prevent the material from entering drains or water courses. No special environmental precautions required.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6.0	Print Date 02.01.2025
Physical state Appearance Colour	: solid : powder : grey	
Odour	: odourless	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
	No data available	
Decomposition temperature	: No data available	
рН	: > 11 (20 °C) Concentration: 50 %	
Viscosity		
Viscosity, kinematic	: Not applicable	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: Not applicable	7/14

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6.0	Print Date 02.01.2025
Density	: No data available	

: ca. 1.275 kg/m3 (20 °C)

- Relative vapour density No data available
- Particle characteristics : No data available

9.2 Other information

Bulk density

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No hazards to be specially mentioned. :

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	:	No data available
Materials to avoid	:	No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6.0	Print Date 02.01.2025
Components:		
Calcium sulfate hemihydrate: Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Not classified due to lack of data.		
Serious eye damage/eye irritati Causes serious eye damage.	on	
Respiratory or skin sensitisatio	n	
Skin sensitisation Not classified due to lack of data.		
Respiratory sensitisation Not classified due to lack of data.		
Germ cell mutagenicity Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		
STOT - repeated exposure Not classified due to lack of data.		
Aspiration toxicity Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting propertie	S	
Product:		
Assessment :	The substance/mixture does not contain of ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	ies according to gated regulation

SECTION 12: Ecological information

12.1 Toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023

Version 6.0

Print Date 02.01.2025

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland	:	16 03 03 [S] inorganic wastes containing dangerous sub-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023

Version 6.0

Print Date 02.01.2025

VeVA/LVA

stances

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 : Not applicable

 Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are - registered by our upstream suppliers, and/or

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023	Version 6	5.0	Print Date 0	2.01.2025
	 registered by us, and excluded from the reg exempted from the reg 	gula		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considere Number on list 47: Cement (chromi um reduced)	
			Number on list 75:	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable	
Regulation (EC) on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable	
PIC Ordinance, ChemPICO (814	.82)	:	Not applicable	
Ordinance on Protection against Threshold quantity according to M nance (MAO 814.012)		:	Not applicable	
Chemical Risk Reduction Ordinal (ORRChem, SR 814.81)	nce : Not applicat	ole		
Waters Protection Ordinance (WI Water pollution class :	PO 814.201) slightly hazardous to w Classification accordin			
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w	
Volatile organic compounds :	(VOCV) Volatile organic compo		c	

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-340 Level



Revision Date: 02.01.2025 Date of last issue: 17.03.2023 Version 6.0

Print Date 02.01.2025

and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H319	:	Causes serious eye irritation.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
CH SUVA	:	Switzerland. Limit values at the work place			
CH SUVA / TWA	:	Time Weighted Average			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
1.050		test animals)			
LC50	÷	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
MARPOL		period) International Convention for the Prevention of Pollution from			
MARPOL	·	Ships, 1973 as modified by the Protocol of 1978			
OEL	•	Occupational Exposure Limit			
PBT	÷	Persistent, bioaccumulative and toxic			
PNEC	÷	Predicted no effect concentration			
REACH	÷	Regulation (EC) No 1907/2006 of the European Parliament			
	•	and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	÷	Substances of Very High Concern			
vPvB	÷	Very persistent and very bioaccumulative			
	•				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-340 Level

Revision Date: 02.01.2025 Date of last issue: 17.03.2023 Version 6.0

Print Date 02.01.2025

Further information

Classification of the mixtur	e:
Eye Dam. 1	H318

Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

