Sikafloor®-54 Booster



Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-54 Booster

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H314	Causes severe skin burns and eye damage.
Precautionary statements	:	Prevention: P280	Wear protective gloves/ protective clothing/

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor[®]-54 Booster

Revision Date: 21.07.2022 Date of last issue: 06.04.2020



Version 4.0

П		eye protection/ face protection.
	Response:	
	P301 + P330 + P	2331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 + F	2353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
	P304 + P340 + F	2310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
	Disposal:	
	P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

2,4,6-tris(dimethylaminomethyl)phenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 21.07.2022 Date of last issue: 06.04.2020



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
2,4,6-	90-72-2	Acute Tox. 4; H302	>=80
tris(dimethylaminomethyl)phenol	202-013-9	Acute Tox. 4; H302	
Contains:	01-2119560597-27-	Skin Corr. 1C; H314	
bis[(dimethylamino)methyl]phenol <= 15 %	XXXX	Eye Dam. 1; H318	
		Acute toxicity esti- mate	
		Acute oral toxicity:	
		1.999 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Revision Date: 21.07.2022

Date of last issue: 06.04.2020



Version 4.0

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: Health injuries may be delayed. corrosive effects
	Causes serious eye damage. Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically	
		•

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

e equipment and emergency procedures
Use personal protective equipment.
Deny access to unprotected persons.
Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
respective authorities.
inment and cleaning up
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor[®]-54 Booster

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



6.4 Reference to other sections

For personal protection see section 8.

...

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling :	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures :	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clı	uding any incompatibilities
	Requirements for storage : areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- : age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



Personal protective equipment

Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contro	bls
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

20 °C) ellow
like
a available
a available
a available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

Sikafloor®-54 Booster

Revision Date: 21.07.2022 Date of last issue: 06.04.2020



Version 4.0

per flammability limit	
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: > 101 °C Method: closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
рН	: ca. 11 (20 °C) Concentration: 100 %
Viscosity	
Viscosity, dynamic	: ca. 250 mPa.s (20 °C)
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,0133322 hPa
Density	: ca. 0,97 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions Hazardous reactions Stable under recommended storage conditions. 10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity : LD50 (Rat): > 1.999 mg/kg Remarks: Harmful if swallowed. Annex VI - Harmonised REGULATION (EC) No 1272/2008

> Acute toxicity estimate: 1.999 mg/kg Method: Calculation method

Skin corrosion/irritation

Causes severe burns.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment Method	:	Rabbit Corrosive OECD Test Guideline 404
Assessment Remarks		irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation

Causes serious eye damage.

Sikafloor®-54 Booster

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment

Rabbit

Assessment : Causes serious eye damage. Assessment : irritating Remarks : Annex VI - Harmonised REGULATION (EC) No 1272/2008

:

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to algae/aquatic	EC50 (Scenedesmus capricornutum (fresh water algae)): > 10
plants	- 100 mg/l
	Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized
	wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor[®]-54 Booster

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number		
ADR	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol, bis[(dimethylamino)methyl]phenol)
14.3 Transport hazard class(es)		
ADR	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : :	III C7 80 8 (E)
IMDG Packing group Labels EmS Code IATA (Cargo)	::	III 8 F-A, S-B
in in (Gaiyu)		

Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Version 4.0



Date of last issue: 06.04.2020			
Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	856 Y841 III Corrosive	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	852 Y841 III Corrosive	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	
IATA (Passenger) Environmentally hazardous	:	no	
IATA (Cargo) Environmentally hazardous	:	no	
14 6 Special processions for use	-		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-• the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 International Chemical Weapons Convention (CWC) Not applicable : Schedules of Toxic Chemicals and Precursors REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable : (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer

SAFETY DATA SHEET according to Regulation (EC) No. 1907 Sikafloor®-54 Booster	7/2006	Jika ®
Revision Date: 21.07.2022 Date of last issue: 06.04.2020	Version 4.0	Print Date 03.05.2023
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu- :	Not applicable
PIC Ordinance, ChemPICO (814	1.82) :	Not applicable
REACH Information:	All substances contained in - registered by our upstrear - registered by us, and/or - excluded from the regulat - exempted from the registr	n suppliers, and/or ion, and/or
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		and of the Council on the control of ma-
Water hazard class (Germa- : ny)	WGK 1 slightly hazardous to Classification according to	
Volatile organic compounds :	(VOCV) Volatile organic compounds no VOC duties Directive 2010/75/EU of 24	November 2010 on industrial tion prevention and control)
Other regulations:		

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

The product belongs to group 2 according to the Swiss Chemicals Ordinance (ChemO 813.11).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302		Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.

Full text of other abbreviations



Revision Date: 21.07.2022 Date of last issue: 06.04.2020 Print Date 03.05.2023

Version 4.0

Classification of the mixture:	:	Classification procedure:
Further information		
vPvB	:	Very persistent and very bioaccumulative
SVHC	:	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
PNEC	÷	Predicted no effect concentration
PBT	÷	Persistent, bioaccumulative and toxic
OEL		Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit
MARPOL	:	air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from
LC50	:	once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in
LD50	÷	Median lethal dosis (the amount of a material, given all at
IMDG	÷	International Maritime Code for Dangerous Goods
IATA	÷	International Air Transport Association
GHS	:	Globally Harmonized System
EC50	:	Derived no-effect level Half maximal effective concentration
CAS DNEL	:	Dangerous Goods by Road Chemical Abstracts Service
Skin Corr. ADR	:	Skin corrosion European Agreement concerning the International Carriage of
Eye Dam.	:	Serious eye damage
Acute Tox.	:	Acute toxicity

	olassilloadion proocaa	
Skin Corr. 1C	H314	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN