SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024	Version 4.0	Print Date 16.08.2024
Date of last issue: 13.04.2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaCeram[®] Sealing Fix Powder Component

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component

Revision Date: 16.08.2024Version 4.0Print Date 16.08.2024Date of last issue: 13.04.2022

Prevention:

Wear eye protection/ face protection.

Response:

P280

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eempenente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
calcium carbonate	471-34-1		>= 10 - < 20
	207-439-9		
	01-2119486795-18-		
	XXXX		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaCeram[®] Sealing Fix Powder Component

vision Date: 16.08.2024 te of last issue: 13.04.2022	Version 4.0	Print Date 16.08.2024
Quartz (SiO2)	14808-60-7 238-878-4	>= 10 - < 20
calcium sulfate	7778-18-9 231-900-3 01-2119444918-26- XXXX	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	25
General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks :	Causes serious eye damage.
	irritant effects
4.3 Indication of any immediate me	dical attention and special treatment needed
Treatment :	Treat symptomatically.

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024	Version 4.0	Print Date 16.08.2024
Date of last issue: 13.04.2022		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :	No hazardous combustion products are known
ucts	

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the ap-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaCeram[®] Sealing Fix Powder Component

Revision Date: 16.08.2024 Date of last issue: 13.04.2022		Version 4.0	Print Date 16.08.2024
		plication area. Follow standard hygiene measures when handlir products	ng chemical
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhau at places where dust is formed.	st ventilation
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the en	ising do not
7.2 Conditions for safe storage, ir	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
calcium carbonate	471-34-1	TWA (alveolate dust)	3 mg/m3	CH SUVA		
	Further inform Health	Further information: National Institute for Occupational Safety and Health				
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA		
	substances are, for various reasons, not yet definitively established, Carcinogenic Category 1, National Institute for Occupational Safety and Health, Occupational Safety and Health Adristration, Health and Safety Executive (Occupational Medicine Hygiene Laboratory), Harm to the unborn child is not to be expected when the OEL-value is respected					
calcium sulfate	7778-18-9	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA		
	Further information: Harm to the unborn child is not to be expected when the OEL-value is respected					
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA		
	Further inform	nation: Sensitizers; S	Substances marke	d with an S		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaCeram[®] Sealing Fix Powder Component

Revision Date: 16.08.2024	Version 4.0	Print Date 16.08.2024
Date of last issue: 13.04.2022		

can lead to very strong allergic reactions.

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
	fety glasses with side-shields conforming to EN166 e wash bottle with pure water				
pro cho fac	emical-resistant, impervious gloves complying with an ap- oved standard must be worn at all times when handling emical products. Reference number EN 374. Follow manu- turer specifications. commended: Butyl rubber/nitrile rubber gloves. ntaminated gloves should be removed.				
0	ntaminated gloves should be removed.				
Pro Ion and	st impervious protective suit otective clothing (e.g. Safety shoes acc. to EN ISO 20345, ig-sleeved working clothing, long trousers). Rubber aprons d protective boots are additionaly recommended for mixing d stirring work.				
Re exp ing par P1 En exl od: tict to	case of inadequate ventilation wear respiratory protection. spirator selection must be based on known or anticipated posure levels, the hazards of the product and the safe work- limits of the selected respirator. rticulate filter P : Inert material; P2, P3: hazardous substances sure adequate ventilation. This can be achieved by local haust extraction or by general ventilation. (EN 689 - Meth- s for determining inhalation exposure). This applies in par- ular to the mixing / stirring area. In case this is not sufficent keep the concentrations under the occupational exposure its then respiration protection measures must be used.				
Environmental exposure controls					
CO	v to prevent the material from entering drains or water urses. special environmental precautions required.				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika®

SikaCeram[®] Sealing Fix Powder Component

Revision Date: 16.08.2024 Date of last issue: 13.04.2022 Version 4.0

Print Date 16.08.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

in officiation officiation physical	an	a ononnoai propor
Physical state Appearance Colour	:	solid powder white
Odour	:	pleasant
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available

Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

- Decomposition temperature : No data available
- pH : ca. 11 Concentration: 50 %
- Viscosity Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility	:	No data available
------------------	---	-------------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaCeram[®] Sealing Fix Powder Component

Revision Date: 16.08.2024 Date of last issue: 13.04.2022	Version 4.0	Print Date 16.08.2024

Vapour pressure	: No data available
Density	: ca. 1,12 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	: No data available	Э
Materials to avoid	: No data available	Э

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024 Version 4.0 Print Date 16.08.2024 Date of last issue: 13.04.2022 **Components:** calcium sulfate: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Skin corrosion/irritation Not classified due to lack of data. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation Not classified due to lack of data. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. STOT - repeated exposure Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties **Product:** Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

levels of 0.1% or higher.

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SECTION 12: Ecological information

12.1 Toxicity

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024 Date of last issue: 13.04.2022	Version 4.0	Print Date 16.08.2024
12.2 Persistence and degrad No data available	ability	
12.3 Bioaccumulative poten No data available	ial	
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPv	B assessment	
Product: Assessment		ains no components considered ccumulative and toxic (PBT), or
	very persistent and very bioa 0.1% or higher	accumulative (vPvB) at levels of
12.6 Endocrine disrupting p	0.1% or higher	accumulative (vPvB) at levels of
12.6 Endocrine disrupting p <u>Product:</u>	0.1% or higher	accumulative (vPvB) at levels of
	0.1% or higher operties : The substance/mixture does ered to have endocrine disru REACH Article 57(f) or Com	accumulative (vPvB) at levels of a not contain components consid- upting properties according to mission Delegated regulation sion Regulation (EU) 2018/605 at
Product:	0.1% or higher operties The substance/mixture does ered to have endocrine disru REACH Article 57(f) or Comm (EU) 2017/2100 or Commiss	s not contain components consid- upting properties according to mission Delegated regulation
<u>Product:</u> Assessment	0.1% or higher operties The substance/mixture does ered to have endocrine disru REACH Article 57(f) or Comm (EU) 2017/2100 or Commiss	s not contain components consid- upting properties according to mission Delegated regulation

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland	:	16 03 03 [S] inorganic wastes containing dangerous sub-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024 Date of last issue: 13.04.2022

Version 4.0

Print Date 16.08.2024

VeVA/LVA

stances

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legis	lation	specific for the substance or mixture
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

All substances contained in our Products are - registered by our upstream suppliers, and/or

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024 Date of last issue: 13.04.2022	Version 4.0)	Print Date 16.08.2024	
 registered by us, and/or excluded from the regulation, and/or exempted from the registration. 				
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	gerous substances,		Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	:	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable	
PIC Ordinance, ChemPICO (814.	82) :	:	Not applicable	
Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordi nance (MAO 814.012)			Not applicable	
Chemical Risk Reduction Ordinance : (ORRChem, SR 814.81) Not applicable				
Waters Protection Ordinance (WPO 814.201) Water pollution class : slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)				
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	fo	r volatile organic compounds	
			November 2010 on industrial Ition prevention and control)	

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component



Revision Date: 16.08.2024	Version 4.0	Print Date 16.08.2024
Date of last issue: 13.04.2022		

and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®] Sealing Fix Powder Component

Classification of the mixture	Classification	procedure
Revision Date: 16.08.2024 Date of last issue: 13.04.2022	Version 4.0	Print Date 16.08.2024

Classification of the mixture:

H318

Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

Eye Dam. 1

