Sikafloor[®]-81 EpoCem[®] Part C



Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-81 EpoCem[®] Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Sikafloor[®]-81 EpoCem[®] Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



021			
ł	H335	May cause respiratory irritation.	
nents : F	Prevention:		
F	P264	Avoid breathing dust. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.	
F	Response:		
F	P304 + P340 + P312 IF INHALED: Remove person to air and keep comfortable for breathing. POISON CENTER/ doctor if you feel u		
F	P305 + P351 + P	338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.	
5	Storage:		
F	P403 + P233	Store in a well-ventilated place. Keep con- tainer tightly closed.	
	nents :	H335 nents : Prevention: P261 P264 P280 Response:	

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikafloor®-81 EpoCem® Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration			
	EC-No.		(% w/w)			
	Registration number					
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40			
	266-043-4	Eye Dam. 1; H318				
		STOT SE 3; H335				
		(Respiratory system)				
Substances with a workplace exposure limit :						
Quartz (SiO2)	14808-60-7		>= 60 - < 80			
	238-878-4					

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important sympton	ns and effects, both acute and delayed
Symptoms	: Cough Respiratory disorder Excessive lachrymation

Sikafloor®-81 EpoCem® Part C



Revision Date: 22.03.2023 Date of last issue: 05.03.2021	Version 14.0		Print Date 03.05.
		Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate r	ne	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	l
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	i ə	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering drains courses. No special environmental precautions required	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
-------------------------	---	--

Sikafloor®-81 EpoCem® Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	g	
	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA
	Further information: Provisional value - The TWA-values for these substances are, for various reasons, not yet definitively estab-			



Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0

	tional Safety istration, Hea Hygiene Labo	nogenic Category 1, and Health, Occupa lth and Safety Exec pratory), Harm to the the OEL-value is re	ational Safety ar cutive (Occupati e unborn child is	nd Health Admin- onal Medicine and
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA
***	can lead to ve	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.				
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.				
Environmental exposure controls					
General advice	Try to prevent the material from entering drains or water				

General advice : Try to prevent the material from entering drains or water courses.

Print Date 03.05.2023

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	un	
Physical state Appearance	:	solid powder grov
Colour	:	grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

Sikafloor[®]-81 EpoCem[®] Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021



Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	ca. 1.340 kg/m3
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

:	No data available
	:

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Sikafloor®-81 EpoCem® Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021

Version 14.0



Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Sikafloor[®]-81 EpoCem[®] Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product The generation of waste should be avoided or minimized ÷ wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste code Switzerland : 16 03 03 -VeVA/LVA : 15 01 10 [S] packaging containing residues of or contaminat-Contaminated packaging ed by dangerous substances

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for use Not applicable	r			

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	ation specific for the substance or mixture : Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).

Sikafloor[®]-81 EpoCem[®] Part C



Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0

REACH - List of substances subj (Annex XIV)	:	Not applicable		
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	:	Not applicable		
PIC Ordinance, ChemPICO (814.82)		:	Not applicable	
REACH Information:			egulation, and/or	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full	text o	f H-Statements
------	--------	----------------

H315

: Causes skin irritation.

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0



	Causes serious eye damage.
H335 :	May cause respiratory irritation.
Full text of other abbreviations	
Eye Dam. :	Serious eye damage
Skin Irrit. :	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure
CH SUVA :	Switzerland. Limit values at the work place
CH SUVA / TWA :	Time Weighted Average
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
0.410	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative

Further information					
Classification of the	e mixture:	Classification procedure:			
Skin Irrit. 2	H315	Calculation method			
Eye Dam. 1	H318	Calculation method			
STOT SE 3	H335	Calculation method			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

Country CH 00000033678

Sikafloor®-81 EpoCem® Part C

Revision Date: 22.03.2023 Date of last issue: 05.03.2021 Version 14.0

