Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikaflex[®]-554

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208	Contains trimethoxyvinylsilane, Pentamethylpiperidinol-substituted polyester. May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Print Date 06.03.2024

Revision Date: 06.03.2024 Date of last issue: 05.04.2023 Version 6.0

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 16,8 mg/l	>= 0,1 - < 0,5
Pentamethylpiperidinol- substituted polyester	85631-00-1 287-947-5 01-2120771539-41- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 4; H413	>= 0,1 - < 0,25
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		Acute toxicity esti- mate Acute oral toxicity: 1.900 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.



Revision Date: 06.03.2024 Date of last issue: 05.04.2023

5.1 Extinguishing media		
SECTION 5: Firefighting measure	sur	es
Treatment	:	Treat symptomatically.
	me	dical attention and special treatment needed
Risks	:	No known significant effects or hazards.
4.2 Most important symptoms an Symptoms	nd e :	effects, both acute and delayed See Section 11 for more detailed information on health effects and symptoms.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
If inhaled	:	Move to fresh air.

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
		extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

Jika ®
Print Date 06.03.2024

Revision Date: 06.03.2024	Version 6.0
Date of last issue: 05.04.2023	

6.2 Environmental precautions

Environmental precautions

: No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. 1 fire and explosion Hygiene measures When using do not eat or drink. When using do not smoke. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated : areas and containers place. Store in accordance with local regulations. No special restrictions on storage with other products. Advice on common storage Further information on stor-No decomposition if stored and applied as directed. : age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.



Revision Date: 06.03.2024 Date of last issue: 05.04.2023 Version 6.0

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parame-	Basis *			
		of exposure)	ters *				
methanol	67-56-1	TWA	200 ppm	2006/15/EC			
			260 mg/m3				
	Further inform	ation: Indicative, Ide	entifies the possibi	lity of signifi-			
	cant uptake th	rough the skin					
		TWA	200 ppm	CH SUVA			
			260 mg/m3				
	Further inform	Further information: Toxic by skin resorption possible; Substanc-					
	es, which are	es, which are easily absored through the skin, can give by addi-					
	tional skin res	tional skin resoption a substancial higher risk compared to only					
	inhalation by t	inhalation by the airways., National Institute for Occupational					
	Safety and He	Safety and Health, Institut National de Recherche et de Sécurité					
	pour la préver	pour la prévention des accidents du travail et des maladies pro-					
		fessionnelles, Harm to the unborn child is not to be expected					
		when the OEL-value is respected					
		STEL	400 ppm	CH SUVA			
			520 mg/m3				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	•	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure con	ntro	ols		
General advice	:	No special environmental precautions required.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Print Date 06.03.2024

Revision Date: 06.03.2024
Date of last issue: 05.04.2023

Jale	01 1ast 1ssue. 05.04.2025		
	Physical state Appearance Colour	::	liquid paste various
	Odour	:	very faint
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
			La ciuca Rimeita
	Upper/lower flammability or e	-	
	Upper explosion limit / Up- per flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	ca. 62 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity		
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
	Solubility(ies)		in a shake la
	Water solubility	:	insoluble
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	0,01 hPa
	Density	:	ca. 1,45 g/cm3 (20 °C)

Version 6.0

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikaflex[®]-554



Revision Date: 06.03.2024 Date of last issue: 05.04.2023	Version 6.0	Print Date 06.03.202
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and	reactivity	
10.1 Reactivity		
10.1 Reactivity No dangerous reaction kno	wn under conditions of normal use.	
No dangerous reaction kno	wn under conditions of normal use.	
No dangerous reaction known that the second stability		
No dangerous reaction known in the product is chemically stability	table.	
No dangerous reaction known 10.2 Chemical stability	table.	ioned.
No dangerous reaction known 10.2 Chemical stability The product is chemically so 10.3 Possibility of hazardous	table. reactions	ioned.
No dangerous reaction known 10.2 Chemical stability The product is chemically so 10.3 Possibility of hazardous Hazardous reactions	table. reactions	ioned.
No dangerous reaction kno 10.2 Chemical stability The product is chemically s 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid	table. reactions : No hazards to be specially ment	ioned.
No dangerous reaction known 10.2 Chemical stability The product is chemically a 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid Conditions to avoid	table. reactions : No hazards to be specially ment	ioned.
No dangerous reaction known 10.2 Chemical stability The product is chemically a 10.3 Possibility of hazardous Hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials	table. reactions : No hazards to be specially ment : No data available : No data available	ioned.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack o	f data.	
Components:		
trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour

SAFETY according t

Sikaflex

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikaflex®-554					
Revision Date: 06.03.2024 Date of last issue: 05.04.2023	Version 6.0	Print Date 06.03.2024			
	Method: Calculation method				
Acute dermal toxicity :	LD50: 3.540 mg/kg				
Pentamethylpiperidinol-substit	uted polyester:				
Acute oral toxicity :	LD50 Oral (Rat): 1.900 mg/kg				
	Acute toxicity estimate: 1.900 mg/kg Method: Calculation method				
Skin corrosion/irritation Not classified due to lack of data.					
Serious eye damage/eye irritati Not classified due to lack of data.					
Respiratory or skin sensitisation	n				
Skin sensitisation Not classified due to lack of data.					
Respiratory sensitisation Not classified due to lack of data.					
Germ cell mutagenicity Not classified due to lack of data.					
Carcinogenicity Not classified due to lack of data.					
Reproductive toxicity Not classified due to lack of data.					
STOT - single exposure Not classified due to lack of data.					
STOT - repeated exposure Not classified due to lack of data.					
Aspiration toxicity Not classified due to lack of data.					
11.2 Information on other hazards					
Endocrine disrupting propertie	S				
Product: Assessment :	The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission Dele	ties according to			

Revision Date: 06.03.2024 Date of last issue: 05.04.2023 Version 6.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

Pentamethylpiperidinol-substituted polyester:

M-Factor (Acute aquatic tox- : 1 icity)

M-Factor (Chronic aquatic : 1 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product: Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikaflex[®]-554



Revision Date: 06.03.2024	Version 6.0	Print Date (
Date of last issue: 05.04.2023		
	Empty containers or liners may retain	

		Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should
		at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	08 04 09 [S] waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous	s go	od		
14.6 Special precautions for user				

14.6 Special precautions for user

Not applicable

Print Date 06.03.2024

Revision Date: 06.03.2024	
Date of last issue: 05.04.2023	

Version 6.0

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors						
 registered by our ups registered by us, and excluded from the registered 	stream suppliers, and/or d/or gulation, and/or					
nufacture, placing on ngerous substances, II)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75				
tances of Very High e 59).	:	None of the components are listed (=> 0.1 %).				
ject to authorisation	:	Not applicable				
on substances that de-	:	Not applicable				
ersistent organic pollu-	:	Not applicable				
.82)	:	Not applicable				
nce (ORRChem, SR	:	Not applicable				
of the European Parlian ingerous substances. Not applicable	nent	t and of the Council on the control of ma-				
(VOCV) Volatile organic compo no VOC duties Directive 2010/75/EU emissions (integrated	ounc of 24 pollu	or volatile organic compounds ds (VOC) content: <= 3% w/w 4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,02% w/w				
	Convention (CWC) and Precursors All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re - exempted from the re nufacture, placing on ngerous substances, I) tances of Very High 59). ect to authorisation In substances that de- ersistent organic pollu- .82) nce (ORRChem, SR of the European Parliar ingerous substances. Not applicable Law on the incentive t (VOCV) Volatile organic comp no VOC duties Directive 2010/75/EU emissions (integrated	Convention (CWC) : and Precursors All substances contained if - registered by our upstread - registered by us, and/or - excluded from the regulad - exempted from the regulad - exempted from the regulad - exempted from the regulad - exempted from the regulad - excluded from the regulad - exclude				

Revision Date: 06.03.2024 Date of last issue: 05.04.2023

Version 6.0



Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H226	Flam	mable liquid and vapour.
H302	Harm	Iful if swallowed.
H317	May	cause an allergic skin reaction.
H319		es serious eye irritation.
H332		iful if inhaled.
H413	May	cause long lasting harmful effects to aquatic life.
Full text of other abbreviation		
Acute Tox.	Acute	e toxicity
Aquatic Chronic		-term (chronic) aquatic hazard
Eye Irrit.		rritation
Flam. Liq.		mable liquids
Skin Sens.	-	sensitisation
2006/15/EC		pe. Indicative occupational exposure limit values
CH SUVA		erland. Limit values at the work place
2006/15/EC / TWA		Value - eight hours
CH SUVA / TWA		Weighted Average
		Term Exposure Limit
ADR		bean Agreement concerning the International Carriage of erous Goods by Road
CAS	Chen	nical Abstracts Service
DNEL	Deriv	ed no-effect level
EC50	Half r	maximal effective concentration
GHS		ally Harmonized System
IATA		national Air Transport Association
IMDG		national Maritime Code for Dangerous Goods
LD50		an lethal dosis (the amount of a material, given all at
		, which causes the death of 50% (one half) of a group of animals)
LC50		an lethal concentration (concentrations of the chemical in
2000		at kills 50% of the test animals during the observation
	perio	5
	P 9110	~,



Revision Date: 06.03.2024 Date of last issue: 05.04.2023		Version 6.0	Print Date 06.03.2024
MARPOL	:	International Convention for the Prevention	
OFL		Ships, 1973 as modified by the Protocol of Occupational Exposure Limit	1978
PBT		Persistent, bioaccumulative and toxic	
PNEC		Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 cr istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch	oncerning the Reg- striction of Chemi-
SVHC	:	Substances of Very High Concern	

: Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

vPvB