Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikafloor[®]-169 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system, Special system, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Acute toxicity, Category 4	H302: Harmful if swallowed.					
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

Sikafloor[®]-169 Part B

Revision Date: 13.05.2024 Version 9.0 Date of last issue: 11.01.2022



Hazard statements	:	H302 H314 H317	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary statements	:	Prevention P261	: Avoid breathing mist or vapours.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P301 + P33	30 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
		P303 + P36	61 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
		P304 + P34	40 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
		P305 + P35	51 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

3-aminomethyl-3,5,5-trimethylcyclohexylamine 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 13.05.2024 Date of last issue: 11.01.2022



Version 9.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 1.620 mg/kg Acute inhalation tox- icity (dust/mist): 4,178 mg/l	>= 25 - < 40
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2 220-666-8 01-2119514687-32- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 	>= 25 - < 40
Polyoxypropylene diamine	9046-10-0 618-561-0 01-2119557899-12- XXXX	Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 10 - < 20
2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	25513-64-8 247-063-2 01-2119560598-25- XXXX	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- mate Acute oral toxicity: 910 mg/kg	>= 10 - < 20

For explanation of abbreviations see section 16.

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0



SECTION 4: First aid measures

4.1 Description of first aid measure	es		
General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled :	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.		
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms :	Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks :	Health injuries may be delayed. corrosive effects sensitising effects		
	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.		
4.3 Indication of any immediate me	dical attention and special treatment needed		

Print Date 13.05.2024

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from the Hazardous combustion products		substance or mixture No hazardous combustion products are known
5.3	Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

respective authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should

Sikafloor[®]-169 Part B



Revision Date: 13.05.2024 Date of last issue: 11.01.2022		Version 9.0	Print Date 13.0
		not be employed in any process in which this minused. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlin products	ed in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, i	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Containers which are opened must be can sealed and kept upright to prevent leakage. Stor ance with local regulations.	refully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
benzyl alcohol	100-51-6	TWA	5 ppm 22 mg/m3	CH SUVA
	as vapor and stances, whic additional ski only inhalatio Safety and H	nation: The substance aerosol, Toxic by sk ch are easily absored n resoption a substa n by the airways., Na ealth, Harm to the ur L-value is respected	in resorption poss I through the skin, ncial higher risk co ational Institute for aborn child is not to	ible; Sub- can give by ompared to Occupational

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Ensure adequate ventilation, especially in confined areas.

Sikafloor®-169 Part B

Revision Date: 13.05.2024 Date of last issue: 11.01.2022



Version 9.0

Personal protective equipmen	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure conti	ols
General advice	Do not flush into surface water or sanitary sewer system.

respective authorities.

If the product contaminates rivers and lakes or drains inform

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: lio	quid
Colour	: va	arious
Odour	: a	mine-like

Sikafloor[®]-169 Part B

Print Date 13.05.2024

Revision Date: 13.05.2024 Date of last issue: 11.01.2022		Version 9.0
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
linner/lewer flommehility or	• • • •	lecive limite
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,07 hPa
Density	:	ca. 1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0



9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable

: Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Components:		
benzyl alcohol: Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg
		Acute toxicity estimate: 1.620 mg/kg Method: Calculation method
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist
		Acute toxicity estimate: 4,178 mg/l Test atmosphere: dust/mist Method: Calculation method

Revision Date: 13.05.2024 Date of last issue: 11.01.2022



Version 9.0

3-aminomethyl-3,5,5-trimethy	Icyclohexylamine:
Acute oral toxicity	: Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LD50 Oral (Rat): 1.030 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg
	LD50 (Rabbit): > 2.000 - 5.000 mg/kg
Polyoxypropylene diamine:	
Acute oral toxicity	: LD50 Oral (Rat): 2.880 mg/kg
2,2,4(or 2,4,4)-trimethylhexan	e-1,6-diamine:
Acute oral toxicity	: LD50 Oral (Rat): 910 mg/kg
	Acute toxicity estimate: 910 mg/kg Method: Calculation method
Skin corrosion/irritation	
Causes severe burns.	
Serious eye damage/eye irrita	ation
Causes serious eye damage.	
Respiratory or skin sensitisa	tion
Skin sensitisation	
May cause an allergic skin read	tion.
Respiratory sensitisation Not classified due to lack of dat	
Germ cell mutagenicity	a.
Not classified due to lack of dat	a.
Carcinogenicity	
Not classified due to lack of dat	a.
Reproductive toxicity	
Not classified due to lack of dat	a.
STOT - single exposure	
Not classified due to lack of dat	а.
STOT - repeated exposure Not classified due to lack of dat	a.

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0



Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:		
benzyl alcohol:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
3-aminomethyl-3,5,5-trimethy	ylc	cyclohexylamine:
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h
Polyoxypropylene diamine:		
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (algae)): 15 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC50: 80 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea)
2,2,4(or 2,4,4)-trimethylhexar	ne-	-1,6-diamine:
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 29,5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox-	:	LC50: 174 mg/l

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0



icity)

Exposure time: 48 h Species: Leuciscus idus (Golden orfe)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

<u>Product:</u> Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with



Revision Date: 13.05.2024 Date of last issue: 11.01.2022		Version 9.0	Print Date 13.05.2024
		soil, waterways, drains and sewers.	
Waste code Switzerland VeVA/LVA	:	08 01 11 -	
Contaminated packaging	:	15 01 10 [S] packaging containing resid ed by dangerous substances	ues of or contaminat-
SECTION 14: Transport info	rmat	ion	
ocorrow 14. mansport mile			
14.1 UN number or ID number			
	:	UN 2735	
14.1 UN number or ID number	:	UN 2735 UN 2735	
14.1 UN number or ID number ADR	::		

ADR	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, trimethylhex- ane-1,6-diamine)
IMDG	: POLYAMINES, LIQUID, CORROSIVE, N.O.S.

		(3-aminomethyl-3,5,5-trimethylcyclohexylamine, trimethylhex- ane-1,6-diamine)
ΙΑΤΑ	:	Polyamines, liquid, corrosive, n.o.s.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, trimethylhexane-1,6-diamine)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	
IMDG	: 8	
ΙΑΤΑ	: 8	

14.4 Packing group

ADR

Packing group	:	III
Classification Code	:	C7
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
IMDG		
Packing group	:	111
Labels	:	8
EmS Code	:	F-A, S-B

IATA (Cargo)

Revision Date: 13 05 2024

Version Q 0



Date of last issue: 11.01.2022		Version 9.0	Print Date 13
Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 856 : Y841 : III : Corro	sive	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	· : 852 : Y841 : III : Corro	sive	
14.5 Environmental hazards			
ADR Environmentally hazardous	: no		
IMDG Marine pollutant	: no		
IATA (Passenger) Environmentally hazardous	: no		
IATA (Cargo) Environmentally hazardous	: no		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the fol-: lowing entries should be considered: Number on list 75, 3

Sikafloor[®]-169 Part B



Revision Date: 13.05.2024VerDate of last issue: 11.01.2022	Version 9.0		
REACH - Candidate List of Substances of Verv High	n : None of th		

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable	
PIC Ordinance, ChemPICO (814.82)		:	Not applicable	
Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)		:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 35,83% w/w			
			4 November 2010 on industrial ution prevention and control)	

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

Volatile organic compounds (VOC) content: 35,83% w/w

The product belongs to group 2 according to the Swiss Chemicals Ordinance (ChemO 813.11).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.	
H314	: Causes severe skin burns and eye damage.	

Revision Date: 13.05.2024 Date of last issue: 11.01.2022



Version 9.0

H317	:	May cause an allergic skin reaction.			
H318		Causes serious eye damage.			
H319		Causes serious eye irritation.			
H332	:	Harmful if inhaled.			
	:				
H412		Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.		Acute toxicity			
Aquatic Chronic		Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Eye Irrit.	:	Eve irritation			
	:	Skin corrosion			
Skin Corr.	•				
Skin Sens.	:	Skin sensitisation			
CH SUVA	:	Switzerland. Limit values at the work place			
CH SUVA / TWA	:	Time Weighted Average			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL		Derived no-effect level			
EC50		Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
	:				
IMDG	•	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL		Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
	:				
REACH	·	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
Further information					
Classification of the mixtur	re:	Classification procedure:			
Acute Tox. 4	H3	Calculation method			
Skin Corr. 1A	H?	Calculation method			
Eye Dam. 1		Calculation method			
	110				

H317

Skin Sens. 1

Sikafloor®-169 Part B

Print Date 13.05.2024

Revision Date: 13.05.2024 Date of last issue: 11.01.2022 Version 9.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN