

Revision Date: 12.11.2024 Date of last issue: 24.07.2023 Version 13.0

Print Date 12.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikalastic[®]-822 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealing system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



Sikalastic[®]-822 Part A



Version 13.0 Revision Date: 12.11.2024 Print Date 12.11.2024 Date of last issue: 24.07.2023 **Prevention:** Precautionary statements 2 P261 Avoid breathing mist or vapours. P273 Avoid release to the environment. P280 Wear protective gloves.

R

Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Hazardous components which must be listed on the label:

Phenol, methylstyrenated 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine

Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Phenol, methylstyrenated	68512-30-1	Skin Irrit. 2; H315	>= 5 - < 10
	700-960-7	Skin Sens. 1; H317	
	270-966-8	Aquatic Chronic 3;	
	01-2119555274-38-	H412	
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikalastic[®]-822 Part A

Revision Date: 12.11.2024 Date of last issue: 24.07.2023 Version 13.0

Print Date 12.11.2024

bis(isopropyl)naphthalene	38640-62-9 254-052-6 01-2119565150-48- XXXX	Asp. Tox. 1; H304 Aquatic Chronic 1; H410	>= 5 - < 10
6-methyl-2,4- bis(methylthio)phenylene-1,3- diamine	106264-79-3 403-240-8 01-0000015292-76- XXXX	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute toxicity esti-	>= 2,5 - < 5
		mate Acute oral toxicity: 1.515 mg/kg	
2-methoxy-1-methylethyl acetate Contains: 2-methoxypropyl acetate <= 1 %	108-65-6 203-603-9 01-2119475791-29- XXXX	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 2,5
diethylmethylbenzenediamine	68479-98-1 270-877-4 01-2119486805-25- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25
		Acute toxicity esti- mate	-
For explanation of abbreviations se		Acute oral toxicity: 738 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sikalastic[®]-822 Part A



Date of last issue: 24.07.2023		Version 13.0	Print Date 12.11.2024
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	s person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction.	
SECTION 5: Firefighting meas	sur	es	
SECTION 5: Firefighting meas	sur	es	
		es In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.1 Extinguishing media	:	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	oowder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- 	: the :	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	oowder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts 	: the :	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	oowder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- 	: the :	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	bowder for



Revision Date: 12.11.2024 Date of last issue: 24.07.2023 Version 13.0

Print Date 12.11.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Dequiremente for storage		Keen container tightly closed in a dry and well yentilated

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Containers which are opened must be carefully re-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-822 Part A



Revision Date: 12.11.2024 Date of last issue: 24.07.2023		Version 13.0	Print Date 12.11.2024
		sealed and kept upright to prevent leakage. ance with local regulations.	Store in accord-
Further information on stor- age stability	:	No decomposition if stored and applied as o	lirected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sh use.	eet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
2-methoxy-1-methylethyl acetate	108-65-6	STEL	100 ppm 550 mg/m3	2000/39/EC			
	Further inform	ation: Identifies the	possibility of signi	ficant uptake			
	through the sk	through the skin, Indicative					
		TWA 50 ppm 2000/39/EC					
			275 mg/m3				
		STEL	50 ppm	CH SUVA			
		275 mg/m3					
	Further inform	Further information: Harm to the unborn child is not to be ex-					
	pected when t	pected when the OEL-value is respected					
		TWA	50 ppm 275 mg/m3	CH SUVA			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :		Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic®-822 Part A



Revision Date: 12.11.2024 Date of last issue: 24.07.2023		Version 13.0	Print Date 12.11.2024
		Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouser and protective boots are additionaly recom and stirring work.	rs). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wear resp Respirator selection must be based on kno exposure levels, the hazards of the product ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10 Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). T ticular to the mixing / stirring area. In case to keep the concentrations under the occup limits then respiration protection measures	own or anticipated and the safe work- 0000 ppm achieved by local h. (EN 689 - Meth- This applies in par- this is not sufficent pational exposure

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	liquid viscous various				
Odour	:	slight				
Melting point/ range / Freez- ing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or explosive limits						

Upper explosion limit / Up- : No data available per flammability limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic®-822 Part A



Revision Date: 12.11.2024 Date of last issue: 24.07.2023		Version 13.0	Print Date 12.11.2024
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,76 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available


SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.





Revision Date: 12.11.2024	Version 13.0 Print Date 12				
Date of last issue: 24.07.2023					
40.0 Descibility of become and a section					
10.3 Possibility of hazardous reaction	ons				
Hazardous reactions :	Stable under recommended storage conditions.				
10.4 Conditions to avoid					
Conditions to avoid :	No data available				
10.5 Incompatible materials					
Materials to avoid :	No data available				
10.6 Hazardous decomposition products					
:					
	No hazardous decomposition products are know	n.			

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

bis(isopropyl)naphthalene:

Acute inhalation toxicity	:	LC50 (Rat): > 5,64 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute oral toxicity	:	LD50 Oral (Rat): > 3.900 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 4.500 mg/kg

6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine:

- Acute oral toxicity : LD50 Oral (Rat): 1.515 mg/kg
 - Acute toxicity estimate: 1.515 mg/kg Method: Calculation method

2-methoxy-1-methylethyl acetate:

- Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

diethylmethylbenzenediamine:

Acute oral toxicity	: LD50 Oral (Rat): 738 mg/kg
---------------------	------------------------------

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®]-822 Part A




Revision Date: 12.11.2024 Date of last issue: 24.07.2023	Version 13.0	Print Date 12.11.2024
	Acute toxicity estimate: 738 mg/kg Method: Calculation method	
Acute dermal toxicity :	LD50 Dermal (Rat): 2.500 mg/kg	
Skin corrosion/irritation		
Not classified due to lack of data.		
Serious eye damage/eye irritati Not classified due to lack of data.		
Respiratory or skin sensitisation	on	
Skin sensitisation May cause an allergic skin reaction	on.	
Respiratory sensitisation Not classified due to lack of data.		
Germ cell mutagenicity Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		
STOT - repeated exposure Not classified due to lack of data.		
Aspiration toxicity Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting propertie	S	
Product:		
Assessment :	The substance/mixture does not contain component of have endocrine disrupting properties at REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU) lovels of 0.1% or higher	ccording to I regulation

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Sikalastic[®]-822 Part A





e and degradab nilable nilable soil nilable PBT and vPvB a t disrupting prop	asses :	This substance/mixture contains compone be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
uilable soil nilable PBT and vPvB a t disrupting prop	asses :	This substance/mixture contains compone be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
uilable PBT and vPvB a t disrupting prop	:	This substance/mixture contains compone be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
t disrupting prop	:	This substance/mixture contains compone be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
disrupting prop	: pertie	be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
disrupting prop	: pertie	be either persistent, bioaccumulative and t persistent and very bioaccumulative (vPvE	toxic (PBT), or very
	pertie	s	
t			
t			
	:	The substance/mixture does not contain contained of the substance/mixture does not contain contained of the substance of the	es according to pated regulation
erse effects			
cological infor-	:	An environmental hazard cannot be exclud unprofessional handling or disposal. Toxic to aquatic life with long lasting effect	
•	erse effects ecological infor- Disposal cons	ecological infor- :	 (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. erse effects ecological infor- : An environmental hazard cannot be exclusion unprofessional handling or disposal.

Product		The generation of waste should be avoided or minimized wherever possible.			
		Empty containers or liners may retain some product residues This material and its container must be disposed of in a safe way.			
		Dispose of surplus and non-recyclable products via a license waste disposal contractor.			
		Disposal of this product, solutions and any by-products shoul at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.			
		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.			
Waste code Sw	vitzerland :	08 01 11 [S] Paint and varnish waste containing organic sol-			

Sikalastic[®]-822 Part A



Revision Date: 12.11.2024 Date of last issue: 24.07.2023		Version 13.0	Print Date 12.11.2024
VeVA/LVA	vents or other hazardous substance		
SECTION 14: Transport inform	nation		
14.1 UN number or ID number			
ADR	: UN 3082		
IMDG	: UN 3082		
ΙΑΤΑ	: UN 3082		
14.2 UN proper shipping name			
ADR	N.O.S. (bis(isopr	NMENTALLY HAZARDOUS opyl)naphthalene, 6-methyl- /lthio)phenylene-1,3-diamine	2,4-
IMDG	N.O.S. (bis(isopr	NMENTALLY HAZARDOUS opyl)naphthalene, 6-methyl- /lthio)phenylene-1,3-diamine	2,4-
ΙΑΤΑ	(bis(isopr	entally hazardous substance opyl)naphthalene, 6-methyl- /lthio)phenylene-1,3-diamine	2,4-
14.3 Transport hazard class(es)			
	Class	Subsidiary risk	S
ADR	: 9		-
IMDG	: 9		
IATA	: 9		
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: III : M6 : 90 : 9 : (-)		
IMDG Packing group Labels EmS Code	: III : 9 : F-A, S-F		
IATA (Cargo) Packing instruction (cargo aircraft)	: 964		
Packing instruction (LQ)	: Y964		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-822 Part A



Revision Date: 12.11.2024 Date of last issue: 24.07.2023	Version 13.0	Print Date 12.11.2024
Packing group Labels	: III : Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft)	: 964	
Packing instruction (LQ) Packing group Labels	: Y964 : III : Miscellaneous	
14.5 Environmental hazards		
ADR Environmentally hazardous	: yes	
IMDG Marine pollutant	: yes	
IATA (Passenger) Environmentally hazardous	: yes	

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.
- REACH Restrictions on the manufacture, placing on ÷ Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Not applicable

Sikalastic®-822 Part A

_



Revision Date: 12.11.2024 Date of last issue: 24.07.2023	Version 13.0		Print Date 12.11.2024
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	Number on list 72: N-m pyrrolidone	nethyl-2-
		Number on list 75:	
REACH - Candidate List of Substa Concern for Authorisation (Article	, ,	Phenol, methylstyrenat	ed
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
PIC Ordinance, ChemPICO (814.	82) :	Not applicable	
Ordinance on Protection against M Threshold quantity according to M nance (MAO 814.012)		20.000 kg	
Chemical Risk Reduction Ordinan (ORRChem, SR 814.81) Waters Protection Ordinance (WP Water pollution class :	should be consi Annex 1.11 Dar	ngerous liquid substance	
Volatile organic compounds :	Law on the incentive tax for (VOCV) Volatile organic compound no VOC duties		
	Directive 2010/75/EU of 2 emissions (integrated polle Volatile organic compound	ution prevention and con	itrol)

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective



Revision Date: 12.11.2024 Date of last issue: 24.07.2023 Version 13.0

measures.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

	I dil text of IT otatements		
	H226	:	Flammable liquid and vapour.
	H302	:	Harmful if swallowed.
	H304	:	May be fatal if swallowed and enters airways.
	H312	:	Harmful in contact with skin.
	H315	:	Causes skin irritation.
	H317	:	May cause an allergic skin reaction.
	H319	:	Causes serious eye irritation.
	H336	:	May cause drowsiness or dizziness.
	H373	:	May cause damage to organs through prolonged or repeated
			exposure.
	H400	:	Very toxic to aquatic life.
	H410	:	Very toxic to aquatic life with long lasting effects.
	H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviations			
	Acute Tox.	:	Acute toxicity
	Aquatic Acute	:	Short-term (acute) aquatic hazard
	Aquatic Chronic	:	Long-term (chronic) aquatic hazard
	Asp. Tox.	:	Aspiration hazard
	Eye Irrit.	:	Eye irritation
	Flam. Liq.	:	Flammable liquids
	Skin Irrit.	:	Skin irritation
	Skin Sens.	:	Skin sensitisation
	STOT RE	:	Specific target organ toxicity - repeated exposure
	STOT SE	:	Specific target organ toxicity - single exposure
	2000/39/EC		
	2000/03/20	:	Europe. Commission Directive 2000/39/EC establishing a first
	2000/33/20	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
	CH SUVA	:	
		:	list of indicative occupational exposure limit values

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-822 Part A

Revision Date: 12.11.2024 Dat



evision Date: 12.11.2024 ate of last issue: 24.07.2023	Version 13.0	Print Date 12.11.2024
2000/39/EC / STEL	: Short term exposure limit	
CH SUVA / TWA	: Time Weighted Average	
CH SUVA / STEL	: Short Term Exposure Limit	
ADR	: European Agreement concerning the Dangerous Goods by Road	he International Carriage of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentratio	n
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Associa	tion
IMDG	: International Maritime Code for Da	ngerous Goods
LD50	: Median lethal dosis (the amount of once, which causes the death of 50 test animals)	
LC50	: Median lethal concentration (conce air that kills 50% of the test animals period)	
MARPOL	: International Convention for the Pro Ships, 1973 as modified by the Pro	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and to	xic
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of t and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Euro	2006 concerning the Reg- and Restriction of Chemi-
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccum	ulative

Further information

Classification of the mixtu	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN