

Revision Date: 23.10.2023 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaMelt[®]-601 UV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H317 H334	May cause an allergic skin reaction. May cause allergy or asthma symptoms or

SikaMelt[®]-601 UV



Revision Date: 23.10.2023 Date of last issue: -		١	Print Date 23.10	
		H351	breathing difficulties if inhaled. Suspected of causing cancer.	
	Precautionary statements	: Prevention:		
	-	P201	Obtain special instructions before	ore use.
		P261	Avoid breathing mist or vapour	
		P280	Wear protective gloves/ protection eye protection/ face protection.	
		P284	In case of inadequate ventilation atory protection.	on wear respir-
		Response:		
		P304 + P340	IF INHALED: Remove person t keep comfortable for breathing	
		P342 + P311	If experiencing respiratory sym POISON CENTER/ doctor.	

Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Jika ®
Print Date 23.10.2023

Revision Date: 23.10.2023 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

nate 202-966-0 Skin Irrit. 01-2119457014-47- XXXX Resp. Se Skin Sens Carc. 2; H STOT SE (Respirate	ation Concentration (% w/w)
specific c limit Eye Irrit. 2 >= 5 % STOT SE >= 5 % Skin Irrit. >= 5 % Resp. Se >= 0,1 % Acute tox mate Acute inh	2; H319 ens. 1; H334 is. 1; H317 H351 E 3; H335 tory system) E 2; H373 concentration 2; H319 E 3; H335 2; H315 ens. 1; H334

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

SikaMelt[®]-601 UV



Revision Date: 23.10.2023 Date of last issue: -		Version 1.0	Print Date 23.10.2
		If symptoms persist, call a physician.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
.2 Most important symptoms a	and e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Allergic reactions See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction. May cause allergy or asthma symptoms or bre ties if inhaled. Suspected of causing cancer.	eathing difficul-
.3 Indication of any immediate	me	dical attention and special treatment needed	l
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	asur	es	
5.1 Extinguishing media			
Suitable extinguishing media	ι:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Hazardous combustion prod- ucts	- :	No hazardous combustion products are known	n
5.3 Advice for firefighters			
Special protective equipment for firefighters	t :	In the event of fire, wear self-contained breath	ing apparatus.
Further information	:	Standard procedure for chemical fires.	



Revision Date: 23.10.2023 Date of last issue: - Version 1.0

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for cor	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 			
Advice on protection ag fire and explosion	nst : Normal measures for preventive fire protection.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
7.2 Conditions for safe storage, including any incompatibilities				

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Containers which are opened must be carefully re-



Revision Date: 23.10.2023 Date of last issue: -		Version 1.0	Print Date 23.10.2023
		sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.	
Further information on stor- age stability	-	No decomposition if stored and applied as o	directed.
7.3 Specific end use(s) Specific use(s)	:	Cleaning with aprotic polar solvents must be Consult most current local Product Data Sh use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 mg/m3 (NCO)	CH SUVA			
	es, which are e tional skin reso inhalation by th an S can lead Executive (Oct						
	STEL 0,02 mg/m3 CH SUVA (NCO)						

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	4,4'- diaminodiphenyl- methane: 10 μg/g creatinine (Urine)	Immediately after exposure or after working hours	CH BAT
		4,4'- diaminodiphenyl- methane: 5 nmol/mmol creati- nine (Urine)	Immediately after exposure or after working hours	CH BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Revision Date: 23.10.2023 Date of last issue: - Version 1.0



Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
	:	When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	Even at normal processing temperatures it may occur that hot melts form vapours, which often have an unpleasant odour. If the recommended processing temperatures are exceeded over a fairly long period, additionaly the formation of hazard- ous organic decomposition products is possible. It is recom- mended to remove such vapours e.g. by using an efficient exhauster.
		In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SilcoMolt® 601 LIV

SikaMelt®-601 UV



Revision Date: 23.10.2023 Date of last issue: - Version 1.0

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1	9.1 Information on basic physical and chemical properties Physical state : solid				
	Colour	:	yellow		
	Odour	:	odourless		
	Melting point/range / Freezing point	:	No data available		
	Boiling point/boiling range	:	No data available		
	Flammability (solid, gas)	:	No data available		
	Upper/lower flammability or o	exp	losive limits		
	Upper explosion limit / Up- per flammability limit	-			
	Lower explosion limit / Lower flammability limit	:	No data available		
	Flash point	:	> 200 °C Method: closed cup		
	Auto-ignition temperature	:	No data available		
	Decomposition temperature	:	No data available		
	рН	:	Not applicable substance/mixture is non-soluble (in water)		
	Viscosity				
	Viscosity, dynamic	:	Not applicable		
	Viscosity, kinematic	:	Not applicable		
	Solubility(ies)				
	Water solubility	:	Not applicable		

SikaMelt[®]-601 UV



Revision Date: 23.10.2023	
Date of last issue: -	

Version 1.0

Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,2 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Revision Date: 23.10.2023 Date of last issue: - Version 1.0



Components:

4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement

Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

SikaMelt[®]-601 UV



Revision Date: 23.10.2023 Date of last issue: -

Version 1.0

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher...

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed



Revision Date: 23.10.2023 Date of last issue: -		Version 1.0	Print Date 23.10.202		
		waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.			
Waste code Switzerland VeVA/LVA	:	08 04 09 [S] waste adhesives and seala solvents or other dangerous substances	5 5		
Contaminated packaging	:	15 01 10 [S] packaging containing resid ed by dangerous substances	lues of or contaminat-		

SECTION 14: Transport information

14.1 UN	number or	r ID number
---------	-----------	-------------

ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			
14.6 Special precautions for user			

14.6 Special precautions for user Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Print Date 23.10.2023

Revision Date: 23.10.2023 Date of last issue: -

Version 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmen	tal regulations/legislati	ion	specific for the substance or mixture
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
			4,4'-methylenediphenyl diisocyanate (Number on list 74, 56)
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
PIC Ordinance, ChemPICO (814.82)		:	Not applicable
Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)		:	See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.
Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)		:	4,4'-methylenediphenyl diisocyanate
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaMalt® 601 LIV

SikaMelt[®]-601 UV

Print Date 23.10.2023

Revision Date: 23.10.2023 Date of last issue: - Version 1.0

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H334	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
H335	May cause respiratory irritation.			
H351	Suspected of causing cancer.			
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.			
Full text of other abbreviations				
Acute Tox.	Acute toxicity			
Carc.	Carcinogenicity			
Eye Irrit.	Eye irritation			
Resp. Sens.	Respiratory sensitisation			
Skin Irrit.	Skin irritation			
Skin Sens.	Skin sensitisation			
STOT RE	Specific target organ toxicity - repeated exposure			
STOT SE	Specific target organ toxicity - single exposure			
CHBAT	Switzerland. List of BAT-values			
CH SUVA	Switzerland. Limit values at the work place			
CH SUVA / TWA	Time Weighted Average			

Sika ®
Print Date 23.10.2023

Revision Date: 23.10.2023 Date of last issue: -

Version 1.0

CH SUVA / STEL ADR CAS DNEL EC50 GHS IATA IMDG LD50	Dangerous Goods Chemical Abstract Derived no-effect I Half maximal effect Globally Harmoniz International Air Tr International Marit Median lethal dosi	ent concerning the International Carriage of by Road s Service evel tive concentration
LC50	: Median lethal cond	centration (concentrations of the chemical in f the test animals during the observation
MARPOL	: International Conv	ention for the Prevention of Pollution from dified by the Protocol of 1978
PBT		umulative and toxic
PNEC	: Predicted no effec	
REACH	and of the Council istration, Evaluatio	o 1907/2006 of the European Parliament of 18 December 2006 concerning the Reg- n, Authorisation and Restriction of Chemi- ablishing a European Chemicals Agency
SVHC	: Substances of Ver	
vPvB	: Very persistent an	d very bioaccumulative
Further information		
Classification of the mixtu	ire:	Classification procedure:
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN