

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikadur<sup>®</sup>-43 HE Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Grouting mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

#### 1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Warning

### Sikadur<sup>®</sup>-43 HE Part A

Revision Date: 08.02.2024 Date of last issue: 21.07.2022



Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention</b> : P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		Response:	
		P333 + P31	3 If skin irritation or rash occurs: Get medical advice/ attention.
		P391	Collect spillage.

Version 19.0

#### Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 08.02.2024 Date of last issue: 21.07.2022





#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 $\_$ specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80
Reaction products of hexane-1,6- diol with 2-(chloromethyl)oxirane (1:2)	Not Assigned 240-260-4 01-2119463471-41- XXXX (covered by CAS 933999-84-9)	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 25 - < 40

For explanation of abbreviations see section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> </ul>

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	<ul> <li>Allergic reactions         <ul> <li>Excessive lachrymation</li> <li>Erythema</li> <li>Dermatitis</li> <li>See Section 11 for more detailed information on health effects             and symptoms.</li> </ul> </li> </ul>
Risks	: irritant effects sensitising effects
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
4.3 Indication of any im	mediate medical attention and special treatment needed
Treatment	: Treat symptomatically.

#### 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
Country CH 00000020677		

### Sikadur®-43 HE Part A

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



Deny access to unprotected persons.

#### 6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



#### 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

of exposure) ters *	Components CAS-No. Value type (Form Control parame- Basis *
---------------------	---

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection	No special measures required.				
Environmental exposure controls					
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

# Sikadur<sup>®</sup>-43 HE Part A

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



Date of last issue: 21.07.2022	Version 19.0	
Physical state : Colour :	liquid colourless	
Odour :	epoxy-like	
Melting point/range / Freezing : point	No data available	
Boiling point/boiling range :	No data available	
Flammability (solid, gas) :	No data available	
Upper/lower flammability or ex	plosive limits	
Upper explosion limit / Up- : per flammability limit		
Lower explosion limit / : Lower flammability limit	No data available	
Flash point :	Not applicable	
Auto-ignition temperature :	No data available	
Decomposition temperature :	No data available	
pH :	ca. 6,8 Concentration: 50 %	
Viscosity Viscosity, kinematic :	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility :	insoluble	
Partition coefficient: n-	No data available	
Vapour pressure :	0,01 hPa	
Density	ca. 1,14 g/cm3 (20 °C)	
Relative vapour density :	No data available	

### Sikadur<sup>®</sup>-43 HE Part A

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 21.07.2022

Particle characteristics : No data available

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

### Sikadur<sup>®</sup>-43 HE Part A

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0



#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

Product:	
Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product: Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland	:	08 04 09 [S] waste adhesives and sealants containing organic



Revision Date: 08.02.2024 Date of last issue: 21.07.2022		Version 19.0	Print Date 08.02.2024
VeVA/LVA		solvents or other dangerous substances	
Contaminated packaging	:	15 01 10 [S] packaging containing residues ed by dangerous substances	s of or contaminat-
SECTION 14: Transport infor	rma	tion	
14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY HAZARDOUS SUB N.O.S. (epoxy resin)	STANCE, LIQUID,
IMDG			STANCE, LIQUID,

IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)	S.

#### 14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group		ш	

Packing group	:	
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)
Remarks	:	Transport in accordance with special provision 375

#### IMDG

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Remarks	:	Transport in accordance with 2.10.2.7 of the IMDG-Code

### IATA (Cargo)

### Sikadur<sup>®</sup>-43 HE Part A

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 21.07.2022		Version 19.0	Print Date 08.02.
Packing instruction (cargo aircraft)	:	964	
Packing instruction (LQ)	:	Y964	
Packing group	:	III	
Labels	:	Miscellaneous	
Remarks		Transport in accordance with special regulation	A 197
IATA (Passenger)			
Packing instruction (passen- ger aircraft)	:	964	
Packing instruction (LQ)	:	Y964	
Packing group	:		
Labels	:	Miscellaneous	
14.5 Environmental hazards			
ADR			
Environmentally hazardous	:	yes	
IMDG			
Marine pollutant	:	yes	
IATA (Passenger)			
Environmentally hazardous	:	yes	
IATA (Cargo)			

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

### Sikadur<sup>®</sup>-43 HE Part A



Revision Date: 08.02.2024 Date of last issue: 21.07.2022 Version 19.0

REACH - Candidate List of Substances of Very Hig Concern for Authorisation (Article 59).	<ul> <li>None of the components are listed (=&gt; 0.1 %).</li> </ul>		
REACH - List of substances subject to authorisatic (Annex XIV)	: Not applicable		
Regulation (EC) No 1005/2009 on substances that plete the ozone layer	le- : Not applicable		
Regulation (EU) 2019/1021 on persistent organic p tants (recast)	Ilu- : Not applicable		
PIC Ordinance, ChemPICO (814.82)	: Not applicable		
Chemical Risk Reduction Ordinance (ORRChem, 8814.81)	R : See respective Annex to the Chemi- cal Risk Reduction Ordinance (ORRChem, 814.81) for Conditions of Restriction.		
Seveso III: Directive 2012/18/EU of the European jor-accident hazards involving dangerous substance E2 ENVIRONMEN	S.		
(VOCV)	(VOCV) Volatile organic compounds (VOC) content: <= 3% w/w		
emissions (integ	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,28% w/w		

#### Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

### Sikadur<sup>®</sup>-43 HE Part A

Revision Date: 08.02.2024 Date of last issue: 21.07.2022



Version 19.0

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements H315 Causes skin irritation. H317 May cause an allergic skin reaction. : Causes serious eye irritation. H319 Toxic to aquatic life with long lasting effects. H411 H412 Harmful to aquatic life with long lasting effects. Full text of other abbreviations Aquatic Chronic Long-term (chronic) aquatic hazard Eve Irrit. Eve irritation Skin Irrit. Skin irritation ÷ Skin Sens. Skin sensitisation : European Agreement concerning the International Carriage of ADR : Dangerous Goods by Road **Chemical Abstracts Service** CAS Derived no-effect level DNEL **EC50** Half maximal effective concentration GHS **Globally Harmonized System** International Air Transport Association IATA 2 International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from MARPOL Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit OEL : PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative

#### **Further information**

Classification of the mixtu	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method

## Sikadur®-43 HE Part A



Revision Date: 08.02.2024 Date of last issue: 21.07.2022		Version 19.0	Print Date 08.02.2024
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN