

Revision Date: 25.11.2024 Date of last issue: - Version 1.0

Print Date 25.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaGrind®-822 RCF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 May cause an allergic skin read	tion.
Precautionary statements	:	Prevention:P261Avoid breathing mist or valP272Contaminated work clothing	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaGrind®-822 RCF



Revision Date: 25.11.2024 Version 1.0 Print Date 25.11.2024 Date of last issue: allowed out of the workplace. P280 Wear protective gloves. **Response:** P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/container in accordance

with local regulation.

#### Hazardous components which must be listed on the label:

triisobutyl phosphate 2-octyl-2H-isothiazole-3-one (OIT)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
triisobutyl phosphate	126-71-6 204-798-3 01-2119957118-32- XXXX	Skin Sens. 1B; H317	>= 0,1 - < 0,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrind®-822 RCF



Revision Date: 25.11.2024 Version 1.0 Print Date 25.11.2024 Date of last issue: -2-octyl-2H-isothiazole-3-one (OIT) 26530-20-1 Acute Tox. 3; H301 >= 0,0015 - < 247-761-7 Acute Tox, 2: H330 0.0025 01-2120768921-45-Acute Tox. 3; H311 XXXX Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity estimate Acute oral toxicity: 125 mg/kg Acute inhalation toxicity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

# SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: -		Version 1.0	Print Date 25.11.2024
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	is person.
4.2 Most important symptoms ar	nd	effects, both acute and delayed	
Symptoms	:	Allergic reactions See Section 11 for more detailed information or and symptoms.	health effects
Risks	:	May cause an allergic skin reaction.	
		sensitising effects	
4.2 Indication of any immediate		diast attention and anopial tractment needed	
Treatment	: :	dical attention and special treatment needed Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
		No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	

### **SECTION 6: Accidental release measures**

6.1 Personal precautions,	protective equipment and emergency procedures
---------------------------	---

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: -	Version 1.0	Print Date 25.11.2024
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sa	anitary sewer system.
6.3 Methods and material for co	ntainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent materia acid binder, universal binder, sawdu Keep in suitable, closed containers f	ist).

#### 6.4 Reference to other sections

For personal protection see section 8.

## SE

SECTION 7: Handling and store	age
7.1 Precautions for safe handling	
Advice on safe handling	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	Consult most current local Product Data Sheet prior to any use.



Revision Date: 25.11.2024 Date of last issue: -

Version 1.0

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA
	es, which are tional skin res inhalation by	nation: Toxic by skin easily absored thro option a substancia the airways., Sensiti to very strong aller	ugh the skin, can g I higher risk comp zers; Substances	give by addi- ared to only
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.</li> <li>Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (&gt; 0,1 mm) Contaminated gloves should be removed.</li> <li>Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time &gt;30 min.</li> </ul>
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

# SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: - Version 1.0

Print Date 25.11.2024

Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### **Environmental exposure controls**

General advice

: Do not flush into surface water or sanitary sewer system.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid light yellow
Odour	:	like methacrylic acid
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

#### Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	not determined

#### Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaGrind®-822 RCF



Revision Date: 25.11.2024 Date of last issue: -		Version 1.0	Print Date 25.11.2024
Viscosity, kinematic	:	not determined	
Solubility(ies) Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,15 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid	: No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: - Version 1.0

Print Date 25.11.2024

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### 2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

# SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: - Version 1.0

Print Date 25.11.2024

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### triisobutyl phosphate:

2-octyl-2H-isothiazole-3-one (OIT):						
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 34,1 mg/l Exposure time: 72 h				
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h				

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

:

## Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

# SikaGrind<sup>®</sup>-822 RCF



Revision Date: 25.11.2024 Date of last issue: -

Version 1.0

Print Date 25.11.2024

#### **12.6 Endocrine disrupting properties**

	Product:		
	Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.	7 Other adverse effects		
	Product:		
	Additional ecological infor- mation	:	There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible.
		Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 10 01 [S] aqueous liquid wastes containing dangerous substances

## **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping name		
ADR	: Not regulated as a dangerous good	
Country CH 10000061934		11 / 15

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrind<sup>®</sup>-822 RCF

\_



Revision Date: 25.11.2024 Date of last issue: -		Version 1.0	Print Date 25.11.2024
IMDG		Not regulated as a dangerous good	
IATA		Not regulated as a dangerous good	
14.3 Transport hazard class(es	5)		
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
<b>14.5 Environmental hazards</b> Not regulated as a dangerou	مە قار	od	
14.6 Special precautions for us	•		
Not applicable			
<b>14.7 Maritime transport in bulk</b> Not applicable for product as		-	

## **SECTION 15: Regulatory information**

15.1 Safety, heal	th and e	nvironmenta	l regulat	ions/legislatior	n specific fo	r the substance or mixture

International Chemical Weapons Convention (CWC)	:	Not applicable
Schedules of Toxic Chemicals and Precursors		

**REACH Information:** 

- All substances contained in our Products are - registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
		Number on list 75:	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrind®-822 RCF



Revision Date: 25.11.2024 Date of last issue: -	Version 1.0	Print	Date 25.11.2024
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
PIC Ordinance, ChemPICO (814.8	82) :	Not applicable	
Ordinance on Protection against M Threshold quantity according to M nance (MAO 814.012)		Not applicable	
Chemical Risk Reduction Ordinan (ORRChem, SR 814.81) Waters Protection Ordinance (WP Water pollution class :	should be consi Annex 1.11 Dar	gerous liquid substances ter	exes
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	r volatile organic compounds	3
	emissions (integrated pollu	November 2010 on industri ntion prevention and control) s (VOC) content: 0,13% w/w	

#### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# SikaGrind®-822 RCF



Revision Date: 25.11.2024 Date of last issue: - Version 1.0

Print Date 25.11.2024

### **SECTION 16: Other information**

#### Full text of H-Statements

Full text of H-Statements				
H301	: Toxic if swallowed.			
H311	: Toxic in contact with skin.			
H314	: Causes severe skin burns and eye damage.			
H317	: May cause an allergic skin reaction.			
H318	: Causes serious eye damage.			
H330	: Fatal if inhaled.			
H400	: Very toxic to aquatic life.			
H410	: Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations				
Acute Tox.	: Acute toxicity			
Aquatic Acute	: Short-term (acute) aquatic hazard			
Aquatic Chronic	: Long-term (chronic) aquatic hazard			
Eye Dam.	: Serious eye damage			
Skin Corr.	: Skin corrosion			
Skin Sens.	: Skin sensitisation			
CH SUVA	: Switzerland. Limit values at the work place			
CH SUVA / TWA	: Time Weighted Average			
CH SUVA / STEL	: Short Term Exposure Limit			
ADR	European Agreement concerning the International Carriage of			
	Dangerous Goods by Road			
CAS	: Chemical Abstracts Service			
DNEL	: Derived no-effect level			
EC50	: Half maximal effective concentration			
GHS	: Globally Harmonized System			
ΙΑΤΑ	: International Air Transport Association			
IMDG	: International Maritime Code for Dangerous Goods			
LD50	: Median lethal dosis (the amount of a material, given all at			
EB30	once, which causes the death of 50% (one half) of a group of			
1.050	test animals)			
LC50	: Median lethal concentration (concentrations of the chemical in			
	air that kills 50% of the test animals during the observation			
	period)			
MARPOL	: International Convention for the Prevention of Pollution from			
	Ships, 1973 as modified by the Protocol of 1978			
OEL	: Occupational Exposure Limit			
PBT	: Persistent, bioaccumulative and toxic			
PNEC	: Predicted no effect concentration			
REACH	: Regulation (EC) No 1907/2006 of the European Parliament			
REAGIN	and of the Council of 18 December 2006 concerning the Reg-			
	istration, Evaluation, Authorisation and Restriction of Chemi-			
0. // 10	cals (REACH), establishing a European Chemicals Agency			
SVHC	: Substances of Very High Concern			
vPvB	: Very persistent and very bioaccumulative			
Further information				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaGrind®-822 RCF



Revision Date: 25.11.2024 Date of last issue: -		Version 1.0	Print Date 25.11.2024
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN