

Version 15.0

Print Date 11.09.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaCure<sup>®</sup>-8016/00 A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Sealant/adhesive, Product is not intended for consumer use

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

	Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
	Acute toxicity, Category 4	H302: Harmful if swallowed.
I	Acute toxicity, Category 2	H330: Fatal if inhaled.
1	Skin irritation, Category 2	H315: Causes skin irritation.
	Eye irritation, Category 2	H319: Causes serious eye irritation.
	Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
	Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure®-8016/00 A



Print Date 11.09.2024

Revision Date: 11.09.2024Version 15.0Date of last issue: 28.05.2024Version 15.0

Specific target organ toxicity - single exposure, Category 3, Respiratory system

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
		(M)	
		$\mathbf{\nabla}$	
Signal word	:	Danger	
Hazard statements	:	H225 H302	Highly flammable liquid and vapour. Harmful if swallowed.
		H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H319 H330	Causes serious eye irritation. Fatal if inhaled.
		H334	May cause allergy or asthma symptoms or breath- ing difficulties if inhaled.
		H335	May cause respiratory irritation.
		H336	May cause drowsiness or dizziness.
Precautionary statements	:	Prevention	:
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P260	Do not breathe mist or vapours.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P34	0 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
		P342 + P31	
		P370 + P37	8 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage:	
		P403 + P23	3 Store in a well-ventilated place. Keep con- tainer tightly closed.

### Hazardous components which must be listed on the label:

ethyl acetate methylidynetri-p-phenylene triisocyanate



Version 15.0

Print Date 11.09.2024

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		. ,
ethyl acetate	141-78-6	Flam. Liq. 2; H225	>= 60 - < 80
	205-500-4	Eye Irrit. 2; H319	
	01-2119475103-46-	STOT SE 3; H336	
	XXXX	(Central nervous	
		system)	
		EUH066	
methylidynetri-p-phenylene triiso-	2422-91-5	Acute Tox. 4; H302	>= 25 - < 40
cyanate	219-351-8	Acute Tox. 2; H330	
Contains:	01-2120039442-63-	Skin Irrit. 2; H315	
chlorobenzene <= 2,5 %	XXXX	Eye Irrit. 2; H319	
		Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
		(Respiratory system)	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Symptoms of poisoning may appear several hours later.</li> </ul>
If inhaled	: Call a physician or poison control centre immediately.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure<sup>®</sup>-8016/00 A



Revision Date: 11.09.2024 Date of last issue: 28.05.2024		Version 15.0	Print Date 11.09.202
In case of skin contact		Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact		Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed		<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconsciou</li> </ul>	is person.
1.2 Most important symptom	ns and	effects, both acute and delayed	
Symptoms		Gastrointestinal discomfort Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis Loss of balance Vertigo See Section 11 for more detailed information or and symptoms.	n health effects
Risks		<ul> <li>irritant effects</li> <li>sensitising effects</li> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>May cause an allergic skin reaction.</li> <li>Causes serious eye irritation.</li> <li>Fatal if inhaled.</li> <li>May cause allergy or asthma symptoms or breaties if inhaled.</li> <li>May cause respiratory irritation.</li> <li>May cause drowsiness or dizziness.</li> </ul>	thing difficul-
4.3 Indication of any immed	ate m	edical attention and special treatment needed	
Treatment		Treat symptomatically.	

### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure®-8016/00 A



Revision Date: 11.09.2024 Date of last issue: 28.05.2024		Version 15.0	Print Date 11.09.2024
		Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	Water	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	ı apparatus.
Further information	:	Use water spray to cool unopened containers.	
SECTION 6: Accidental releas	i ə	neasures	

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
------------------------	--

## **6.2 Environmental precautions**

Environmental precautions	:	Prevent product from entering drains.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

## 6.3 Methods and material for containment and cleaning up

1

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling

Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8).

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure®-8016/00 A

Revision Date: 11.09.2024



Print Date 11.09.2024

Date of last issue: 28.05.2024 Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products Advice on protection against : Use explosion-proof equipment. Keep away from heat/ sparks/ fire and explosion open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges. Hygiene measures Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

Version 15.0

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Prevent unauthorized access. Store in original container. Store in cool place. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
ethyl acetate	141-78-6	STEL	400 ppm 1.468 mg/m3	2017/164/EU	
	Further information: Indicative				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SikaCure®-8016/00 A

Revision Date: 11.09.2024 Date of last issue: 28.05.2024 Version 15.0

Print Date 11.09.2024

		TWA	200 ppm 734 mg/m3	2017/164/EU		
		TWA	200 ppm 730 mg/m3	CH SUVA		
	Further information: National Institute for Occupational Safety and Health, Institut National de Recherche et de Sécurité pour la pré- vention des accidents du travail et des maladies professionnelles, Harm to the unborn child is not to be expected when the OEL- value is respected					
	STEL 400 ppm CH SUVA 1.460 mg/m3					
methylidynetri-p-phenylene triisocyanate	2422-91-5	TWA	0,02 mg/m3 (NCO)	CH SUVA		
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Health and Safety Ex- ecutive (Occupational Medicine and Hygiene Laboratory)					
		STEL	0,02 mg/m3 (NCO)	CH SUVA		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	Use respiratory protection when vapours/aerosols are re- leased. Suitable respiratory protection at high concentrations or longer exposure: self-contained breathing apparatus. Suit- able respiratory protection for low concentrations: ABEK-filter.



Version 15.0

Print Date 11.09.2024

#### **Environmental exposure controls**

General advice

: Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid blue
Odour	:	solvent-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	77 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 1,3 %(V)
Flash point	:	-4 °C Method: closed cup
Auto-ignition temperature	:	460 °C
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	ca. 1 mPa.s (20 °C)
Viscosity, kinematic	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure®-8016/00 A



Revision Date: 11.09.2024 Date of last issue: 28.05.2024	Version 15.0	Print Date 11.09.2024
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 99,9915 hPa	
Density	: ca. 0,99 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

1

#### **10.2 Chemical stability**

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

10.3 Possibility of nazardous reactio	ns		
Hazardous reactions :	Stable under recommended storage conditions.		
	Vapours may form explosive mixture with air.		
10.4 Conditions to avoid			
Conditions to avoid :	Heat, flames and sparks.		
10.5 Incompatible materials			
Materials to avoid :	No data available		
10.6 Hazardous decomposition products			

No hazardous decomposition products are known.



Version 15.0

Print Date 11.09.2024

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acute toxicity</b> Harmful if swallowed. Fatal if inhaled.						
Components:						
ethyl acetate: Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): ca. 1.600 mg/l Exposure time: 4 h Test atmosphere: vapour				
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg				
Skin corrosion/irritation Causes skin irritation.						
Serious eye damage/eye irri Causes serious eye irritation.	itati	ion				
Respiratory or skin sensitis	atio	on				
	<b>Skin sensitisation</b> May cause an allergic skin reaction.					
Respiratory sensitisation May cause allergy or asthma	syn	nptoms or breathing difficulties if inhaled.				
Germ cell mutagenicity Not classified due to lack of da	ata.					
<b>Carcinogenicity</b> Not classified due to lack of da	ata.					
Reproductive toxicity Not classified due to lack of data.						
<b>STOT - single exposure</b> May cause respiratory irritation. May cause drowsiness or dizziness.						
<b>STOT - repeated exposure</b> Not classified due to lack of data.						
Aspiration toxicity						
Not classified due to lack of da	ata.					



Version 15.0

Print Date 11.09.2024

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation



Version 15.0

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>
Waste code Switzerland VeVA/LVA	: 07 02 04 [S] other organic solvents, washing liquids and mother liquors

## **SECTION 14: Transport information**

14.	1 UN number or ID number			
	ADR	:	UN 1866	
	IMDG	:	UN 1866	
	ΙΑΤΑ	:	UN 1866	
14.	2 UN proper shipping name			
	ADR	:	<b>RESIN SOLUTION</b>	
	IMDG	:	<b>RESIN SOLUTION</b>	
	ΙΑΤΑ	:	Resin solution	
1/	3 Transport hazard class(es)			
1-7.5				
17.			Class	Subsidiary risks
1 7.,	ADR	:		Subsidiary risks
1		:	3	Subsidiary risks
1 - 7 - 3	ADR		3	Subsidiary risks
	ADR IMDG	:	3 3	Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaCure®-8016/00 A



Revision Date: 11.09.2024 Date of last issue: 28.05.2024

Version 15.0

Print Date 11.09.2024

-	3 (D/E)
:	ll 3 F-E, <u>S-E</u>
:	364 Y341 II Flammable Liquids
	353 Y341 II Flammable Liquids

#### 14.5 Environmental hazards

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaCure®-8016/00 A



Revision Date: 11.09.2024 Version 15.0 Print Date 11.09.2024 Date of last issue: 28.05.2024 - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Number on list 75: REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordi-200 kg nance (MAO 814.012) Chemical Risk Reduction Ordinance : Conditions of restriction for the following annexes (ORRChem, SR 814.81) should be considered: Annex 1.11 Dangerous liquid substances Waters Protection Ordinance (WPO 814.201) Water pollution class : slightly hazardous to water Classification according to AwSV, Annex 1 (5.2) : Law on the incentive tax for volatile organic compounds Volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 73% w/w Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 73% w/w

#### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaCure<sup>®</sup>-8016/00 A



Revision Date: 11.09.2024 Date of last issue: 28.05.2024 Version 15.0

Print Date 11.09.2024

and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

The product belongs to group 1 according to the Swiss Chemicals Ordinance (ChemO 813.11).

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements	
H225 :	Highly flammable liquid and vapour.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H336 :	May cause drowsiness or dizziness.
Full text of other abbreviations	;
Acute Tox. :	Acute toxicity
Eye Irrit. :	Eye irritation
Flam. Liq.	Flammable liquids
Resp. Sens. :	Respiratory sensitisation
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation
STOT SE :	Specific target organ toxicity - single exposure
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a
	fourth list of indicative occupational exposure limit values
CH SUVA :	Switzerland. Limit values at the work place
2017/164/EU / STEL :	Short term exposure limit
2017/164/EU / TWA :	Limit Value - eight hours
CH SUVA / TWA :	Time Weighted Average
CH SUVA / STEL :	Short Term Exposure Limit
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaCure<sup>®</sup>-8016/00 A

\_



Revision Date: 11.09.2024 Date of last issue: 28.05.2024		Version 15.0	Print Date 11.09.2024
		test animals)	
LC50	:	Median lethal concentration (concentrations of	
		air that kills 50% of the test animals during the period)	observation
MARPOL	:	International Convention for the Prevention of I	Pollution from
		Ships, 1973 as modified by the Protocol of 197	8
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European	n Parliament
		and of the Council of 18 December 2006 conce	erning the Reg-
		istration, Evaluation, Authorisation and Restrict	ion of Chemi-
		cals (REACH), establishing a European Chemi	cals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

## **Further information**

Classification of the mixture:		Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Acute Tox. 2	H330	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

## CH / EN