Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] PLC Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

1

Sika[®] Ucrete[®] PLC Part 3



	N	/ersion 1.0	Print Date 20.05.2025
:	H317 Ma H318 Ca	ay cause an allergic skin reaction. auses serious eye damage.	
:	Prevention: P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	
	P305 + P351 +	air and keep comfortable for bre POISON CENTER/ doctor if you P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	eathing. Call a u feel unwell. e cautiously Remove con- to do. Con- POISON
	:	: H315 Ca H317 Ma H318 Ca H335 Ma : Prevention: P261 P264 P280 Response: P304 + P340 +	 H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after hand P280 Wear protective gloves/ eye proprotection. Response: P304 + P340 + P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you P305 + P351 + P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] Ucrete [®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponento					
Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number		· · ·		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25		
	266-043-4	Eye Dam. 1; H318			
		Skin Sens. 1; H317			
		STOT SE 3; H335			
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10		
	215-137-3	Eye Dam. 1; H318			
	01-2119475151-45-	STOT SE 3; H335			
	XXXX	(Respiratory system)			
Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7		>= 60 - < 80		
	238-878-4				

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024Version 1.0Print Date 20.05.2025Date of last issue: -

4.2 Most important symptoms and effects, both acute and delayed

4.2 Most important symptoms a		
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. irritant effects sensitising effects
4.3 Indication of any immediate	meo	dical attention and special treatment needed
Treatment	:	Treat symptomatically.
SECTION 5: Firefighting mean	sur	es
SECTION 5: Firefighting mean 5.1 Extinguishing media Suitable extinguishing media		In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for
5.1 Extinguishing media		In case of fire, use water/water spray/water jet/carbon diox-
5.1 Extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from 	: the	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: the	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: the :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Avoid breathing dust.

Deny access to unprotected persons.

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
6.2 Environmental precautions Environmental precautions		Do not flush into surface water or sanit	arv sewer system
			ary sewer system.
6.3 Methods and material for c	ontai	nment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without c Keep in suitable, closed containers for	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] Ucrete [®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA	
	substances ar lished, Carcino tional Safety a istration, Heal Hygiene Labo	ation: Provisional va e, for various reason ogenic Category 1, I and Health, Occupat th and Safety Execu ratory), Harm to the he OEL-value is res	ns, not yet definitiv National Institute f ional Safety and H itive (Occupationa unborn child is no	vely estab- or Occupa- lealth Admin- I Medicine and	
Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA	
		Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU	
	Further inform	ation: Indicative	•		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU	
		TWA (inhalable dust)	1 mg/m3	CH SUVA	
	Health, Harm	Further information: National Institute for Occupational Safety and Health, Harm to the unborn child is not to be expected when the OEL-value is respected			
*The above mentioned values are		STEL (inhalable dust)	4 mg/m3	CH SUVA	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap-
Country CH 000000724019	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] PLC Part 3



evision Date: 03.12.2024 ate of last issue: -	Version 1.0	Print Date 20.05.2025
	proved standard must be worn at all tim chemical products. Reference number E facturer specifications. Recommended: Butyl rubber/nitrile rubb Contaminated gloves should be remove	EN 374. Follow manu- per gloves.
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety shoes ac long-sleeved working clothing, long trou and protective boots are additionaly rec and stirring work.	sers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear re Respirator selection must be based on le exposure levels, the hazards of the proof ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous su Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In case to keep the concentrations under the occ limits then respiration protection measure 	known or anticipated duct and the safe work- ubstances e achieved by local tion. (EN 689 - Meth-). This applies in par- se this is not sufficent coupational exposure

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	dispersible	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available



Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 20.05.2025				
SECTION 10: Stability and reactive	vity					
10.1 Reactivity No dangerous reaction known und	der conditions of normal use.					
10.2 Chemical stability The product is chemically stable.						
10.3 Possibility of hazardous reaction	ons					
Hazardous reactions :	No hazards to be specially mentioned.					
10.4 Conditions to avoid						
Conditions to avoid :	No data available					
10.5 Incompatible materials Materials to avoid :	No data available					
10.6 Hazardous decomposition products						
:	No hazardous decomposition products are kno	own.				

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.





Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation



Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 20.05.2025
	(EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	ation (EU) 2018/605 at

12.7 Other adverse effects

Sika[®] Ucrete[®] PLC Part 3

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	3 Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: -		Version ?	1.0	Print Date 20.0	05.202
14.4 Packing group					
ADR	:	Not regulated as a dar	nger	ous good	
IMDG	:	Not regulated as a dar	nger	ous good	
IATA (Cargo)	:	Not regulated as a dar	nger	ous good	
IATA (Passenger)	:	Not regulated as a dar	nger	ous good	
14.5 Environmental hazards Not regulated as a danger	ous goo	od			
14.6 Special precautions for u Not applicable	user				
14.7 Maritime transport in bul Not applicable for product		•	ents	i	
15.1 Safety, health and enviro International Chemical We Schedules of Toxic Chemi	apons	Convention (CWC)	ion :	specific for the substance or mixtur Not applicable	e
REACH Information:		All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or	
REACH - Restrictions on the market and use of certa mixtures and articles (Annoted	ain dan	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals	
REACH - Candidate List of Concern for Authorisation		, .	:	None of the components are listed (=> 0.1 %).	
REACH - List of substance					
(Annex XIV)	es subje	ect to authorisation	:	Not applicable	
(Annex XIV) Regulation (EC) on substa layer			:	Not applicable Not applicable	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
PIC Ordinance, ChemPICO (8	14.82)	: Not applica	ble
Ordinance on Protection agair Threshold quantity according t nance (MAO 814.012)	•		ble
Chemical Risk Reduction Ordi (ORRChem, SR 814.81)	nance :	Not applicable	
Waters Protection Ordinance (Water pollution class	: slightly ha) izardous to water tion according to AwSV, Ann	ex 1 (5.2)
Volatile organic compounds	: Law on th (VOCV) no VOC d	e incentive tax for volatile org luties	ganic compounds
		2010/75/EU of 24 November (integrated pollution prevent able	

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] PLC Part 3



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

CH SUVA 2017/164/EU / STEL 2017/164/EU / TWA CH SUVA / TWA CH SUVA / STEL ADR	 Switzerland. Limit values at the work place Short term exposure limit Limit Value - eight hours Time Weighted Average Short Term Exposure Limit European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL EC50	: Derived no-effect level : Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
LC50	once, which causes the death of 50% (one half) of a group of test animals) : Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation period)
MARPOL	 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the I	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® PLC Part 3

Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

