Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] ViscoCrete[®]-20 GS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® ViscoCrete®-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		· · · ·
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,025 - < 0,036

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-20 GS



Revision Date: 19.03.2025 Date of last issue: -	Version 1.0)	Print Date 19.03.2025
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % specific concentration limit Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® ViscoCrete®-20 GS



Revision Date: 19.03.2025 Date of last issue: -

Version 1.0

Print Date 19.03.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.				
If inhaled	:	Move to fresh air.				
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.				
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.				
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.				
4.2 Most important symptoms and effects, both acute and delayed						
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.				

Risks	: No known significant effects or hazards.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
-----------	---	------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefightersSpecial protective equipment for firefightersFurther information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	:	For personal protection see section 8.			
6.2 Environmental precautions					

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products				
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.				
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.				
7.2	7.2 Conditions for safe storage, including any incompatibilities						
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.				
	Advice on common storage	:	No special restrictions on storage with other products.				
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.				
7.3	Specific end use(s)						
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.				

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.

organic vapor filter (Type A)

Engineering measures

ally in confined areas.

lease of this safety data sheet.

8.2 Exposure controls

Maintain air concentrations below occupational exposure standards.

Ensure adequate ventilation, es	pecia

Personal protective equipment

Country CH 10000064003

Revision Date: 19.03.2025

Date of last issue: -

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA
	es, which are e tional skin reso inhalation by th	ation: Toxic by skin easily absored throu option a substancial ne airways., Sensitiz to very strong allerg	ugh the skin, can g higher risk compa zers; Substances	give by addi- ared to only
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	TWÁ (inhalable dust)	0,2 mg/m3	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Harm to the unborn child is not to be expected when the OEL-value is respected			
		STEL (inhalable dust)	0,4 mg/m3	ĊH SUVA
*The above mentioned values are in ac	cordance with the	e legislation in effect	t at the date of the	e re-

Version 1.0

8.1 Control parameters

Occupational Exposure Limits



Print Date 19.03.2025

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	:	No special environmental	precautions	required.

SECTION 9: Physical and chemical properties

Physical state liquid Colour amber Odour like methacrylic acid Melting point/ range / Freez-No data available : ing point Boiling point/boiling range No data available Flammability (solid, gas) : No data available Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit Lower explosion limit / No data available • Lower flammability limit Flash point > 101 °C : Method: closed cup Auto-ignition temperature No data available Decomposition temperature No data available : : ca. 5,5 (20 °C) pН

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: -	Version 1.0	Print Date 19.03.2025
Viscosity Viscosity, kinematic	: not determined	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: No data available	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and re	activity	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned		
10.4 Conditions to avoid				

:

Conditions to avoid	: No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one	BIT):
Acute oral toxicity	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	LD50 Dermal (Rabbit): > 2.000 mg/kg
2-octyl-2H-isothiazole-3-one (OIT):
2-octyl-2H-isothiazole-3-one (Acute oral toxicity	OIT): Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC)
Acute oral toxicity	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC)
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC)

Skin corrosion/irritation

Not classified due to lack of data.

Country CH 10000064003

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 1.0

Sika[®] ViscoCrete[®]-20 GS

Revision Date: 19.03.2025

Date of last issue: -

Serious eye damage/eye irritation Not classified due to lack of data. Respiratory or skin sensitisation Skin sensitisation Not classified due to lack of data. **Respiratory sensitisation** Not classified due to lack of data. Components: 1,2-benzisothiazol-3(2H)-one (BIT): Assessment : May cause sensitisation by skin contact. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. STOT - repeated exposure Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties Not classified due to lack of data. Product: Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 19.03.2025

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] ViscoCrete [®] -20 GS



Revision Date: 19.03.2025 Date of last issue: - Version 1.0

Print Date 19.03.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
2-octyl-2H-isothiazole-3-one (OIT):			

M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100

toxicity)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-20 GS



Revision Date: 19.03.2025 Date of last issue: -		Version 1.0	Print Date 19.03.2025
Assessment	ered t REAC (EU) :	substance/mixture does not contain to have endocrine disrupting prope CH Article 57(f) or Commission Del 2017/2100 or Commission Regulat s of 0.1% or higher.	erties according to legated regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	: There	e is no data available for this produ	ict.
SECTION 13: Disposal consid	erations		
13.1 Waste treatment methods			
Product		generation of waste should be avoid	ded or minimized

	wherever possible. Empty containers or liners may retain some product residues.	
	This material and its container must be disposed of in a safe way.	
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.	
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.	
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
Waste code Switzerland VeVA/LVA	16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01	

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: -	Version	1.0	Print Date 19.03.2025
ADR	: Not regulated as a dar	ngerous good	
IMDG	: Not regulated as a dar		
ΙΑΤΑ	: Not regulated as a dar		
14.4 Packing group	-		
ADR	: Not regulated as a dar	ngerous good	
IMDG	: Not regulated as a dar	ngerous good	
IATA (Cargo)	: Not regulated as a dar	ngerous good	
IATA (Passenger)	: Not regulated as a dar	ngerous good	
14.5 Environmental hazards			
Not regulated as a danger	ous good		
14.6 Special precautions for Not applicable	lser		
14.7 Maritime transport in bu	k according to IMO instrume	ents	
Not applicable for product	•		
15.1 Safety, health and enviro International Chemical We Schedules of Toxic Chemi	apons Convention (CWC)	: Not applicable	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
		egistration.	
	he manufacture, placing on ain dangerous substances,	: Conditions of res	triction for the fol- ould be considered: 5
the market and use of cert	he manufacture, placing on ain dangerous substances, ex XVII) f Substances of Very High	: Conditions of res lowing entries sh Number on list 7	ould be considered:
the market and use of cert mixtures and articles (Ann REACH - Candidate List o	he manufacture, placing on ain dangerous substances, ex XVII) f Substances of Very High (Article 59).	 Conditions of res lowing entries sh Number on list 7 None of the com 	ould be considered: 5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: -	Version 1.0) 	Print Date 19.03.2025
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
PIC Ordinance, ChemPICO (814.	82) :	Not applicable	
Ordinance on Protection against M Threshold quantity according to M nance (MAO 814.012)		Not applicable	
Chemical Risk Reduction Ordinan (ORRChem, SR 814.81)	ce : Not applicable		
Waters Protection Ordinance (WF Water pollution class :	PO 814.201) slightly hazardous to wat Classification according		
Volatile organic compounds :	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,03% w/w 		
			revention

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-20 GS



Revision Date: 19.03.2025 Date of last issue: -	Version 1.0	Print Date 19.03.2025
H315 H317	Causes skin irritation. May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting e	ffects.
Full text of other abbreviation	S	
Acute Tox.	Acute toxicity	
Aquatic Acute	Short-term (acute) aquatic hazard	
Aquatic Chronic	Long-term (chronic) aquatic hazard	
Eye Dam.	Serious eye damage	
Skin Corr.	Skin corrosion	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	
CH SUVA	Switzerland. Limit values at the work place	
CH SUVA / TWA	Time Weighted Average	
CH SUVA / STEL	Short Term Exposure Limit	
ADR	European Agreement concerning the Interr	national Carriage of
	Dangerous Goods by Road	
CAS	Chemical Abstracts Service	
DNEL	Derived no-effect level	
EC50	 Half maximal effective concentration 	
GHS	Globally Harmonized System	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Code for Dangerous	
LD50	 Median lethal dosis (the amount of a mater 	
	once, which causes the death of 50% (one	half) of a group of
	test animals)	
LC50	Median lethal concentration (concentration	
	air that kills 50% of the test animals during	the observation
	period)	
MARPOL	International Convention for the Prevention	
	Ships, 1973 as modified by the Protocol of	1978
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	Regulation (EC) No 1907/2006 of the Euro	
	and of the Council of 18 December 2006 co	
	istration, Evaluation, Authorisation and Res	
0) (110	cals (REACH), establishing a European Ch	iemicals Agency
SVHC	Substances of Very High Concern	
vPvB	Very persistent and very bioaccumulative	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

CH / EN

Revision Date: 19.03.2025

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika[®] ViscoCrete[®]-20 GS

Version 1.0



Print Date 19.03.2025