

Revision Date 14.11.2020

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] ViscoCrete[®]-4025

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210	Safety data sheet available on request.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-methyl-2H-isothiazol-3-one
	(MIT). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-methyl-2H-isothiazol-3-one (MIT), 2682-20-4. Please use treated articles responsibly.

Revision Date 14.11.2020

Print Date 03.05.2023

Version 3.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,0025 - < 0,025
2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4 220-239-6 01-2120764690-50- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0002 - < 0,0015

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed				

Symptoms : See Section 11 for more detailed information on health effects and symptoms.



Revision Date 14.11.2020	Version 3.0	Print Date 03.05.20
Risks	: No known significant effects or hazards.	
4.3 Indication of any immediate r	nedical attention and special treatment needed	i
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are known	n
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained breath	iing apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e measures	
6.1 Personal precautions, protec	ive equipment and emergency procedures	
Personal precautions	: For personal protection see section 8.	
6.2 Environmental precautions Environmental precautions	: No special environmental precautions require	d.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		No special handling advice required.
		Follow standard hygiene measures when handling chemical

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] ViscoCrete[®]-4025



Revision Date 14.11.2020		Version 3.0	Print Date 03.05.20
		products	
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	When using do not eat or drink. When using do r	not smoke.
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Advice on common storage	:	No special restrictions on storage with other proc	lucts.
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	nt				
Eye protection	:	Safety glasses			
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.			
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	:	No special measures required.			
Environmental exposure controls					
•					

General advice	:	No special environmental precautions required.
----------------	---	--

Version 3.0



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical Appearance	an :	d chemical properties liquid
Colour	:	brown
Odour	:	woody
Odour Threshold	:	No data available
рН	:	ca. 5 (20 °C)
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	ca. 1,113 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)



Revision Date 14.11.2020	Version 3.0	Print Date 03.05.20
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and	reactivity	
10.1 Reactivity		
No dangerous reaction kno	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically s	table.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decompositio	n products	
No decomposition if stored	and applied as directed.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-on Acute oral toxicity	e (B :	5 IT): LD50 Oral (Rat): 597 mg/kg
Acute inhalation toxicity	:	LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

2-methyl-2H-isothiazol-3-one (MIT):

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] ViscoCrete[®]-4025



Revision Date 14.11.2020	Version 3.0	Print Date 03.0
Acute inhalation toxicity : Assessm	ent: Corrosive to the respiratory tract.	
Skin corrosion/irritation		
Not classified based on available information	n.	
Serious eye damage/eye irritation		
Not classified based on available information	n.	
Respiratory or skin sensitisation		
Skin sensitisation		
Not classified based on available information	n.	
Respiratory sensitisation		
Not classified based on available information	n.	
Germ cell mutagenicity		
Not classified based on available information	n.	
Carcinogenicity		
Not classified based on available information	n.	
Reproductive toxicity	-	
Not classified based on available information	n.	
STOT - single exposure Not classified based on available information	n	
STOT - repeated exposure		
Not classified based on available information	n.	
Aspiration toxicity		
Not classified based on available information	n.	
SECTION 12: Ecological information		

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):Toxicity to daphnia and other:aquatic invertebratesEC50 (Daphnia (water flea)): 3 mg/lExposure time: 48 h

2-methyl-2H-isothiazol-3-one (MIT): M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

12.2 Persistence and degradability

No data available

Print Date 03.05.2023

Revision Date 14.11.2020

Version 3.0

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	: 16 10 01: -

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

Revision Date 14.11.2020

Version 3.0



14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the man the market and use of certain dan preparations and articles (Annex)	:	Not applicable			
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).		
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable		
PIC Ordinance, ChemPICO (814.82)			Not applicable		
REACH Information:	All substances contained - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg	rea or ula	am suppliers, and/or ition, and/or		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable					
Water contaminating class : (Germany)	WGK 1 slightly hazardo Classification according				
Volatile organic compounds : Law on the incentive ta			or volatile organic compounds		

(VOCV)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] ViscoCrete[®]-4025



Revision Date 14.11.2020

Version 3.0

no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,13 %

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full	text	of	H-Statements
------	------	----	---------------------

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)



Revision Date 14.11.2020	Version 3.0	Print Date 03.0
LC50 :	Median lethal concentration (concentrations of th air that kills 50% of the test animals during the o	
MARPOL :	period) International Convention for the Prevention of Po Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concern istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemica	ning the Reg- on of Chemi-
SVHC :	Substances of Very High Concern	<u> </u>
vPvB :	Very persistent and very bioaccumulative	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN