

Version 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

SCHÖNOX<sup>®</sup> PL PLUS

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Mortar, Floor levelling compound

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

#### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:	LE B			
Signal word	:	Danger			
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.		
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.		



Revision Date: 14.07.2022 Date of last issue: - Version 1.0

P102 P103	Keep out of reach of children. Read label before use.
Prevention:	
P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
Response:	
P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

components		-	
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		
calcium sulfate	7778-18-9		>= 1 - < 2,5
	231-900-3		
	01-2119444918-26-		
	XXXX		



Revision Date: 14.07.2022 Version 1.0 Date of last issue: -

glass, oxide, chemicals	65997-17-3 266-046-0	>= 1 - < 2,5	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first aid meas	ure	S
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate	me	dical attention and special treatment needed
Treatment	:	Treat symptomatically.

# SCHONOX<sup>®</sup> PL PLU

<b>Jika</b> ®
Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
	Deny access to unprotected persons.

#### **6.2 Environmental precautions**

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.



Version 1.0	Print Date 04.05.2
ow standard hygiene measures when ha ducts	andling chemical
	exhaust ventilation
ctice. When using do not eat or drink. W	/hen using do not
	id dust formation. Provide appropriate e laces where dust is formed. Indle in accordance with good industrial h ctice. When using do not eat or drink. W oke. Wash hands before breaks and at t

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA		
	substances ard lished, Carcino tional Safety a istration, Healt Hygiene Labor	ation: Provisional va e, for various reaso ogenic Category 1, I nd Health, Occupat h and Safety Execu ratory), Harm to the he OEL-value is res	ns, not yet definitiv National Institute f ional Safety and H itive (Occupationa unborn child is no	vely estab- or Occupa- lealth Admin- I Medicine and		
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA		
	Further information: Sensitizers; Substances marked with a can lead to very strong allergic reactions.					
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU		
	Further information: Indicative					
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU		
		TWA (inhalable dust)	1 mg/m3	CH SUVA		
	Further information: National Institute for Occupational Safety and					
	Health, Harm to the unborn child is not to be expected when the					
	OEL-value is r	espected				
		STEL (inhalable dust)	4 mg/m3	CH SUVA		



Revision Date: 14.07.2022 Date of last issue: -

calcium sulfate	7778-18-9	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA	
	Further information: Harm to the unborn child is not to be ex-				
	pected when	the OEL-value is re	spected		
glass, oxide, chemicals	65997-17-3	TWA	0,25 fibres per millilitre	CH SUVA	
	Further information: Asbestos International Association, National Institute for Occupational Safety and Health, Health and Safety				
		Executive (Occupational Medicine and Hygiene Laboratory), BG			

Version 1.0

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### general dust value

Form of exposure	Value type	Control parameters	Basis
alveolate dust	TWA	3 mg/m3	CH SUVA
inhalable dust	TWA	10 mg/m3	CH SUVA

#### 8.2 Exposure controls

Personal protective equipment	t i i i i i i i i i i i i i i i i i i i
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

#### **Environmental exposure controls**

General advice

 Try to prevent the material from entering drains or water courses.
 No special environmental precautions required.

SECTION 9: Physical and chemical properties

<b>9.1 Information on basic physical</b> Physical state Appearance Colour	an : :	<b>d chemical properties</b> solid powder grey
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	ovn	losive limits
Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available

# Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,45 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Revision Date: 14.07.2022 Date of last issue: -

Version 1.0



#### Components:

calcium sulfate:

# Acute oral toxicity

: LD50 Oral (Rat): > 5.000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

# SCHÖNOX<sup>®</sup> PL PLUS

Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>
Waste code Switzerland VeVA/LVA	: 16 03 03 -
Contaminated packaging	: 15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances

#### **SECTION 14: Transport information**

1	4.′	1 U	Νn	um	ber

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

# SCHÖNOX<sup>®</sup> PL PLUS

Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

14.2 UN	proper	shipping	name
---------	--------	----------	------

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on • Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Cement (chromium reduced) (Number on list 47) International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH - Candidate List of Substances of Very High** : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation : Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable : plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-2 Not applicable

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# SCHÖNOX<sup>®</sup> PL PLUS

<b>Jika</b> ®
Print Date 04.05.2023

Revision Date: 14.07.2022Version 1.0Date of last issue: -

tants (recast)

PIC Ordinance, ChemPICO (814.82)

: Not applicable

- **REACH Information:**
- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

#### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements			
H315 H318	:	Causes skin irritation. Causes serious eye damage.	
H335	:	May cause respiratory irritation.	
Full text of other abbreviations			
Eye Dam.	:	Serious eye damage	
Skin Irrit.	:	Skin irritation	
STOT SE	:	Specific target organ toxicity - single exposure	
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values	
CH SUVA	:	Switzerland. Limit values at the work place	
2017/164/EU / STEL	:	Short term exposure limit	
2017/164/EU / TWA	:	Limit Value - eight hours	

Print Date 04.05.2023

Revision Date: 14.07.2022 Date of last issue: - Version 1.0

	of the mixture:	Classification procedure:
Further inform	nation	
vPvB	:	Very persistent and very bioaccumulative
SVHC	:	Substances of Very High Concern
		istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
REACH		and of the Council of 18 December 2006 concerning the Reg-
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
PBI		Persistent, bioaccumulative and toxic Predicted no effect concentration
PBT		Occupational Exposure Limit
OEL		Ships, 1973 as modified by the Protocol of 1978
MARPOL	:	International Convention for the Prevention of Pollution from
		air that kills 50% of the test animals during the observation period)
LC50	:	Median lethal concentration (concentrations of the chemical in
		once, which causes the death of 50% (one half) of a group of test animals)
LD50	:	Median lethal dosis (the amount of a material, given all at
IMDG		International Maritime Code for Dangerous Goods
IATA	:	International Air Transport Association
GHS	:	Globally Harmonized System
EC50	:	Half maximal effective concentration
DNEL	:	Derived no-effect level
CAS	:	Chemical Abstracts Service
		Dangerous Goods by Road
ADR	:	European Agreement concerning the International Carriage of
CH SUVA / ST	EL :	Short Term Exposure Limit
CH SUVA / TV	VA :	Time Weighted Average

Classification of the m	nixture:	Classification procedure		
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN