## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaGrout<sup>®</sup>-4800

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Grouting mortar

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

### **1.4 Emergency telephone number**

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Skin irritation, Category 2	<b>72/2008)</b> H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
2.2 Label elements	

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		>
Signal word	: Danger	
Hazard statements	: H315 Causes s	skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: -	V	ersion 1.0	Print Date 18.11.2024
		uses serious eye damage. Ny cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-vea.	ventilated ar-
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

## Hazardous components which must be listed on the label:

Cement (chromium reduced)

### Additional Labelling

EUH208 Contains calcium aluminate sulfate. May produce an allergic reaction.

## 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 40 - < 60
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium aluminate sulfate	12005-25-3	Skin Sens. 1; H317	>= 0,5 - < 1
	Not Assigned		
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7		>= 25 - < 40
	238-878-4		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

## SikaGrout®-4800



Revision Date: 18.11.2024Version 1.0Print Date 18.11.2024Date of last issue: -

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
	irritant effects
4.3 Indication of any immed	iate medical attention and special treatment needed
Treatment	: Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media :	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the Hazardous combustion prod-		substance or mixture No hazardous combustion products are known
ucts	-	
5.3 Advice for firefighters		
Special protective equipment : for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information :	:	Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	ive	equipment and emergency procedures
Personal precautions	/	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions		Try to prevent the material from entering drains or water courses.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024Version 1.0Print Date 18.11.2024Date of last issue: -

No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Avoid dust formation. Provide appropriate exhaust ventilation Advice on protection against : fire and explosion at places where dust is formed. Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Consult most current local Product Data Sheet prior to any Specific use(s) use.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
------------	---------	------------------	-----------------	---------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SikaGrout®-4800

Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

		of exposure)	ters *			
Cement (chromium reduced)	65997-15-1	TWA (inhalable	5 mg/m3	CH SUVA		
		dust)				
	Further inform	nation: Sensitizers;	Substances mark	ked with an S		
	can lead to ve	ery strong allergic re	actions.			
Quartz (SiO2)	14808-60-7	TWA (alveolate	0,15 mg/m3	CH SUVA		
		dust)	(Silica)			
	Further inform	Further information: Provisional value - The TWA-values for these				
	substances a	substances are, for various reasons, not yet definitively estab-				
	lished, Carcir	lished, Carcinogenic Category 1, National Institute for Occupa-				
	tional Safety	tional Safety and Health, Occupational Safety and Health Admin-				
	istration, Hea	istration, Health and Safety Executive (Occupational Medicine and				
		Hygiene Laboratory), Harm to the unborn child is not to be ex-				
	pected when the OEL-value is respected					

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmer	t i i i i i i i i i i i i i i i i i i i	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.	
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### **Environmental exposure controls**

General advice	Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder light grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up-	:	No data available
per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Lower explosion limit /	:	No data available Not applicable
Lower explosion limit / Lower flammability limit	:	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: -	Version 1.0	Print Date 18.11.2024
рН	: > 11 Concentration: 50 %	
Viscosity		
Viscosity, kinematic	: Not applicable	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: 1.480 kg/m3	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## **10.2 Chemical stability**

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 1.0

## SikaGrout®-4800

Revision Date: 18.11.2024



Print Date 18.11.2024

Date of last issue: -					
Materials to avoid	: No data available				
10.6 Hazardous decomposition products					
	: No hazardous decomposition products are known.				
SECTION 11: Toxicological info	ormation				
11.1 Information on hazard classes	s as defined in Regulation (EC) No 1272/2008				
Acute toxicity Not classified due to lack of data	a.				
Skin corrosion/irritation Causes skin irritation.					
Serious eye damage/eye irrita Causes serious eye damage.	ition				
Respiratory or skin sensitisat	ion				
Skin sensitisation Not classified due to lack of data	a.				
Respiratory sensitisation Not classified due to lack of data	a.				
Germ cell mutagenicity Not classified due to lack of data	a.				
Carcinogenicity Not classified due to lack of data	a.				
<b>Reproductive toxicity</b> Not classified due to lack of data	a.				
<b>STOT - single exposure</b> May cause respiratory irritation.					
STOT - repeated exposure Not classified due to lack of data	a.				
Aspiration toxicity Not classified due to lack of data	a.				
11.2 Information on other hazards					
Endocrine disrupting properti	ies				
Product: Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to				

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 18.11.2024 Date of last issue: -

SikaGrout<sup>®</sup>-4800

Version 1.0

Print Date 18.11.2024

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

2

### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## 12.6 Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

## Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

: The generation of waste should be avoided or minimized
wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Print Date 18.11.2024 Version 1.0 Date of last issue: way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste code Switzerland : 16 03 03 [S] inorganic wastes containing dangerous sub-VeVA/LVA stances

## **SECTION 14: Transport information**

ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					
Not applicable					

## **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.

### 14.1 UN number or ID number

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaGrout<sup>®</sup>-4800



Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

## **SECTION 15: Regulatory information**

<b>15.1 Safety, health and environn</b> International Chemical Weap Schedules of Toxic Chemical	ons Convention (CWC)	tion :	<b>specific for the substance or mixture</b> Not applicable		
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea d/or egula	am suppliers, and/or tion, and/or		
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)		
REACH - Candidate List of Second Concern for Authorisation (Ar		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances s (Annex XIV)	ubject to authorisation	:	Not applicable		
Regulation (EC) on substance layer	es that deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 o tants (recast)	n persistent organic pollu-	:	Not applicable		
PIC Ordinance, ChemPICO (	314.82)	:	Not applicable		
Ordinance on Protection agai Threshold quantity according nance (MAO 814.012)		:	Not applicable		
Chemical Risk Reduction Orc (ORRChem, SR 814.81)	inance : Not applica	ble			
Waters Protection Ordinance Water pollution class	Waters Protection Ordinance (WPO 814.201) Water pollution class : slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)				
Volatile organic compounds	: Law on the incentive t (VOCV)	tax fo	or volatile organic compounds		

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: - Version 1.0

Print Date 18.11.2024

no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

### Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
1.050		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaGrout®-4800



Revision Date: 18.11.2024 Date of last issue: -		Version 1.0	Print Date 18.11.2024
OEL PBT PNEC REACH	::	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europ and of the Council of 18 December 2006 co istration, Evaluation, Authorisation and Rest cals (REACH), establishing a European Che	ncerning the Reg- riction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

### Further information

Classification of the mixt	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN