

Revision Date: 19.11.2024 Version 3.0 Date of last issue: 22.06.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifier**

Trade name : SC-202 3D

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete and mortar admixture

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

# **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2Hisothiazole-3-one (OIT), 2-methyl-2H-isothiazol-3-one (MIT). May produce an allergic reaction.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Print Date 19.11.2024



Revision Date: 19.11.2024 Version 3.0 Date of last issue: 22.06.2022

Print Date 19.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, 2-methyl-2H-isothiazol-3one (MIT), 2682-20-4. Please use treated articles responsibly.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
polymer	Not Assigned	Aquatic Chronic 3;	>= 2,5 - < 5
	Not Assigned	H412	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

<b>Jika</b> <sup>®</sup>

Revision Date: 19.11.2024 Date of last issue: 22.06.2022	Version 3.	.0	Print Date 19.11.2024
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,025 - < 0,036

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 19.11.2024 Date of last issue: 22.06.2022	Version 3.0	0	Print Date 19.11.2024
	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % Specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015
		limit Eye Dam. 1; H318 >= 0,6 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SC-202 3D

**Jika**®

Revision Date: 19.11.2024 Date of last issue: 22.06.2022	Version 3.0	0	Print Date 19.11.2024
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	>= 0,0002 - < 0,0015

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SC-202 3D

Revision Date: 19.11.2024 Date of last issue: 22.06.2022	Version 3	.0	Print Date 19.11.2024
2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4 220-239-6 01-2120764690-50- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 200 mg/kg	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Revision Date: 19.11.2024 Date of last issue: 22.06.2022		Version 3.0	Print Date 19.11.20
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate	me	dical attention and special treatment needed	d
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions require	ed.
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, f Keep in suitable, closed containers for dispos	
6.4 Reference to other sections			

For personal protection see section 8.



Revision Date: 19.11.2024Version 3.0Print Date 19.11.2024Date of last issue: 22.06.2022Version 3.0Print Date 19.11.2024

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage,	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	TWA (inhalable dust)	0,2 mg/m3	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Harm to the unborn child is not to be expected when the OEL-value is respected			
		STEL (inhalable dust)	0,4 mg/m3	CH SUVA
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA
	Further information: Toxic by skin resorption possible; Substanc- es, which are easily absored through the skin, can give by addi- tional skin resoption a substancial higher risk compared to only			



SC-202 3D

Revision Date: 19.11.2024 Date of last issue: 22.06.2022 Version 3.0

Print Date 19.11.2024

	inhalation by the airways., Sensitizers; Substances marked with an S can lead to very strong allergic reactions.				
	STEL (inhalable 0,1 mg/m3 CH SUVA dust)				
****	1 24 4 1 2				

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

## Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		

# Environmental exposure controls

General advice	:	No special environmental precautions required.
----------------	---	--

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid (20 °C)
Colour	:	blue

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



evision Date: 19.11.2024 ate of last issue: 22.06.2022		Version 3.0	Print Date 19.11.202
Odour	:	characteristic	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	losive limits	
Upper explosion limit / Upper flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	not determined	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 8	
Viscosity			
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,05 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Revision Date: 19.11.2024 Date of last issue: 22.06.2022 Version 3.0

Print Date 19.11.2024

### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

# 10.5 Incompatible materials

No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### polymer:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg

Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg
-----------------------	---	----------------------------------

# 1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg
		Method: Acute toxicity estimate according to Regulation (EC)
		No. 1272/2008



Revision Date: 19.11.2024 Date of last issue: 22.06.2022		Version 3.0	Print Date 19.11.2024
	L	.D50 Oral (Rat): 450 mg/kg	
Acute inhalation toxicity	۲ N	Acute toxicity estimate: 0,21 mg/l Fest atmosphere: dust/mist Method: Acute toxicity estimate accordir No. 1272/2008	ng to Regulation (EC)
	E T	C50: 0,21 mg/l Exposure time: 4 h Fest atmosphere: dust/mist Nethod: OECD Test Guideline 403	
Acute dermal toxicity	: L	.D50 Dermal (Rabbit): > 2.000 mg/kg	
reaction mass of 5-chloro-2-	meth	yl-2H-isothiazol-3-one and 2-methyl-	2H-isothiazol-3-one (3:1):
Acute inhalation toxicity		Assessment: Corrosive to the respirator	
2-octyl-2H-isothiazole-3-one	(OIT	):	
Acute oral toxicity	Ν	Acute toxicity estimate: 125 mg/kg Aethod: Acute toxicity estimate accordir No. 1272/2008	ng to Regulation (EC)
Acute inhalation toxicity	T N	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordir No. 1272/2008	ng to Regulation (EC)
Acute dermal toxicity	Ν	Acute toxicity estimate: 311 mg/kg Aethod: Acute toxicity estimate accordir No. 1272/2008	ng to Regulation (EC)
2-methyl-2H-isothiazol-3-one	e (MI	Г):	
Acute oral toxicity	•	.D50 (Rat): 200 mg/kg	
Skin corrosion/irritation			
Not classified due to lack of da	ata.		
Serious eye damage/eye irrit	tatio	ı	
Not classified due to lack of da	ata.		
Respiratory or skin sensitisa	ation		
Skin sensitisation Not classified due to lack of da	ata.		
<b>Respiratory sensitisation</b> Not classified due to lack of da	ata		
Components:			
	, /DIT	-\.	
1,2-benzisothiazol-3(2H)-one Country CH 10000030979	; (BH	]-	12 / 19
			12/15





Print Date 19.11.2024
itact.
ntain components consid- roperties according to Delegated regulation gulation (EU) 2018/605 at

# 12.1 Toxicity

Components:

polymer:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 10 - 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 10 - 100 mg/l Exposure time: 48 h

# 1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1



Revision Date: 19.11.2024 Date of last issue: 22.06.2022		Version 3.0	Print Date 19.11.202
M-Factor (Chronic aquatic toxicity)	:	1	
reaction mass of 5-chloro-2-	·me	thyl-2H-isothiazol-3-one and 2-methyl-2H-is	othiazol-3-one (3:1):
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
2-octyl-2H-isothiazole-3-one	· (0	IT):	
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
2-methyl-2H-isothiazol-3-on	e (N	NIT):	
M-Factor (Acute aquatic tox- icity)	:	10	
M-Factor (Chronic aquatic toxicity)	:	1	
<b>12.2 Persistence and degradabil</b> No data available	ity		
<b>12.3 Bioaccumulative potential</b> No data available			
<b>12.4 Mobility in soil</b> No data available			
12.5 Results of PBT and vPvB as	se	ssment	
Product:			
Assessment	:	This substance/mixture contains no compone to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher	oxic (PBT), or
12.6 Endocrine disrupting prope	rtie	S	
Product:			
Assessment	:	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E	according to d regulation



Revision Date: 19.11.2024 Date of last issue: 22.06.2022	Version 3.0	Print Date 19.11.2024
	levels of 0.1% or higher.	
12.7 Other adverse effects		
Product: Additional ecological infor-	: There is no data available for this produ	ict.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

SC-202 3D

mation

13.1 waste treatment methods	
Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

# SC-202 3D

Revision Date: 19.11.2024



Print Date 19.11.2024

ADR	: Not regulated as a	a dangerous good	
IMDG	: Not regulated as a	a dangerous good	
IATA (Cargo)	: Not regulated as a	a dangerous good	
IATA (Passenger)	: Not regulated as a	a dangerous good	
5 Environmental hazards Not regulated as a dange			
Special precautions for Not applicable	user		
7 Maritime transport in be Not applicable for produc	ulk according to IMO instr t as supplied.	uments	
CTION 15: Regulatory	information		
	ronmental regulations/leg eapons Convention (CWC) nicals and Precursors	•	
REACH Information:		ntained in our Products	
	- registered by us,	e regulation, and/or	nd/or
	- registered by us, - excluded from th - exempted from t the manufacture, placing of rtain dangerous substances	and/or e regulation, and/or he registration. n : Conditions of	restriction for the fol- should be considered:
the market and use of ce mixtures and articles (An	<ul> <li>registered by us,</li> <li>excluded from th</li> <li>exempted from t</li> <li>the manufacture, placing or</li> <li>rtain dangerous substances</li> <li>nex XVII)</li> <li>of Substances of Very High</li> </ul>	and/or e regulation, and/or he registration. n : Conditions of , lowing entries Number on lis	restriction for the fol- should be considered:
the market and use of ce mixtures and articles (An REACH - Candidate List Concern for Authorisation	<ul> <li>registered by us,</li> <li>excluded from th</li> <li>exempted from t</li> <li>the manufacture, placing or</li> <li>rtain dangerous substances</li> <li>nex XVII)</li> <li>of Substances of Very High</li> </ul>	and/or e regulation, and/or he registration. n : Conditions of lowing entries Number on lis : None of the co (=> 0.1 %).	restriction for the fol- should be considered: t 75: omponents are listed
the market and use of ce mixtures and articles (An REACH - Candidate List Concern for Authorisation REACH - List of substance (Annex XIV)	<ul> <li>registered by us,</li> <li>excluded from th</li> <li>exempted from t</li> <li>the manufacture, placing or</li> <li>rtain dangerous substances</li> <li>nex XVII)</li> <li>of Substances of Very High</li> <li>(Article 59).</li> </ul>	and/or e regulation, and/or he registration. n : Conditions of lowing entries Number on lis : None of the co (=> 0.1 %). : Not applicable	restriction for the fol- should be considered: t 75: omponents are listed

Version 3.0

PIC Ordinance, ChemPICO (814.82)

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SC-202 3D



Revision Date: 19.11.2024Version 3.0Print Date 19.11.2024Date of last issue: 22.06.2022Version 3.0Print Date 19.11.2024

Ordinance on Protection against Threshold quantity according to M nance (MAO 814.012)	
Chemical Risk Reduction Ordina	nce ·
(ORRChem, SR 814.81)	Not applicable
Waters Protection Ordinance (WI	PO 814.201)
	obviously hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV)
	Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

# Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

#### Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.



Print Date 19.11.2024

Revision Date: 19.11.2024 Date of last issue: 22.06.2022 Version 3.0

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Corr. Skin Irrit. Skin Sens. CH SUVA CH SUVA / TWA		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Switzerland. Limit values at the work place Time Weighted Average
CH SUVA / STEL ADR	:	Short Term Exposure Limit European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	•	Very persistent and very bioaccumulative

# **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN

# SC-202 3D

Revision Date: 19.11.2024 Date of last issue: 22.06.2022 Version 3.0

Print Date 19.11.2024

