MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

Print Date 27.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: MasterTop[®] TC 442W Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Version 2.0 Print Date 27.02.2025 Date of last issue: 08.04.2024 Hazard statements H317 May cause an allergic skin reaction. Causes serious eye damage. H318 Harmful if inhaled. H332 H335 May cause respiratory irritation. Precautionary statements **Prevention:** P261 Avoid breathing mist or vapours. P280 Wear protective gloves/ eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation or rash occurs: Get medical P333 + P313 advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

HDI oligomers, isocyanurate γ-butyrolactone hexamethylene-di-isocyanate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

Print Date 27.02.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
HDI oligomers, isocyanurate Contains: hexamethylene-di-isocyanate <= 0,09 %	28182-81-2 Not Assigned 01-2119485796-17- XXXX	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 60 - < 80
γ-butyrolactone	96-48-0 202-509-5 01-2119471839-21- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system)	>= 10 - < 20
Poly(oxy-1,2-ethanediyl), .alpha tridecylomegahydroxy-, phos- phate	9046-01-9 Not Assigned	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
cyclohexyldimethylamine	98-94-2 202-715-5 01-2119533030-60- XXXX	Flam. Liq. 3; H226 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 0,5 - < 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MasterTop® TC 442W Part B

Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

e of last issue: 00.04.2024			
hexamethylene-di-isocyanate	822-06-0 212-485-8 01-2119457571-37- XXXX	Acute Tox. 4; H302 Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	< 0,1
		specific concentration limit Resp. Sens. 1; H334 >= 0,5 %	
		specific concentration limit Skin Sens. 1; H317 >= 0,5 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 746 mg/kg Acute inhalation tox- icity (vapour): 0,124 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



evision Date: 27.02.2025 bate of last issue: 08.04.202	24	Version 2.0	Print Date 27.02.202
	C	ontinue rinsing eyes during transport	t to hospital.
		emove contact lenses.	
	Ke	eep eye wide open while rinsing.	
If swallowed		o not induce vomiting without medica	al advice.
		nse mouth with water.	
		o not give milk or alcoholic beverage ever give anything by mouth to an u	
4.2 Most important sympton	oms and effe	cts, both acute and delayed	
Symptoms	: Co	ough	
	Re	espiratory disorder	
		lergic reactions	
		cessive lachrymation	
		eadache	motion on booth offects
		ee Section 11 for more detailed infor nd symptoms.	mation on health enects
Risks		ay cause an allergic skin reaction.	
		auses serious eye damage.	
		armful if inhaled.	
	IVI	ay cause respiratory irritation.	
	irr	itant effects	
	se	ensitising effects	
4.3 Indication of any imme	diate medica	al attention and special treatment	needed
Treatment	: Tr	eat symptomatically.	
	g measures		
SECTION 5: Firefighting			
SECTION 5: Firefighting			
	ide	case of fire, use water/water spray/ e/sand/foam/alcohol resistant foam/o	
5.1 Extinguishing media	ide ex	e/sand/foam/alcohol resistant foam/o	

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

Print Date 27.02.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
--------------------------	---	--

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024		Version 2.0	Print Date 27.02.2025	
areas and containers		place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.		
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.	
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *			
		of exposure)	ters *				
HDI oligomers, isocyanurate	28182-81-2	TWA	0,01 mg/m3 (NCO)	98/24/EC I			
	Further inforn Binding	nation: Skin, Dermal	and respiratory se	ensitisation,			
		STEL	0,02 mg/m3 (NCO)	98/24/EC I			
		TWA	0,02 mg/m3 (NCO)	CH SUVA			
	Further information: Sensitizers; Substances marked with an S						
	can lead to very strong allergic reactions., Health and Safety Ex-						
	ecutive (Occupational Medicine and Hygiene Laboratory)						
		STEL	0,02 mg/m3 (NCO)	CHSUVA			
hexamethylene-di-isocyanate	822-06-0	TWA	0,02 mg/m3 (NCO)	CH SUVA			
	Further information: Sensitizers; Substances marked with an S						
		ery strong allergic rea					
	ecutive (Occu	pational Medicine a	nd Hygiene Labor	atory)			
		STEL	0,02 mg/m3 (NCO)	CH SUVA			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
hexamethylene-di-isocyanate	822-06-0	Hexameth- ylendiamine: 15 µg/g creatinine (Urine)	Immediately after exposure or after working hours	CH BAT
		Hexameth- ylendiamine: 14.6 nmol/mmol creati- nine	Immediately after exposure or after working hours	CH BAT

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MasterTop® TC 442W Part B


evision Date: 27.02.2025 te of last issue: 08.04.2024		Version 2.0	Print Date 27.02.202
		Urine)	
2 Exposure controls			
Engineering measures			
Maintain air concentrations b Ensure adequate ventilation		occupational exposure standards. ecially in confined areas.	
Personal protective equipr	nent		
Eye/face protection	:	Safety glasses with side-shields conf Eye wash bottle with pure water	orming to EN166
Hand protection	:	Chemical-resistant, impervious glove proved standard must be worn at all t chemical products. Reference number facturer specifications. Suitable for short time use or protecti Butyl rubber/nitrile rubber gloves (> 0 Contaminated gloves should be remo Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	times when handling er EN 374. Follow manu- on against splashes:),1 mm)
Skin and body protection	:	Protective clothing (e.g. Safety shoes long-sleeved working clothing, long tr and protective boots are additionally r and stirring work.	rousers). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wea Respirator selection must be based of exposure levels, the hazards of the p ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3 Ensure adequate ventilation. This car exhaust extraction or by general vent ods for determining inhalation exposu- ticular to the mixing / stirring area. In to keep the concentrations under the limits then respiration protection mea Ensure adequate ventilation, especia	on known or anticipated roduct and the safe work- 8: < 10000 ppm n be achieved by local tilation. (EN 689 - Meth- ure). This applies in par- case this is not sufficent occupational exposure sures must be used.
Environmental exposure c			sitery course outom
General advice	:	Do not flush into surface water or sar If the product contaminates rivers and respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024	Version 2.0	Print Date 27.02.2025
Physical state Appearance Colour	liquid viscous transparent	
Odour	aliphatic	
Melting point/ range / Freez- ing point	No data available	
Boiling point/boiling range	No data available	
Flammability (solid, gas)	No data available	
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	No data available	
Flash point	Not applicable	
Auto-ignition temperature	No data available	
Decomposition temperature	No data available	
рН	Not applicable substance/mixture is non-soluble (in water))
Viscosity Viscosity, dynamic	ca. 1.000 mPa.s (20 °C)	
Viscosity, kinematic	No data available	
Solubility(ies) Water solubility	No data available	
Partition coefficient: n- octanol/water	No data available	

: 0,01 hPa

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop[®] TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024	Version 2.0	Print Date 27.02.2025
Density	: ca. 1,13 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and rea	activity	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

HDI oligomers, isocyanurate:

Acute oral toxicity : LD50 Oral (Rat): > 2.500 mg/kg

·

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024		Version 2.0	Print Date 27.02.2025
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
cyclohexyldimethylamine:			
Acute inhalation toxicity	:	LC50 (Rat): 4,45 mg/l Exposure time: 4 h Test atmosphere: vapour	
hexamethylene-di-isocyana	ite:		
Acute oral toxicity	:	LD50 Oral (Rat): 746 mg/kg	
		Acute toxicity estimate: 746 mg/kg Method: Calculation method	
Acute inhalation toxicity	:	LC50 (Rat): 0,124 mg/l Exposure time: 4 h Test atmosphere: vapour	
		Acute toxicity estimate: 0,124 mg/l Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 7.000 mg/kg	
Skin corrosion/irritation Not classified due to lack of c	lata		
Serious eye damage/eye irr	itat	ion	
Causes serious eye damage.			
Respiratory or skin sensitis	sati	on	
Skin sensitisation May cause an allergic skin re	acti	on.	
Respiratory sensitisation Not classified due to lack of c	lata		
Germ cell mutagenicity			
Not classified due to lack of d	lata		
Carcinogenicity Not classified due to lack of c	lata		
	aid		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

Print Date 27.02.2025

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

HDI oligomers, isocyanurate:

Toxicity to daphnia and other:EC50 (Daphnia (water flea)): > 100 mg/laquatic invertebratesExposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0

Print Date 27.02.2025

12.6 Endocrine disrupting properties

Product:

Assessment

ssment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



evision Date: 27.02.2025 Pate of last issue: 08.04.2024	Version	2.0	Print Date 27.02.202
ADR			
ADR IMDG	: Not regulated as a da	0 0	
	: Not regulated as a da : Not regulated as a da	0 0	
4.4 Packing group	. Not regulated as a da		
ADR	: Not regulated as a da	ngaraua good	
IMDG	: Not regulated as a da	0 0	
IATA (Cargo)	: Not regulated as a da		
IATA (Cargo) IATA (Passenger)	: Not regulated as a da		
4.5 Environmental hazards	. Not regulated as a da		
Not regulated as a dange	ous good		
4.6 Special precautions for Not applicable	user		
A.7 Maritime transport in bu Not applicable for product SECTION 15: Regulatory i			
Not applicable for product SECTION 15: Regulatory i 5.1 Safety, health and envir	nformation onmental regulations/legisla	ition specific for the s : Not applicable	ubstance or mixture
Not applicable for product SECTION 15: Regulatory i 5.1 Safety, health and envir International Chemical We	nformation onmental regulations/legisla eapons Convention (CWC) icals and Precursors All substances contai	: Not applicable ned in our Products are stream suppliers, and/c d/or egulation, and/or	9
Not applicable for product SECTION 15: Regulatory i 5.1 Safety, health and envir International Chemical We Schedules of Toxic Chem REACH Information: REACH - Restrictions on	nformation onmental regulations/legisla eapons Convention (CWC) icals and Precursors All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	: Not applicable ned in our Products are stream suppliers, and/o d/or egulation, and/or registration. : Conditions of res	9 Dr
Not applicable for product ECTION 15: Regulatory i 5.1 Safety, health and envir International Chemical We Schedules of Toxic Chem REACH Information: REACH - Restrictions on the market and use of cer	nformation onmental regulations/legisla eapons Convention (CWC) icals and Precursors All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	 Not applicable ned in our Products are stream suppliers, and/od d/or egulation, and/or registration. Conditions of rest lowing entries sho 	or triction for the fol- ould be considered:
Not applicable for product SECTION 15: Regulatory i 5.1 Safety, health and envir International Chemical We Schedules of Toxic Chem REACH Information: REACH Information:	nformation onmental regulations/legisla eapons Convention (CWC) icals and Precursors All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re the manufacture, placing on tain dangerous substances, ex XVII)	 Not applicable ned in our Products are stream suppliers, and/o d/or egulation, and/or registration. Conditions of rest lowing entries sho Number on list 3 	e or triction for the fol- ould be considered:

: Not applicable

Regulation (EU) No 2024/590 on substances that de-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024	Version 2.0	Print Date 27.02.2025	
plete the ozone layer			
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu- : Not applicable		
PIC Ordinance, ChemPICO (814	.82) : Not applicable		
Ordinance on Protection against Threshold quantity according to M nance (MAO 814.012)			
Chemical Risk Reduction Ordinat (ORRChem, SR 814.81) Waters Protection Ordinance (WI	should be considered: Annex 1.11 Dangerous liquid substa	-	
Water pollution class		2)	
Volatile organic compounds :	Law on the incentive tax for volatile organic co (VOCV) Volatile organic compounds (VOC) content: 16		
	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 17,41% w/w		

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapour.
H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H311 :	Toxic in contact with skin.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B

Revision Date: 27.02.2025 Date of last issue: 08.04.2024 Version 2.0



Print Date 27.02.2025

		Version 2.0	1 IIII Date 27.02.2025
ate of last issue: 08.04.2024			
H314	:	Causes severe skin burns and eye damage.	
H315		Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H318		Causes serious eye damage.	
H319	:	Causes serious eye irritation.	
H330	:	Fatal if inhaled.	
H331	:	Toxic if inhaled.	
H332	:	Harmful if inhaled.	
H334		May cause allergy or asthma symptoms or breath ties if inhaled.	ing difficul-
H335	:	May cause respiratory irritation.	
H336	:	May cause drowsiness or dizziness.	
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviat	tions		
Acute Tox.	:	Acute toxicity	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Eye Dam.	:	Serious eye damage	
Eye Irrit.	:	Eye irritation	
Flam. Liq.	:	Flammable liquids	
Resp. Sens.	:	Respiratory sensitisation	
Skin Corr.	:	Skin corrosion	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
STOT SE	:	Specific target organ toxicity - single exposure	
98/24/EC I		Europe. Chemical Agents Directive - Annex I: Bin	ding occupa-
	-	tional exposure limit values	and greet pro-
CH BAT		Switzerland. List of BAT-values	
CH SUVA		Switzerland. Limit values at the work place	
98/24/EC I / STEL		Limit values Short-term	
98/24/EC I / TWA		Limit values 8 hours	
CH SUVA / TWA	:	Time Weighted Average	
CH SUVA / STEL	:	Short Term Exposure Limit	
ADR	:	European Agreement concerning the Internationa	Carriage of
ADIX	•	Dangerous Goods by Road	li Carriage of
CAS		Chemical Abstracts Service	
DNEL	:		
EC50	:	Derived no-effect level Half maximal effective concentration	
GHS	:		
IATA	•	Globally Harmonized System	
	÷	International Air Transport Association	_
IMDG	:	International Maritime Code for Dangerous Goods	
LD50	•	Median lethal dosis (the amount of a material, giv	
		once, which causes the death of 50% (one half) o	of a group of
1.050		test animals)	
LC50	:	Median lethal concentration (concentrations of the	
		air that kills 50% of the test animals during the ob	SCIVALIUII
MARDO		period)	lution from
MARPOL		International Convention for the Prevention of Pol	lution from
		Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	N 19
REACH		Regulation (EC) No 1907/2006 of the European F	arliament

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterTop® TC 442W Part B



Revision Date: 27.02.2025 Date of last issue: 08.04.2024		Version 2.0	Print Date 27.02.2025
SVHC vPvB	istration, cals (REA : Substanc	 and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative 	
Further information			
Classification of the mixt	ure:	Classification	on procedure:
Acute Tox. 4	H332	Calculation r	method

H332	Calculation method
H318	Calculation method
H317	Calculation method
H335	Calculation method
	H318 H317

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN