

Revision Date 11.01.2021

Version 12.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SikaFast[®]-5201NT Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H317	May cause an allergic skin reaction.



Revision Date 11.01.2021		ersion 12.0	Print Date 03.05.2
	H319 H360D H412	Causes serious eye irritation. May damage the unborn child. Harmful to aquatic life with long fects.	lasting ef-
Precautionary statements :	Prevention:		
,	P201 P261	Obtain special instructions befo Avoid breathing dust/ fume/ gas pours/ spray.	
	P273 P280	Avoid release to the environmen Wear protective gloves/ protection eye protection/ face protection.	
	Response:		
	P308 + P313	IF exposed or concerned: Get n vice/ attention.	nedical ad-
	P333 + P313	If skin irritation or rash occurs: 0 advice/ attention.	Get medical

Hazardous components which must be listed on the label:

tetrahydrofurfuryl methacrylate aromatic amine ethoxylated

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		

SikaFast[®]-5201NT Part A



Revision Date 11.01.2021	Version 1	2.0	Print Date 03.05.2
tetrahydrofurfuryl methacrylate Contains: methyl methacrylate >= 0,1 - <= 1 % calcium methacrylate	2455-24-5 219-529-5 01-2120748481-53- XXXX 16809-88-4 240-840-7	Skin Sens. 1; H317 Aquatic Chronic 3; H412 Repr. 1B; H360D Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	>= 25 - < 40
aromatic amine ethoxylated	Not Assigned 911-490-9 01-2119979579-10- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid mea	Isures
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	 Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects toxic effects for reproduction
Country CH 00000608754	May cause an allergic skin reaction. Causes serious eye irritation.

4.1 Description of first aid measures



Revision Date 11.01.2021		Version 12.0	Print Date 03.05.20
		May damage the unborn child.	
4.3 Indication of any immediate m	nec	dical attention and special treatment need	led
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	
5.2 Special hazards arising from t	the	substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	own
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	e r	neasures	
6.1 Personal precautions, protect	tive	e equipment and emergency procedures	
		Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lake respective authorities.	
6.3 Methods and material for cont	tai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for disp	-

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SikaFast[®]-5201NT Part A



Revision Date 11.01.2021		Version 12.0	Print Date 03.05
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exp section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation p ma, allergies, chronic or recurrent respirator not be employed in any process in which this used. Smoking, eating and drinking should be prof plication area. Pregnant women or women of child-bearing exposed to this product. Follow standard hygiene measures when has products	oroblems or asth- y disease should s mixture is being hibited in the ap- age should not be
Advice on protection against fire and explosion	:	Normal measures for preventive fire protecti	on.
Hygiene measures	:	Handle in accordance with good industrial h practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at th	nen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	Chemical-resistant, impervious gloves complying with proved standard must be worn at all times when hand chemical products. Reference number EN 374. Follow acturer specifications.	ling
	Suitable for short time use or protection against splash Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed.	ies:

SikaFast[®]-5201NT Part A



Revision Date 11.01.2021	Version 12.0	Print Date 03.05.202
	Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	: Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long tro and protective boots are additionaly re and stirring work.	users). Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure co	ntrols	
General advice	: Do not flush into surface water or sanit If the product contaminates rivers and respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	white
Odour	:	slight
Odour Threshold	:	No data available
рН	:	ca. 6 (20 °C) Concentration: 100 %
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 90 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	•	0,1 hPa

Revision Date 11.01.2021



Relative vapour density	:	No data available
Density	:	ca. 1,11 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic Viscosity, kinematic	:	
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Version 12.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions Hazardous reactions : No hazards to be specially mentioned. 10.4 Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Revision Date 11.01.2021

Version 12.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

tetrahydrofurfuryl methacrylate:

Acute oral toxicity : LD50 Oral (Rat): 4.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

May damage the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date 11.01.2021

Version 12.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

tetrahydrofurfuryl methacrylate:

Toxicity to fish : LC50 (Fish): 34,7 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	•	An environmental hazard cannot be excluded in the event of
mation	-	unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	way.



Revision Date 11.01.2021		Version 12.0	Print Date 03.05.20
		Dispose of surplus and non-recyclable product waste disposal contractor. Disposal of this product, solutions and any by- at all times comply with the requirements of en protection and waste disposal legislation and a local authority requirements. Avoid dispersal of spilled material and runoff a soil, waterways, drains and sewers.	products should ivironmental any regional
Waste code Switzerland VeVA/LVA	:	08 04 09: [S] waste adhesives and sealants co ic solvents or other dangerous substances	ontaining organ-
Contaminated packaging	:	15 01 10 [S] packaging containing residues of ed by dangerous substances	or contaminat-

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture						
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3				
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable				
	REACH - Candidate List of Substances of Very High	:	None of the components are listed				

SikaFast[®]-5201NT Part A



Revision Date 11.01.2021	Version	12.0)	Print Date (
Concern for Authorisation (Art	icle 59).		(=> 0.1 %).	
REACH - List of substances so (Annex XIV)	ubject to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 plete the ozone layer	9 on substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu-	:	Not applicable	
PIC Ordinance, ChemPICO (8	314.82)	:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ation, and/or	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water contaminating class (Germany)	:	WGK 2 obviously hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01 % no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

The product belongs to group 1 according to the Swiss Chemicals Ordinance (ChemO 813.11).

SikaFast[®]-5201NT Part A

Revision Date 11.01.2021

Version 12.0



15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H302 Harmful if swallowed. : H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H318 : Causes serious eye irritation. H319 : May cause respiratory irritation. H335 H360D May damage the unborn child. Harmful to aquatic life with long lasting effects. H412 Full text of other abbreviations Acute Tox. Acute toxicity Long-term (chronic) aquatic hazard Aquatic Chronic : Eve Dam. Serious eye damage : Eye Irrit. Eye irritation : Reproductive toxicity Repr. Skin Irrit. Skin irritation Skin Sens. Skin sensitisation STOT SE Specific target organ toxicity - single exposure ADR European Agreement concerning the International Carriage of Dangerous Goods by Road **Chemical Abstracts Service** CAS Derived no-effect level DNEL Half maximal effective concentration EC50 **Globally Harmonized System** GHS : ΙΑΤΑ International Air Transport Association : International Maritime Code for Dangerous Goods IMDG LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in LC50 air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL Occupational Exposure Limit : Persistent, bioaccumulative and toxic PBT Predicted no effect concentration PNEC Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern Very persistent and very bioaccumulative vPvB

Further information

Print Date 03.05.2023

Revision	Date	11 01	2021
1101011	Duio	11.01	.2021

Version 12.0

Classification of the mi	xture:	Classification procedure:
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 1B	H360D	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN