

Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

Print Date 16.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] ViscoCrete[®] RMC-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210	Safety data sheet available on request.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® ViscoCrete® RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

Print Date 16.10.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
	M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
	Acute toxicity esti- mate	
	Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity:	
	247-761-7 01-2120768921-45-	247-761-7 01-2120768921-45- XXXX Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air.	
In case of skin contact	: Take off contaminated clothing and shoes immediately Wash off with soap and plenty of water.	у.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.	

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022		Version 9.0	Print Date 16.10.2024
If swallowed	:	Do not induce vomiting without medical advi Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconse	
4.2 Most important symptoms an	d e	ffects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information and symptoms.	n on health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate n	nec	lical attention and special treatment neede	ed
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	ur	25	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemie extinction.	
		ide/sand/foam/alcohol resistant foam/chemie extinction.	
5.2 Special hazards arising from	the	ide/sand/foam/alcohol resistant foam/chemie extinction.	cal powder for
5.2 Special hazards arising from Hazardous combustion prod-	the	ide/sand/foam/alcohol resistant foam/chemie extinction.	cal powder for
 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters 	the :	ide/sand/foam/alcohol resistant foam/chemie extinction.	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	the :	ide/sand/foam/alcohol resistant foam/chemi extinction. substance or mixture No hazardous combustion products are kno	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters 	the : :	ide/sand/foam/alcohol resistant foam/chemie extinction. substance or mixture No hazardous combustion products are kno In the event of fire, wear self-contained brea Standard procedure for chemical fires.	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas 	the : : e n	ide/sand/foam/alcohol resistant foam/chemie extinction. substance or mixture No hazardous combustion products are kno In the event of fire, wear self-contained brea Standard procedure for chemical fires. neasures	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas 6.1 Personal precautions, protect 	the : : e n	ide/sand/foam/alcohol resistant foam/chemie extinction. substance or mixture No hazardous combustion products are kno In the event of fire, wear self-contained brea Standard procedure for chemical fires.	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas 	the : : e n	ide/sand/foam/alcohol resistant foam/chemie extinction. substance or mixture No hazardous combustion products are kno In the event of fire, wear self-contained brea Standard procedure for chemical fires. neasures e equipment and emergency procedures	cal powder for wn
 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas 6.1 Personal precautions, protect 	the : : e n	ide/sand/foam/alcohol resistant foam/chemie extinction. substance or mixture No hazardous combustion products are kno In the event of fire, wear self-contained brea Standard procedure for chemical fires.	cal powder for wn

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024Version 9.0Print Date 16.10.2024Date of last issue: 03.01.2022Version 9.0Print Date 16.10.2024

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling :		For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion		Normal measures for preventive fire protection.
	Hygiene measures :		When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, in	clı	uding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage :		No special restrictions on storage with other products.
	Further information on stor- : age stability		No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :		Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	TWA (inhalable dust)	0,05 mg/m3	CH SUVA
	es, which are tional skin res inhalation by	nation: Toxic by skin easily absored throu soption a substancial the airways., Sensiti I to very strong allers	ugh the skin, can g I higher risk compa zers; Substances	give by addi- ared to only
		STEL (inhalable dust)	0,1 mg/m3	CH SUVA

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

Print Date 16.10.2024

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection :	Safety glasses			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure contr	ols			
Conorol adviso	No append any irrepresental preservitions required			

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid No data available
Odour	:	characteristic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9.0	Print Date 16.10.2024
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: ca. 4,5	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,11 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	



4

Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9.0	Print Date 16.10.2024
9.2 Other information		
No data available		
SECTION 10: Stability and react	ivity	
10.1 Reactivity		
No dangerous reaction known un	der conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable.		
10.3 Possibility of hazardous reacti	ons	
Hazardous reactions :	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid :	No data available	
10.5 Incompatible materials		
Materials to avoid	No data available	
10.6 Hazardous decomposition pro	ducts	
:	No hazardous decomposition products are kno	wn.

SECTION 11: Toxicological information

Sika[®] ViscoCrete[®] RMC-1

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-o	one (E	BIT):
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LC50: 0,21 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9.0	Print Date 16.10.2024
	Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg	I
2-octyl-2H-isothiazole-3-one	(OIT):	
Acute oral toxicity	: Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate accor No. 1272/2008	ding to Regulation (EC)
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accor No. 1272/2008	ding to Regulation (EC)
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accor No. 1272/2008	ding to Regulation (EC)
Skin corrosion/irritation Not classified due to lack of d	a.	
Serious eye damage/eye irri Not classified due to lack of d		
Respiratory or skin sensitis	tion	
Skin sensitisation Not classified due to lack of d	a.	
Respiratory sensitisation Not classified due to lack of d	a.	
Components:		
1,2-benzisothiazol-3(2H)-on	(BIT):	
Assessment	: May cause sensitisation by skin conta	act.
Germ cell mutagenicity Not classified due to lack of d	a.	
Carcinogenicity Not classified due to lack of d	ta.	
Reproductive toxicity Not classified due to lack of d	a.	
STOT - single exposure Not classified due to lack of d		

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

Print Date 16.10.2024

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

	aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/ Exposure time: 48 h
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	2-octyl-2H-isothiazole-3-one	(01	T):
	M-Factor (Acute aquatic tox- icity)	:	100
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	Persistence and degradabilit	ty	
12.3	Bioaccumulative potential		
	No data available		
12.4	Mobility in soil		
	No data available		

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022 Version 9.0

Print Date 16.10.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 10 01 [S] aqueous liquid wastes containing dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9.0	Print Date 16.10.202
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping nam		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a danger	ous good	
14.6 Special precautions for Not applicable	Iser	
14.7 Maritime transport in bu Not applicable for product	k according to IMO instruments as supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9	9.0	Print Date 16.10.2024
REACH - Candidate List of Subsi Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
PIC Ordinance, ChemPICO (814	.82)	:	Not applicable
Ordinance on Protection against Threshold quantity according to M nance (MAO 814.012)		:	Not applicable
Chemical Risk Reduction Ordinat (ORRChem, SR 814.81)	nce : Not applicat	ole	
Waters Protection Ordinance (WI Water pollution class :	PO 814.201) slightly hazardous to w Classification accordin		
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: <= 3% w/w
	emissions (integrated	poll	24 November 2010 on industrial lution prevention and control) ds (VOC) content: < 0,01% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	•	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	
	•	Causes serious eye damage.
H330		Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute		Short-term (acute) aquatic hazard
Aquatic Chronic		Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Con. Skin Irrit.	:	Skin control Skin
	÷	
Skin Sens.	÷	Skin sensitisation
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	•	International Maritime Code for Dangerous Goods
LD50		Median lethal dosis (the amount of a material, given all at
EBOO	•	once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	•	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		· · · · · · · · · · · · · · · · · · ·



Print Date 16.10.2024

Sika[®] ViscoCrete[®] RMC-1



Revision Date: 07.10.2024 Date of last issue: 03.01.2022	Version 9.0	Print Date 16.10.2024

		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN