

Sika® Ucrete® MF 40 AS (Formerly Ucrete MF 40 AS)

Part C

Revision Date: 03.12.2024	Version 1.0	Print Date 03.12.2024
Date of last issue: -		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika® Ucrete® MF 40 AS (Formerly Ucrete MF 40 AS) Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Flooring system
-------------	-------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier		Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 03.12.2024
Hazard pictograms :	E E	!	
Signal word :	Danger	•	
Hazard statements :	H317 N H318 C	auses skin irritation. lay cause an allergic skin reac auses serious eye damage. lay cause respiratory irritation.	
Precautionary statements :	Prevention: P261 P264 P280	Avoid breathing dust. Wash skin thoroughly afte Wear protective gloves/ ey protection.	
	Response:		
	P304 + P340 -	 P312 IF INHALED: Remo- air and keep comfortable f POISON CENTER/ doctor 	or breathing. Call a
	P305 + P351 -		: Rinse cautiously utes. Remove con- easy to do. Con-
	P333 + P313	If skin irritation or rash occ advice/ attention.	curs: Get medical

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 03.12.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame		Classification	
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C



Revision Date: 03.12.2024	Version 1.0	Print Date 03.12.2024
Date of last issue: -		

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
	irritant effects sensitising effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
Treatment	•	Treat Symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Jika®

Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 03.12.2024
		Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
	:	Do not flush into surface water or sanitary sewer	system.
6.3 Methods and material for cont	tai	nment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without creating dua Keep in suitable, closed containers for disposal.	st.
6.4 Reference to other sections			
For personal protection see sec	ctio	on 8.	
SECTION 7: Handling and stor	ac	16	
C C			
7.1 Precautions for safe handling			
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation proble ma, allergies, chronic or recurrent respiratory dise not be employed in any process in which this mix used. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlin products	ems or asth- ease should ture is being d in the ap-
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaus at places where dust is formed.	st ventilation
Hygiene measures	:	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the en-	ising do not
7.2 Conditions for acts stores in	م دا	luding any incompatibilities	
7.2 Conditions for safe storage, in Requirements for storage	ICI	Keep container tightly closed in a dry and well-ve	ntilated
areas and containers	•	place. Store in accordance with local regulations.	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed	ed.



Sika® Ucrete® MF 40 AS (Formerly Ucrete MF 40 AS)

Part C

Revision Date: 03.12.2024	Version 1.0
Date of last issue: -	

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA
	substances are lished, Carcino tional Safety an istration, Healt Hygiene Labor	ation: Provisional va e, for various reason ogenic Category 1, I nd Health, Occupat h and Safety Execu- ratory), Harm to the ne OEL-value is res	ns, not yet definitiv National Institute f ional Safety and H tive (Occupationa unborn child is no	vely estab- or Occupa- lealth Admin- I Medicine and
Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA
		ation: Sensitizers; S ry strong allergic rea		d with an S
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further informa	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (inhalable dust)	1 mg/m3	CH SUVA
	Further informa	ation: National Instit	ute for Occupation	nal Safety and
	Health, Harm to the unborn child is not to be expected when the			
	OEL-value is re	espected		
		STEL (inhalable dust)	4 mg/m3	CH SUVA

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Jika®

Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024	Version 1.0	Print Date 03.12.2024
Date of last issue: -		

Ensure adequate ventilation, especially in confined areas.

Personal protective equipmer	t i i i i i i i i i i i i i i i i i i i	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 03.12.2024
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or o	exp	plosive limits	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	dispersible	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	:	No data available	



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 03.12.2024
Particle characteristics :	No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and reacti	vity	
10.1 Reactivity		
No dangerous reaction known un	der conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable.		
10.3 Possibility of hazardous reaction	ons	
Hazardous reactions :	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid :	No data available	
10.5 Incompatible materials		
Materials to avoid :	No data available	
10.6 Hazardous decomposition pro	ducts	
:	No hazardous decomposition products are know	/n.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Sika® Ucrete® MF 40 AS (Formerly Ucrete MF 40 AS)

Part C

Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 03.12.2024
Respiratory sensitisation		
Not classified due to lack of data.		
Germ cell mutagenicity		
Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure May cause respiratory irritation.		
STOT - repeated exposure Not classified due to lack of data.		
Aspiration toxicity Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting properties	5	
Product:		
Assessment :	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	es according to ated regulation

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

:

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or





Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024	Version 1.0	Print Date 03.12.2024
Date of last issue: -		

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

|--|

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	levels of 0.1% or higher.

12.7 Other adverse effects

	P	ro	du	ict	:
--	---	----	----	-----	---

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

14.2 UN proper shipping name

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® MF 40 AS (Formerly Ucrete MF 40 AS)



Part C

Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 03.12.202	
ADR		Not regulated as a dangerous good		
IMDG		Not regulated as a dangerous good		
ΙΑΤΑ		Not regulated as a dangerous good		
14.3 Transport hazard class(es)			
ADR		Not regulated as a dangerous good		
IMDG		Not regulated as a dangerous good		
ΙΑΤΑ		Not regulated as a dangerous good		
14.4 Packing group				
ADR		Not regulated as a dangerous good		
IMDG		Not regulated as a dangerous good		
IATA (Cargo)		Not regulated as a dangerous good		
IATA (Passenger)		Not regulated as a dangerous good		
Not regulated as a danger 4.6 Special precautions for Not applicable		ood		
International Chemical We	as su nforr	nation nation ntal regulations/legislation specific for t s Convention (CWC) : Not applicab		
Schedules of Toxic Chem	cals	and Precursors		
REACH Information:	REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
REACH - Restrictions on the market and use of cer mixtures and articles (Anr	ain d	angerous substances, lowing entrie	of restriction for the fol- es should be considered: list 47: Cement, port-	

REACH - Candidate List of Substances of Very High
Concern for Authorisation (Article 59).None of the components are listed
(=> 0.1 %).

land, chemicals



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 03.12.2024					
REACH - List of substances subj (Annex XIV)	ect to authorisation : Not appl	icable					
Regulation (EC) on substances th layer	nat deplete the ozone : Not appl	icable					
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu- : Not appl	icable					
PIC Ordinance, ChemPICO (814	82) : Not appl	icable					
	Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordi- : Not applicable nance (MAO 814.012)						
Chemical Risk Reduction Ordinal (ORRChem, SR 814.81)	Chemical Risk Reduction Ordinance : (ORRChem, SR 814.81) Not applicable						
	Waters Protection Ordinance (WPO 814.201) Water pollution class : slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)						
Volatile organic compounds :	 Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties 						
	Directive 2010/75/EU of 24 Novemb emissions (integrated pollution prev Not applicable						

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 03.12.2024

SECTION 16: Other information

Full text of H-Statements	
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
Full text of other abbreviations	, , ,
Eye Dam. :	Serious eye damage
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT SE	Specific target organ toxicity - single exposure
2017/164/EU	Europe. Commission Directive 2017/164/EU establishing a
2011/10//20	fourth list of indicative occupational exposure limit values
CH SUVA :	Switzerland. Limit values at the work place
2017/164/EU / STEL	Short term exposure limit
2017/164/EU / TWA	Limit Value - eight hours
CH SUVA / TWA	Time Weighted Average
CH SUVA / STEL	Short Term Exposure Limit
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative

Further information

Classification of the mixture:

Classification procedure:



Sika[®] Ucrete[®] MF 40 AS (Formerly Ucrete MF 40 AS) Part C

Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 03.12.2024
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN