

Revision Date: 09.10.2024 Date of last issue: - Version 1.0

Print Date 09.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaScreed[®]-60 Binder

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Skin irritation, Category 2	72/2008) H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms			
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed®-60 Binder



Revision Date: 09.10.2024 Date of last issue: -	Version 1.0		Print Date 09.10.2024	
		uses serious eye damage. y cause respiratory irritation.		
Precautionary statements :	Prevention:			
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.		
	Response:			
	P304 + P340 + F	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a	
	P305 + P351 + F	P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	e cautiously Remove con- to do. Con-	
	Storage:			
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-	

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 09.10.2024 Date of last issue: -

Version 1.0

Print Date 09.10.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponento			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · · · ·
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
calcium sulfate	7778-18-9		>= 10 - < 20
	231-900-3		
	01-2119444918-26-		
	XXXX		
calcium carbonate	471-34-1		>= 5 - < 10
	207-439-9		
	01-2119486795-18-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Date of last issue: - Version 1.0

Print Date 09.10.2024

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
	irritant effects
.3 Indication of any immediat	e medical attention and special treatment needed
Treatment	: Treat symptomatically.
ECTION 5: Firefighting me	
.1 Extinguishing media Suitable extinguishing medi	
.1 Extinguishing media	 a : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
.1 Extinguishing media Suitable extinguishing medi .2 Special hazards arising fro	 a : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 .1 Extinguishing media Suitable extinguishing media .2 Special hazards arising fro Hazardous combustion procession 	a : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 .1 Extinguishing media Suitable extinguishing media .2 Special hazards arising fro Hazardous combustion products .3 Advice for firefighters 	a : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
---------------------------	---	---

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Date of last issue: - Version 1.0

Print Date 09.10.2024

courses.

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1 Trecautions	for sale nanuling		
Advice on s	afe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on p fire and exp		:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene me	asures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions f	or safe storage, in	ncl	uding any incompatibilities
	nts for storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further infor age stability		:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end	l use(s)		
0	(-)		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.



Revision Date: 09.10.2024 Date of last issue: - Version 1.0

Print Date 09.10.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA	
	Further inform	nation: Sensitizers; S	Substances marke	d with an S	
	can lead to ve	ery strong allergic re	actions.		
calcium sulfate	7778-18-9	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA	
		Further information: Harm to the unborn child is not to be expected when the OEL-value is respected			
calcium carbonate	471-34-1	TWA (alveolate dust)	3 mg/m3	CH SUVA	
.	Health	nation: National Inst	•	-	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Version 1.0 Print Date 09.10.2024 Date of last issue: -Respiratory protection In case of inadequate ventilation wear respiratory protection. 5 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. **Environmental exposure controls** General advice : Try to prevent the material from entering drains or water courses.

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	solid powder grey				
Odour	:	odourless				
Melting point/ range / Freez- ing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or explosive limits						
Upper explosion limit / Up- per flammability limit	:	No data available				
Lower explosion limit / Lower flammability limit	:	No data available				
Flash point	:	Not applicable				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Date of last issue: -		Version 1.0	Print Date 09.10.2024
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 (20 °C) Concentration: 50 %	
Viscosity Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	ca. 1.010 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed®-60 Binder

_



Revision Date: 09.10.2024 Date of last issue: -		Version 1.0	Print Date 09.10.2024
10.4 Conditions to avoid Conditions to avoid	: No	data available	
10.5 Incompatible materials Materials to avoid	: No	data available	
10.6 Hazardous decompositior	n products	i	
	: No	hazardous decomposition product	ts are known.
SECTION 11: Toxicological 11.1 Information on hazard cla Acute toxicity Not classified due to lack of	sses as de	efined in Regulation (EC) No 127	72/2008
Components:	uala.		
calcium sulfate: Acute oral toxicity	: LD5	0 Oral (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye i Causes serious eye damage			
Respiratory or skin sensit	isation		
Skin sensitisation	data		

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Date of last issue: - Version 1.0

Print Date 09.10.2024

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Date of last issue: - Version 1.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	16 03 03 [S] inorganic wastes containing dangerous sub- stances

SECTION 14: Transport information

14.1 UN number or ID number

s good	Not regulated as a da	:		
	Not regulated as a da	:	IATA	
			4.3 Transport hazard class(es)	14.3 Transport haz
s good	Not regulated as a da	:	ADR	ADR
s good	Not regulated as a da	:	IMDG	IMDG
s good	Not regulated as a da	:	ΙΑΤΑ	ΙΑΤΑ
			4.4 Packing group	14.4 Packing grou
s aood	Not regulated as a da	;	ADR	ADR
-	-			
-	-	·	-	_
s go	Not regulated as a da Not regulated as a da Not regulated as a da	::	ADR IMDG IATA (Cargo)	IMDG

SikaScreed[®]-60 Binder

Revision Date: 09.10.2024



Print Date 09.10.2024

Date of last issue: -IATA (Passenger) Not regulated as a dangerous good 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 47: Cement (chromium reduced) REACH - Candidate List of Substances of Very High None of the components are listed 2 Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-5 Not applicable tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Ordinance on Protection against Major Accidents

Version 1.0

Threshold quantity according to Major Accidents Ordi-

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed[®]-60 Binder



Revision Date: 09.10.2024 Version 1.0 Print Date 09.10.2024 Date of last issue: -Chemical Risk Reduction Ordinance (ORRChem, SR 814.81) Not applicable Waters Protection Ordinance (WPO 814.201) Water pollution class : slightly hazardous to water Classification according to AwSV, Annex 1 (5.2) Law on the incentive tax for volatile organic compounds Volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0.01% w/w

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315 H318	÷	Causes skin irritation.			
H335	:	Causes serious eye damage.			
пэээ	•	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
CH SUVA	:	Switzerland. Limit values at the work place			
CH SUVA / TWA	:	Time Weighted Average			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed®-60 Binder



Revision Date: 09.10.2024 Date of last issue: -	Version	1.0	Print Date 09.10.2024
IMDG		e Code for Dangerous G	
LD50		the amount of a material he death of 50% (one ha	
LC50	Median lethal concer	ntration (concentrations on the test animals during the	
MARPOL		tion for the Prevention of ied by the Protocol of 19	
OEL	Occupational Exposu		
PBT	Persistent, bioaccum	ulative and toxic	
PNEC	Predicted no effect co	oncentration	
REACH	and of the Council of istration, Evaluation,	1907/2006 of the Europe 18 December 2006 cond Authorisation and Restric lishing a European Chen	cerning the Reg- ction of Chemi-
SVHC	Substances of Very H	ligh Concern	0.1
vPvB	Very persistent and v	ery bioaccumulative	

Further information

Classification of the	mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN