## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sikalastic® Rapid-729 Universal Primer Part A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special coating, For professional users only., Product is not intended for consumer use

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Schweiz AG
Tüffenwies 16
8048 Zürich
Telephone : +41 58 436 40 40
Telefax : -
E-mail address of person responsible for the SDS : rpc@ch.sika.com

### 1.4 Emergency telephone number

Tox Info Suisse
CH-8028 Zurich
+41(0)44 251 51 51 / Speed calling: 145

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

| | |
|---|---|
| Flammable liquids, Category 2 | H225: Highly flammable liquid and vapour. |
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation. |

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Danger

Hazard statements :

| | |
|---|---|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |

| | | |
|---|---|---|
| | H335 | May cause respiratory irritation. |

Precautionary statements :

**Prevention:**

| | |
|---|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P261 | Avoid breathing mist or vapours. |
| P264 | Wash skin thoroughly after handling. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |

**Response:**

| | |
|---|---|
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |

**Hazardous components which must be listed on the label:**

methyl methacrylate
2-(N-methyl-p-toluidino)ethanol
tetramethylene dimethacrylate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification | Concentration (% w/w) |
|---|---|---|---|
| methyl methacrylate | 80-62-6<br>201-297-1<br>607-035-00-6<br>01-2119452498-28-XXXX | Flam. Liq. 2; H225<br>Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>STOT SE 3; H335 (Respiratory system) | >= 60 - < 80 |

| | | | |
|---|---|---|---|
| 2-(N-methyl-p-toluidino)ethanol | 2842-44-6<br>220-638-5<br>01-2120827830-56-XXXX | Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2; H411 | >= 1 - < 2,5 |
| tetramethylene dimethacrylate | 2082-81-7<br>218-218-1<br>607-766-00-0<br>01-2119967415-30-XXXX | Skin Sens. 1B; H317 | >= 1 - < 2,5 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Cough
Respiratory disorder
Allergic reactions
Erythema
Dermatitis
See Section 11 for more detailed information on health effects and symptoms.

Risks : Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

irritant effects
sensitising effects

### 4.3 Indication of any immediate medical attention and special treatment needed

| | | |
|---|---|---|
| Treatment | : | Treat symptomatically. |

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

| | | |
|---|---|---|
| Suitable extinguishing media | : | Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical |
| Unsuitable extinguishing media | : | Water<br>High volume water jet |

### 5.2 Special hazards arising from the substance or mixture

| | | |
|---|---|---|
| Specific hazards during firefighting | : | Do not use a solid water stream as it may scatter and spread fire. |
| Hazardous combustion products | : | No hazardous combustion products are known |

### 5.3 Advice for firefighters

| | | |
|---|---|---|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |
| Further information | : | Use water spray to cool unopened containers. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

| | | |
|---|---|---|
| Personal precautions | : | Use personal protective equipment.<br>Remove all sources of ignition.<br>Deny access to unprotected persons.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |

### 6.2 Environmental precautions

| | | |
|---|---|---|
| Environmental precautions | : | Prevent product from entering drains.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |

### 6.3 Methods and material for containment and cleaning up

| | | |
|---|---|---|
| Methods for cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local |

/ national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

| | | |
|---|---|---|
| Advice on safe handling | : | Do not breathe vapours or spray mist.<br>Avoid exceeding the given occupational exposure limits (see section 8).<br>Do not get in eyes, on skin, or on clothing.<br>For personal protection see section 8.<br>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Take precautionary measures against static discharge.<br>Open drum carefully as content may be under pressure.<br>Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).<br>Follow standard hygiene measures when handling chemical products |
| Advice on protection against fire and explosion | : | Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges. |
| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

### 7.2 Conditions for safe storage, including any incompatibilities

| | | |
|---|---|---|
| Requirements for storage areas and containers | : | Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations. |
| Further information on storage stability | : | No decomposition if stored and applied as directed. |

### 7.3 Specific end use(s)

| | | |
|---|---|---|
| Specific use(s) | : | Consult most current local Product Data Sheet prior to any use. |

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters * | Basis * |
|---|---|---|---|---|
| methyl methacrylate | 80-62-6 | TWA | 50 ppm | 2009/161/EU |
| | Further information: Indicative | | | |
| | | STEL | 100 ppm | 2009/161/EU |
| | | TWA | 50 ppm<br>210 mg/m3 | CH SUVA |
| | Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., National Institute for Occupational Safety and Health, National Institute of Research and Safety for the prevention of work accidents and occupational diseases, Harm to the unborn child is not to be expected when the OEL-value is respected | | | |
| | | STEL | 100 ppm<br>420 mg/m3 | CH SUVA |

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

**Appropriate engineering controls**

Maintain air concentrations below occupational exposure standards.
Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
Suitable for short time use or protection against splashes:
Butyl rubber/nitrile rubber gloves (> 0,1 mm)
Contaminated gloves should be removed.
Suitable for permanent exposure:
Viton gloves (0.4 mm),
breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-

ing limits of the selected respirator.
organic vapor filter (Type A)
A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm
Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

**Environmental exposure controls**

General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | liquid |
| Colour | : | opaque |
| Odour | : | characteristic |
| Melting point/ range / Freezing point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flammability (solid, gas) | : | No data available |

**Upper/lower flammability or explosive limits**

| | | |
|---|---|---|
| Upper explosion limit / Upper flammability limit | : | 12,5 %(V) |
| Lower explosion limit / Lower flammability limit | : | 2,1 %(V) |
| Flash point | : | ca. 10 °C<br>Method: closed cup |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| pH | : | not determined<br>substance/mixture is non-soluble (in water) |

**Viscosity**

| | | |
|---|---|---|
| Viscosity, dynamic | : | ca. 200 mPa.s (20 °C) |

| | | |
|---|---|---|
| Viscosity, kinematic | : | not determined |

**Solubility(ies)**

| | | |
|---|---|---|
| Water solubility | : | insoluble |
| Partition coefficient: n-octanol/water | : | No data available |
| Vapour pressure | : | ca. 38,7 hPa (20 °C) |
| Density | : | ca. 0,99 g/cm3 (20 °C) |
| Relative vapour density | : | No data available |
| Particle characteristics | : | No data available |

**9.2 Other information**

No data available

## SECTION 10: Stability and reactivity

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

The product is chemically stable.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.

**10.4 Conditions to avoid**

Conditions to avoid : Heat, flames and sparks.

**10.5 Incompatible materials**

Materials to avoid : No data available

**10.6 Hazardous decomposition products**

:

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**
Not classified due to lack of data.

**Components:**

**methyl methacrylate:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 Oral (Rat): > 5.000 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): 29,8 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour |
| Acute dermal toxicity | : | LD50 Dermal (Rabbit): > 5.000 mg/kg |

**2-(N-methyl-p-toluidino)ethanol:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 Oral (Rat): > 2.000 mg/kg |

**Skin corrosion/irritation**
Causes skin irritation.

**Serious eye damage/eye irritation**
Not classified due to lack of data.

**Respiratory or skin sensitisation**

**Skin sensitisation**
May cause an allergic skin reaction.

**Respiratory sensitisation**
Not classified due to lack of data.

**Germ cell mutagenicity**
Not classified due to lack of data.

**Carcinogenicity**
Not classified due to lack of data.

**Reproductive toxicity**
Not classified due to lack of data.

**STOT - single exposure**
May cause respiratory irritation.

**STOT - repeated exposure**
Not classified due to lack of data.

**Aspiration hazard**
Not classified due to lack of data.

**11.2 Information on other hazards**

**Endocrine disrupting properties**
Not classified due to lack of data.

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**methyl methacrylate:**

| | | |
|---|---|---|
| Toxicity to fish | : | NOEC (Danio rerio (zebra fish)): 9,4 mg/l |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 69 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br><br>NOEC : 37 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 202 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 37 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea) |

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

| | | |
|---|---|---|
| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. |

### 12.6 Endocrine disrupting properties

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components consid- |

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR** : UN 1866

**IMDG** : UN 1866

**IATA** : UN 1866

### 14.2 UN proper shipping name

**ADR** : RESIN SOLUTION

**IMDG** : RESIN SOLUTION

**IATA** : Resin solution

### 14.3 Transport hazard class(es)

| | | Class | Subsidiary risks |
|---|---|---|---|
| **ADR** | : | 3 | |
| **IMDG** | : | 3 | |

**IATA** : 3

### 14.4 Packing group

**ADR**

| | | |
|---|---|---|
| Packing group | : | II |
| Classification Code | : | F1 |
| Hazard Identification Number | : | 33 |
| Labels | : | 3 |
| Tunnel restriction code | : | (D/E) |

**IMDG**

| | | |
|---|---|---|
| Packing group | : | II |
| Labels | : | 3 |
| EmS Code | : | F-E, S-E |

**IATA (Cargo)**

| | | |
|---|---|---|
| Packing instruction (cargo aircraft) | : | 364 |
| Packing instruction (LQ) | : | Y341 |
| Packing group | : | II |
| Labels | : | Flammable Liquids |

**IATA (Passenger)**

| | | |
|---|---|---|
| Packing instruction (passenger aircraft) | : | 353 |
| Packing instruction (LQ) | : | Y341 |
| Packing group | : | II |
| Labels | : | Flammable Liquids |

### 14.5 Environmental hazards

**ADR**

Environmentally hazardous : no

**IMDG**

Marine pollutant : no

**IATA (Passenger)**

Environmentally hazardous : no

**IATA (Cargo)**

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | | |
|---|---|---|
| International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors | : | Not applicable |
| REACH Information: | | All substances contained in our Products are<br>- registered by our upstream suppliers, and/or<br>- registered by us, and/or<br>- excluded from the regulation, and/or<br>- exempted from the registration. |
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries must be considered::<br>Number on list 3<br><br>Number on list 40<br>This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.<br><br>Number on list 75 |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | None of the components are listed (=> 0.1 %). |
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : | Not applicable |
| PIC Ordinance, ChemPICO (814.82) | : | Not applicable |
| Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordinance (MAO 814.012) | : | 20.000 kg |
| Chemical Risk Reduction Ordinance (ORRChem, SR 814.81) | : | Conditions of restriction for the following annexes should be considered:<br>Annex 1.11 Dangerous liquid substances |

Annex 2.12 Aerosol dispensers
This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.

Waters Protection Ordinance (WPO 814.201)

| | | |
|---|---|---|
| Water pollution class | : | slightly hazardous to water<br>Classification according to AwSV, Annex 1 (5.2) |
| Volatile organic compounds | : | Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC)<br>no VOC duties<br><br>Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)<br>Volatile organic compounds (VOC) content: 74,9% w/w |

**Other regulations:**

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

**Full text of H-Statements**

| | | |
|---|---|---|
| H225 | : | Highly flammable liquid and vapour. |
| H315 | : | Causes skin irritation. |
| H317 | : | May cause an allergic skin reaction. |
| H319 | : | Causes serious eye irritation. |
| H335 | : | May cause respiratory irritation. |
| H411 | : | Toxic to aquatic life with long lasting effects. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Eye Irrit. | : | Eye irritation |
| Flam. Liq. | : | Flammable liquids |
| Skin Irrit. | : | Skin irritation |
| Skin Sens. | : | Skin sensitisation |
| STOT SE | : | Specific target organ toxicity - single exposure |

| | | |
|---|---|---|
| 2009/161/EU | : | Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC |
| CH SUVA | : | Switzerland. Limit values at the work place |
| 2009/161/EU / TWA | : | Limit Value - eight hours |
| 2009/161/EU / STEL | : | Short term exposure limit |
| CH SUVA / TWA | : | Time Weighted Average |
| CH SUVA / STEL | : | Short Term Exposure Limit |
| ADR | : | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| CAS | : | Chemical Abstracts Service |
| DNEL | : | Derived no-effect level |
| EC50 | : | Half maximal effective concentration |
| GHS | : | Globally Harmonized System |
| IATA | : | International Air Transport Association |
| IMDG | : | International Maritime Code for Dangerous Goods |
| LD50 | : | Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50 | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) |
| MARPOL | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 |
| OEL | : | Occupational Exposure Limit |
| PBT | : | Persistent, bioaccumulative and toxic |
| PNEC | : | Predicted no effect concentration |
| REACH | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC | : | Substances of Very High Concern |
| vPvB | : | Very persistent and very bioaccumulative |

**Further information**

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Flam. Liq. 2 | H225 | Based on product data or assessment |
| Skin Irrit. 2 | H315 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| STOT SE 3 | H335 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN