

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur[®]-42 HE Plus Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Epoxy-Cementitious system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 11.02.2021 Date of last issue: 15.05.2018



ate of last issue: 15.05.2018		v		
Signal word	:	Danger		
Hazard statements	:	H302 H314 H317 H412	Harmful if swallowed. Causes severe skin burns and May cause an allergic skin rea Harmful to aquatic life with lon fects.	ction.
Supplemental Hazard Statements	:	EUH071	Corrosive to the respiratory tra	ict.
Precautionary statements	:	Prevention:		
		P261	Avoid breathing dust/ fume/ ga pours/ spray.	as/ mist/ va-
		P273 P280	Avoid release to the environme Wear protective gloves/ protection eye protection/ face protection	tive clothing/
		Response:		
		P303 + P361 + I	P353 IF ON SKIN (or hair): Ta ately all contaminated clothing with water.	
		P304 + P340 + I	P310 IF INHALED: Remove p air and keep comfortable for b mediately call a POISON CEN	reathing. Im-
		P305 + P351 + I	P338 + P310 IF IN EYES: Rin with water for several minutes, tact lenses, if present and eas tinue rinsing. Immediately call CENTER/ doctor.	se cautiously . Remove con- y to do. Con-

Version 4.0

Hazardous components which must be listed on the label:

Amines, polyethylenepoly-, triethylenetetramine fraction 3-aminopropyldimethylamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 11.02.2021 Date of last issue: 15.05.2018



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Amines, polyethylenepoly-, tri- ethylenetetramine fraction Contains: 2-(2-aminoethylamino)ethanol <= 0,3 %	90640-67-8 292-588-2 01-2119487919-13- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	>= 40 - < 60
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 25 - < 40
2,4,6- tris(dimethylaminomethyl)phenol Contains: bis[(dimethylamino)methyl]phenol <= 15 %	90-72-2 202-013-9 01-2119560597-27- XXXX	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 5 - < 10
3-aminopropyldimethylamine	109-55-7 203-680-9 01-2119486842-27- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Acute Tox. 4; H312 STOT SE 3; H335	< 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.



Revision Date: 11.02.2021 Date of last issue: 15.05.2018		Version 4.0	Print Date 03.05
In case of eye contact	:	Small amounts splashed into eyes can cause in sue damage and blindness. In the case of contact with eyes, rinse immediat of water and seek medical advice. Continue rinsing eyes during transport to hospit Remove contact lenses. Keep eye wide open while rinsing.	ely with plenty
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	s person.
4.2 Most important symptoms ar	nd e	ffects, both acute and delayed	
Symptoms	:	Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information or and symptoms.	health effects
Risks :		Health injuries may be delayed. corrosive effects sensitising effects	
		Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Corrosive to the respiratory tract. Causes severe burns.	
4.3 Indication of any immediate	mec	lical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
-	:	In the event of fire, wear self-contained breathin	g apparatus.



Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

• • •	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
benzyl alcohol	100-51-6	TWA	5 ppm 22 mg/m3	CH SUVA
	as vapor and a stances, which additional skin only inhalation Safety and He	ation: The substance aerosol, Toxic by sk a are easily absored resoption a substan by the airways., Na alth, Harm to the ur -value is respected	in resorption poss I through the skin, ncial higher risk co ational Institute for aborn child is not to	ible; Sub- can give by ompared to Occupational

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0



and stirring work.

Respiratory protection	 In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	amine-like
Odour Threshold	:	No data available
рН	:	ca. 11 (20 °C) Concentration: 100 %
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 119 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

Sikadur[®]-42 HE Plus Part B

Revision Date: 11.02.2021 Date of last issue: 15.05.2018





Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0,07 hPa
Relative vapour density	:	No data available
Density	:	ca. 0,89 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	ca. 15 mPa.s (20 °C)
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Viscosity, dynamic Viscosity, kinematic Explosive properties	::	No data available No data available No data available No data available ca. 15 mPa.s (20 °C) < 20,5 mm2/s (40 °C) No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

data available

10.5 Incompatible materials

Materials to avoid	: No data available	
Country CH 100000010180		

Sikadur[®]-42 HE Plus Part B

Print Date 03.05.2023

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute oral toxicity	: LD50 Oral (Rat): 1.716 mg/kg
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 Dermal (Rabbit): 1.465 mg/kg
benzyl alcohol: Acute oral toxicity	: LD50 Oral (Rat): 1.620 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity	:	LD50 (Rat): > 1.999 mg/kg
		Remarks: Harmful if swallowed.
		Annex VI - Harmonised
		REGULATION (EC) No 1272/2008

Skin corrosion/irritation

Causes severe burns.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment Method	:	Rabbit Corrosive OECD Test Guideline 404
Assessment Remarks		irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0



Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment

Rabbit

Assessment : Causes serious eye damage. Assessment : irritating Remarks : Annex VI - Harmonised REGULATION (EC) No 1272/2008

:

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

benzyl alcohol:

Toxicity to fish

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates		Exposure time: 48 h

: LC50 (Fish): > 100 mg/l Exposure time: 96 h

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to algae/aquatic	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 10
plants		- 100 mg/l
		Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland VeVA/LVA	:	08 04 09: [S] waste adhesives and sealants containing organ- ic solvents or other dangerous substances
Contaminated packaging	:	15 01 10 [S] packaging containing residues of or contaminat- ed by dangerous substances

SECTION 14: Transport information

14.1 UN number		
ADR	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADR	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Amines, polyethylenepoly-, triethylenetetramine fraction, 2,4,6-tris(dimethylaminomethyl)phenol)
IMDG	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Amines, polyethylenepoly-, triethylenetetramine fraction, 2,4,6-tris(dimethylaminomethyl)phenol)
ΙΑΤΑ	:	Polyamines, liquid, corrosive, n.o.s. (Amines, polyethylenepoly-, triethylenetetramine fraction, 2,4,6-tris(dimethylaminomethyl)phenol)
14.3 Transport hazard class(es)		
ADR	:	8
IMDG	:	8

Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0



ΙΑΤΑ 8 : 14.4 Packing group ADR Packing group Ш Classification Code C7 Hazard Identification Number : 80 Labels 8 : Tunnel restriction code : (E) IMDG Packing group Ш : Labels : 8 EmS Code : F-A, S-B IATA (Cargo) Packing instruction (cargo 855 : aircraft) Packing instruction (LQ) 2 Y840 Packing group 2 Ш Labels : Corrosive IATA (Passenger) Packing instruction (passen-: 851 ger aircraft) Packing instruction (LQ) Y840 ÷ Packing group 1 Labels Corrosive 14.5 Environmental hazards ADR Environmentally hazardous : no IMDG Marine pollutant : no IATA (Passenger) Environmentally hazardous no IATA (Cargo)

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Sikadur[®]-42 HE Plus Part B



Revision Date: 11.02.2021 Date of last issue: 15.05.2018	Version 4	4.0	Print Date 03.05.2
REACH - Restrictions on the man the market and use of certain dan preparations and articles (Annex >	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons (Schedules of Toxic Chemicals and		:	Not applicable
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on per tants (recast)	rsistent organic pollu-	:	Not applicable
PIC Ordinance, ChemPICO (814.8	32)	:	Not applicable
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea l/or gula	im suppliers, and/or tion, and/or
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan	•	nent	and of the Council on the control of ma-
	WOK 2 abviewaly hard	معمام	

Water contaminating class (Germany)	:	WGK 2 obviously hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 32,5 % Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 32,9 %

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

The product belongs to group 2 according to the Swiss Chemicals Ordinance (ChemO 813.11). Country CH 10000010180

Sikadur[®]-42 HE Plus Part B

Revision Date: 11.02.2021 Date of last issue: 15.05.2018

Version 4.0



15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 H302 H312 H314 H317 H318 H319 H332 H335 H412 Full text of other abbreviatio		Flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.
Acute Tox.		Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	÷	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
CH SUVA	:	Switzerland. Limit values at the work place
CH SUVA / TWA	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
0.1.0		Dangerous Goods by Road
CAS	÷	Chemical Abstracts Service Derived no-effect level
DNEL EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
2200	•	once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-



Revision Date: 11.02.2021 Date of last issue: 15.05.2018 Version 4.0

		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the m	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN