

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Rock Gunit-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person responsible for the SDS	:	EHS@ch.sika.com

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] Rock Gunit-8



Revision Date: 09.01.2024 Date of last issue: 24.02.2021	V	ersion 3.0	Print Date 09.01.2024
	H335	May cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 + I	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a
	P305 + P351 +		e cautiously Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 09.01.2024 Date of last issue: 24.02.2021



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponento				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number			
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder

Excessive lachrymation

Jika ®
Print Date 09.01.2024

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0

Date of last issue: 24.02.2021		
Risks	Erythema Dermatitis See Section 11 for more detailed informatio and symptoms. irritant effects	on on health effects
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate	cal attention and special treatment need	ed
Treatment	Treat symptomatically.	
SECTION 5: Firefighting meas	S	
5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	
5.2 Special hazards arising from	substance or mixture	
	No hazardous combustion products are know	own
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire, wear self-contained bre	athing apparatus.
Further information	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	easures	
6 1 Personal precautions protec	equipment and emergency procedures	
Personal precautions	Use personal protective equipment.	
	Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	Try to prevent the material from entering dr	ains or water
	courses. No special environmental precautions requ	
6.3 Methods and material for cor	ment and cleaning up	
Methods for cleaning up	Pick up and arrange disposal without creat Keep in suitable, closed containers for disp	

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	3	
	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA
	Further information: Provisional value - The TWA-values for these substances are, for various reasons, not yet definitively estab-			

Print Date 09.01.2024

Revision Date: 09.01.2024 Date of last issue: 24.02.2021

	tional Safety a istration, Hea Hygiene Labo	lished, Carcinogenic Category 1, National Institute for Occupa- tional Safety and Health, Occupational Safety and Health Admin- istration, Health and Safety Executive (Occupational Medicine and Hygiene Laboratory), Harm to the unborn child is not to be ex- pected when the OEL-value is respected				
Cement (chromium reduced)	65997-15-1	65997-15-1 TWA (inhalable 5 mg/m3 CH SUVA dust)				
		Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure

Jika ®
Print Date 09.01.2024

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0

limits then respiration protection measures must be used.

Environmental exposu	ire controls
General advice	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey				
Odour	:	characteristic				
Melting point/range / Freezing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or explosive limits						
Upper explosion limit / Up- per flammability limit	-					
Lower explosion limit / Lower flammability limit	:	No data available				
Flash point	:	Not applicable				
Auto-ignition temperature	:	No data available				
Decomposition temperature	:	No data available				
рН	:	> 11 Concentration: 50 %				
Viscosity Viscosity, kinematic		Not applicable				
viscosity, kinematic	:	Not applicable				

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0



Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 3 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0



SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

|--|

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 09.01.2024 Date of last issue: 24.02.2021		Version 3.0	Print Date 09.01.202
		local authority requirements. Avoid dispersal of spilled material and runo soil, waterways, drains and sewers.	ff and contact with
Waste code Switzerland VeVA/LVA	:	16 03 03 -	
Contaminated packaging	:	15 01 10 [S] packaging containing residues ed by dangerous substances	of or contaminat-

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable : (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable 2 tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Chemical Risk Reduction Ordinance (ORRChem, SR Not applicable 814.81) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met

Print Date 09.01.2024

Revision Date: 09.01.2024 Date of last issue: 24.02.2021 Version 3.0

and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
CH SUVA	:	Switzerland. Limit values at the work place			
CH SUVA / TWA	:	Time Weighted Average			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		Occupational Exposure Limit			
PBT		Persistent, bioaccumulative and toxic			
PNEC		Predicted no effect concentration			
REACH		Regulation (EC) No 1907/2006 of the European Parliament			
	•	and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC		Substances of Very High Concern			
vPvB		Very persistent and very bioaccumulative			
		- / /			

Further information

Classification of the mixture:

Classification procedure:



	Version 3.0	Print Date 09.01.2024
H315	Calculation method	
H318	Calculation method	
H335	Calculation method	
	H318	H315 Calculation method H318 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN