

Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

Sikafloor®-2510 W Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)Hazard pictograms:Hazard pictograms:Signal word:PangerHazard statements:H318Causes serious eye damage.Precautionary statements:Precautionary statements:Prevention:<br/>P280Wear eye protection/ face protection.<br/>Response:

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

## Hazardous components which must be listed on the label:

Polymer, reaction product of BADGE/glycidylether with TEPA

#### Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Polymer, reaction product of	155240-10-1	Eye Dam. 1; H318	>= 20 - < 25
BADGE/glycidylether with TEPA	Not Assigned	-	
	-		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: -		Version 1.0	Print Date 09.04.2028
If inhaled	:	Move to fresh air. Consult a physician after significant expo	osure.
In case of skin contact	:	Take off contaminated clothing and shoe Wash off with soap and plenty of water. If symptoms persist, call a physician.	es immediately.
In case of eye contact	:	Small amounts splashed into eyes can car sue damage and blindness. In the case of contact with eyes, rinse im of water and seek medical advice. Continue rinsing eyes during transport to Remove contact lenses. Keep eye wide open while rinsing.	mediately with plenty
If swallowed	:	Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
4.2 Most important symptoms a	nd	effects, both acute and delayed	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks	:	Causes serious eye damage.	
		irritant effects	
4.3 Indication of any immediate	me	dical attention and special treatment ne	eded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
• •	:	In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/che extinction.	
5.2 Special hazards arising from	h th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are l	known
5.3 Advice for firefighters			
-	:	In the event of fire, wear self-contained b	preathing apparatus.

Sikafloor<sup>®</sup>-2510 W Part A

\_



Revision Date: 09.04.2025 Date of last issue: -		Version 1.0	Print Date 09.04.2025
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	ie r	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering drains of courses. No special environmental precautions required.	or water
6.3 Methods and material for con	itai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,
6 4 Potoronoo to othor continuo			

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>		
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage, including any incompatibilities				

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Containers which are opened must be carefully re-
		sealed and kept upright to prevent leakage. Store in accord-
		ance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor<sup>®</sup>-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: -		Version 1.0	Print Date 09.04.2025
Further information on stor- age stability	:	No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)			

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	No special measures required.
Environmental exposure conti	ols
General advice	Try to prevent the material from entering drains or water

No special environmental precautions required.

courses.

Sikafloor®-2510 W Part A




Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properties
Physical state Appearance Colour	:	liquid viscous liquid various
Odour	:	very faint
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
l Inner/leurer flemmehiliturer	• • •	Jaciva limita
Upper/lower flammability or o Upper explosion limit / Up-	-	
per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 10 Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	ca. 1.250 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility/icc)		
Solubility(ies) Water solubility	:	soluble





Revision Date: 09.04.2025 Date of last issue: -	Version 1.0	Print Date 09.04.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,47 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

#### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

# 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

# Sikafloor<sup>®</sup>-2510 W Part A

Skin corrosion/irritation

**Jika**®

Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

Not classified due to lack of data. Serious eye damage/eye irritation Causes serious eye damage.

# Respiratory or skin sensitisation

## Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

# Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available Country CH 10000061474

# Sikafloor<sup>®</sup>-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor-	:	There is no data available for this product.

#### mation

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor<sup>®</sup>-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: -	Version 1.0	Print Date 09.04.2025
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping nar	ne	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class	(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange	rous good	
14.6 Special precautions for Not applicable	user	
14.7 Maritime transport in but Not applicable for product	Ilk according to IMO instruments as supplied.	

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

**REACH Information:** 

- All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or
  - excluded from the regulation, and/or

  - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3

# Sikafloor<sup>®</sup>-2510 W Part A

Revision Date: 09.04.2025



Print Date 09.04.2025

Date of last issue: -Number on list 75 REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EU) No 2024/590 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) PIC Ordinance, ChemPICO (814.82) Not applicable Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordi-Not applicable nance (MAO 814.012) Chemical Risk Reduction Ordinance : Conditions of restriction for the following annexes (ORRChem, SR 814.81) should be considered: Annex 1.11 Dangerous liquid substances Waters Protection Ordinance (WPO 814.201) Water pollution class : obviously hazardous to water Classification according to AwSV, Annex 1 (5.2) Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,64% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,74% w/w Other regulations:

Version 1.0

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-2510 W Part A



Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements				
H318	:	Causes serious eye damage.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		

#### **Further information**

Classification of the mixture:		Classification procedure:
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.





Revision Date: 09.04.2025 Date of last issue: - Version 1.0

Print Date 09.04.2025

Changes as compared to previous version !

CH / EN