

Version 5.0

Print Date 05.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor®-400 Level AT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2

H315: Causes skin irritation.

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L. B.	•
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-400 Level AT



Revision Date: 05.02.2025 Date of last issue: 17.02.2023	V	ersion 5.0	Print Date 05.02.2025
Precautionary statements :	P101 P102	If medical advice is needed, har container or label at hand. Keep out of reach of children.	ve product
	P103	Read label before use.	
	Prevention:		
	P264 P280	Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	0
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eempenente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikafloor®-400 Level AT

Revision Date: 05.02.2025
Date of last issue: 17.02.2023

Version 5.0

Print Date 05.02.2025

Substances with a workplace exposure limit :				
calcium carbonate	471-34-1 207-439-9	>= 25 - < 40		
	01-2119486795-18- XXXX			
Calcium sulfate hemihydrate	10034-76-1 Not Assigned 01-2119444918-26- XXXX	>= 5 - < 10		
calcium sulfate	7778-18-9 231-900-3 01-2119444918-26- XXXX	>= 1 - < 2,5		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice :		Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled :		Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact :	,	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact :		Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed :		Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and	ef	fects, both acute and delayed
	Symptoms :		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-400 Level AT



Revision Date: 05.02.2025 Date of last issue: 17.02.2023			Print Date 05.02.202
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye damage.	
4.3 Indication of any immediate	me	dical attention and special treatment need	ded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chen extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are kn	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	eathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se 1	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions		Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering d courses. No special environmental precautions requ	
6.3 Methods and material for cor	ntai	nment and cleaning up	
		Pick up and arrange disposal without creat	ting duct

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.



Version 5.0

Print Date 05.02.2025

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advise su sefe heredling	Ο.	Associated and the stress account is and some source line its (see
	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).
			Do not get in eyes, on skin, or on clothing.
			For personal protection see section 8.
			Smoking, eating and drinking should be prohibited in the ap- plication area.
			Follow standard hygiene measures when handling chemical products
	Advice on protection against	:	Avoid dust formation. Provide appropriate exhaust ventilation
	fire and explosion		at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety
			practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.0	Conditions for onfo storage	:	
1.2	Conditions for safe storage,		
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor-	:	Keep in a dry place.
	age stability		No decomposition if stored and applied as directed.
7.3	Specific end use(s)		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
calcium carbonate	471-34-1	TWA (alveolate dust)	3 mg/m3	CH SUVA	
	Further information: National Institute for Occupational Safety and Health				
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA	
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.				
Calcium sulfate hemihydrate	10034-76-1	TWA (alveolate dust)	3 mg/m3 (Calcium)	CH SUVA	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikafloor[®]-400 Level AT

_

Revision Date: 05.02.2025 Date of last issue: 17.02.2023	Version 5.0	Print Date 05.02.2025
	Further information: Harm to th	

	Further information: Harm to the unborn child is not to be expected when the OEL-value is respected				
calcium sulfate	7778-18-9 TWA (alveolate 3 mg/m3 CH SUVA dust) (Calcium)				
	Further information: Harm to the unborn child is not to be expected when the OEL-value is respected				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
1 01001101	p. 0.000.00	oquipinoni

r ereenar protoettre equipine	////	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



Revision Date: 05.02.2025 Date of last issue: 17.02.2023	Version 5.0	Print Date 05.02.2025
Environmental exposure controls		

General advice

: Try to prevent the material from entering drains or water courses. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical propertie
Physical state Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
		La aliva limita
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
		No data available
		No data available
Decomposition temperature	:	No data available
рН	:	> 11 (20 °C) Concentration: 50 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-400 Level AT



Revision Date: 05.02.2025 Date of last issue: 17.02.2023	Version 5.0	Print Date 05.02.2025
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: Not applicable	
Density	: No data available	
Bulk density	: ca. 1,050 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned.		
10.4 Conditions to avoid				
Conditions to avoid	:	No data available		
10.5 Incompatible materials				
Materials to avoid	:	No data available		

10.6 Hazardous decomposition products

2



Revision Date: 05.02.2025 Date of last issue: 17.02.2023

Version 5.0

Print Date 05.02.2025

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Not classified due to lack of data.
Components:
Calcium sulfate hemihydrate:
Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
calcium sulfate:
Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/eye irritation
Causes serious eye damage.
Respiratory or skin sensitisation
Skin sensitisation
Not classified due to lack of data.
Respiratory sensitisation
Not classified due to lack of data.
Germ cell mutagenicity Not classified due to lack of data.
Carcinogenicity Not classified due to lack of data.
Reproductive toxicity
Not classified due to lack of data.
STOT - single exposure
Not classified due to lack of data.
STOT - repeated exposure
Not classified due to lack of data.
Aspiration toxicity
Not classified due to lack of data.



Version 5.0

Print Date 05.02.2025

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Version 5.0

Print Date 05.02.2025

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste code Switzerland	: 16 03 03 [S] inorganic wastes containing dangerous sub-
VeVA/LVA	stances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikafloor[®]-400 Level AT

Revision Date: 05.02.2025	
Date of last issue: 17.02.2023	

Version 5.0

Print Date 05.02.2025

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	ormation: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)	
			Number on list 75	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable	
Regulation (EU) No 2024/590 on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable	
PIC Ordinance, ChemPICO (814.82)		:	Not applicable	
Ordinance on Protection against Threshold quantity according to N nance (MAO 814.012)		:	Not applicable	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-400 Level AT



Revision Date: 05.02.2025 Date of last issue: 17.02.2023 Version 5.0

Print Date 05.02.2025

Chemical Risk Reduction Ordina (ORRChem, SR 814.81)	ance : Not applicable			
Waters Protection Ordinance (WPO 814.201)				
	slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)			
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties			

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315		Causes skin irritation.		
H318		Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
CH SUVA	:	Switzerland. Limit values at the work place		
CH SUVA / TWA	:	Time Weighted Average		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-400 Level AT

_



Revision Date: 05.02.2025 Date of last issue: 17.02.2023		Version 5.0	Print Date 05.02.2025
LC50	:	test animals) Median lethal concentration (concentrations of the air that kills 50% of the test animals during the or period)	
MARPOL	:	International Convention for the Prevention of Po Ships, 1973 as modified by the Protocol of 1978	
OEL		Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemic	ning the Reg- on of Chemi-
SVHC	:	Substances of Very High Concern	5 ,
vPvB	:	Very persistent and very bioaccumulative	

Further information

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN