Sika[®] Ucrete[®] BC 6 AS (Formerly Ucrete BC 6 AS) Part 3



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] BC 6 AS (Formerly Ucrete BC 6 AS) Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Schweiz AG
		Tüffenwies 16
		8048 Zürich
Telephone	:	+41 58 436 40 40
Telefax	:	-
E-mail address of person	:	EHS@ch.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Tox Info Suisse CH-8028 Zurich +41(0)44 251 51 51 / Speed calling: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

1



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
Hazard statements :	H317 M H318 C	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	Prevention: P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340	+ P312 IF INHALED: Remove pe air and keep comfortable for bro POISON CENTER/ doctor if yo	eathing. Call a
	P305 + P351	+ P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

componenta				
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)	
	, v			
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25	
	266-043-4	Eye Dam. 1; H318		
		Skin Sens. 1; H317		
		STOT SE 3; H335		
	4005 00 0		- 10	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10	
	215-137-3	Eye Dam. 1; H318		
	01-2119475151-45-	STOT SE 3; H335		
	XXXX	(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Revision Date: 03.12.2024	Version 1.0	Print Date 20.05.2025
Date of last issue: -		

4.2 Most important symptoms and effects, both acute and delayed

4.2 Most important symptoms a	nde	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. irritant effects
		sensitising effects
4.3 Indication of any immediate	me	dical attention and special treatment needed
Treatment	:	Treat symptomatically.
SECTION 5: Firefighting meas	sur	es
5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
		No hazardous combustion products are known
5.3 Advice for firefighters		
-	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective	equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.

Avoid breathing dust.
Deny access to unprotected persons.

Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 20.05.2025					
6.2 Environmental precautions Environmental precautions	Do not flush into surface water or sanitary se	wer system.					
6.3 Methods and material for containment and cleaning up Methods for cleaning up : Pick up and arrange disposal without creating dust.							
6.4 Reference to other sections	Keep in suitable, closed containers for dispos	sal.					

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

_

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.





Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *		
		of exposure)	ters *			
Quartz (SiO2)	14808-60-7	TWA (alveolate dust)	0,15 mg/m3 (Silica)	CH SUVA		
	substances an lished, Carcino tional Safety a istration, Healt Hygiene Labor	Further information: Provisional value - The TWA-values for these substances are, for various reasons, not yet definitively estab- lished, Carcinogenic Category 1, National Institute for Occupa- tional Safety and Health, Occupational Safety and Health Admin- istration, Health and Safety Executive (Occupational Medicine and Hygiene Laboratory), Harm to the unborn child is not to be ex- pected when the OEL-value is respected				
Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	5 mg/m3	CH SUVA		
		Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions.				
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU		
	Further inform	ation: Indicative	•			
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU		
		1 mg/m3	CH SUVA			
	Further inform	Further information: National Institute for Occupational Safety and				
	Health, Harm	Health, Harm to the unborn child is not to be expected when the OEL-value is respected				
*The above mentioned values are i		STEL (inhalable dust)	4 mg/m3	CH SUVA		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
alveolate dust		TWA	3 mg/m3	CH SUVA
inhalable dust		TWA	10 mg/m3	CH SUVA

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap-
Country CH 000000724019	



Revision Date: 03.12.2024 Date of last issue: -	Version 1.0	Print Date 20.05.2025
	proved standard must be worn at all times wher chemical products. Reference number EN 374. facturer specifications. Recommended: Butyl rubber/nitrile rubber glove Contaminated gloves should be removed.	Follow manu-
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). R and protective boots are additionaly recommend and stirring work.	ubber aprons
Respiratory protection :	In case of inadequate ventilation wear respirato Respirator selection must be based on known of exposure levels, the hazards of the product and ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achieve exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This a ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation	or anticipated I the safe work- es ved by local N 689 - Meth- applies in par- s not sufficent
	limits then respiration protection measures mus	
Environmental exposure contr		
General advice	Do not flush into surface water or sanitary sewe	r system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	dispersible	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available



Revision Date: 03.12.2024 Date of last issue: -		Version 1.0	Print Date 20.05.2025
SECTION 10: Stability and	reactivity		
10.1 Reactivity			
No dangerous reaction kno	own under co	onditions of normal use.	
10.2 Chemical stability			
The product is chemically	stable.		
10.3 Possibility of hazardous	reactions		
Hazardous reactions	: No	hazards to be specially mentioned	
10.4 Conditions to avoid			
Conditions to avoid	: No	data available	
10.5 Incompatible materials			
Materials to avoid	: No	data available	
10.6 Hazardous decomposition	on products		
	:		
	No	hazardous decomposition products	s are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

2

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment :

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation



Print Date 20.05.2025

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-: There is no data available for this product. mation **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

Version 1.0

Revision Date: 03.12.2024

Date of last issue: -

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

Version 1.0

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors						
				gulation, and/or			
	REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	igerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals			
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).			
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable			
	Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable			
	Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable			



Print Date 20.05.2025

Revision Date: 03.12.2024

tion (EU) 2020/878

Date of last issue: -

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika® Ucrete® BC 6 AS (Formerly Ucrete BC 6 AS) Part 3

Revision Date: 03.12.2024 Date of last issue: -	Version 1.0		Print Date 20.05.2025
PIC Ordinance, ChemPICO (814.	82) :	Not applicable	
Ordinance on Protection against I Threshold quantity according to M nance (MAO 814.012)	•	Not applicable	
Chemical Risk Reduction Ordinar (ORRChem, SR 814.81)	nce : Not applicable		
Waters Protection Ordinance (WF Water pollution class :	PO 814.201) slightly hazardous to water Classification according to		
Volatile organic compounds :	Law on the incentive tax fo (VOCV) no VOC duties	or volatile organic compo	bunds
	Directive 2010/75/EU of 24 emissions (integrated pollu Not applicable		

Other regulations:

Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values			



Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025

CH SUVA 2017/164/EU / STEL 2017/164/EU / TWA CH SUVA / TWA	: Switzerland. I : Short term ex : Limit Value - : Time Weighte	eight hours
CH SUVA / STEL	: Short Term E	
ADR	: European Ag	eement concerning the International Carriage of
<u></u>		oods by Road
CAS		tracts Service
DNEL	: Derived no-ef	
EC50		effective concentration
GHS		nonized System
IATA		Air Transport Association
IMDG		Maritime Code for Dangerous Goods
LD50		dosis (the amount of a material, given all at auses the death of 50% (one half) of a group of
LC50		concentration (concentrations of the chemical in 0% of the test animals during the observation
MARPOL		Convention for the Prevention of Pollution from
	Ships, 1973 a	s modified by the Protocol of 1978
OEL		Exposure Limit
PBT	: Persistent, bio	baccumulative and toxic
PNEC	: Predicted no	effect concentration
REACH	and of the Co istration, Eval	C) No 1907/2006 of the European Parliament uncil of 18 December 2006 concerning the Reg- uation, Authorisation and Restriction of Chemi-), establishing a European Chemicals Agency
SVHC	: Substances of	f Very High Concern
vPvB	: Very persister	nt and very bioaccumulative


Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CH / EN





Revision Date: 03.12.2024 Date of last issue: - Version 1.0

Print Date 20.05.2025